

Potassium Iodate

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/03/2017


Doc No: SDS-960.092/0



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
Substance name : Potassium Iodate
EC No : 231-831-9
CAS No : 7758-05-6
Type of product : Pure substance
Formula : KIO₃
Chemical structure :



Synonyms : iodic acid (HIO₃), potassium salt / iodic acid, potassium salt / NSC 215201 / Oxidizing solid, n.o.s. / potassium iodine oxide / potassium triiodate

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Pharmaceutical product: component
Veterinary medicine
Laboratory chemical
Food industry: Flavouring agent

1.2.2. Uses advised against

Restrictions on use : No additional information available.

1.3. Details of the supplier of the safety data sheet

ISOLAB GmbH
Bahnhofstrasse 10, D-97877
Wertheim - Germany
T +49 93 42 912 355 - F +49 93 42 912 357
prodsafe@isolab.de

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Turkey	Ulusal Zehir Merkezi (UZEM) Refik Saydam Hıfzıssıhha Merkezi Başkanlığı	Cemal Gürsel Cd. No: 18 Sıhhiye Çankaya 06590 Ankara	114	Information is provided to public and medical personnel on poisoning incidents via 114.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Liquids, H272
Eye Dam. H318

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

May intensify fire; oxidiser. May cause respiratory irritation. Causes skin irritation. Causes serious eye irritation.

Potassium Iodate

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/03/2017

Doc No: SDS-960.092/0



2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS03

GHS05

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H272 - May intensify fire; oxidiser
H318 - Causes serious eye damage.

Precautionary statements (CLP) :

P220 - Keep/Store away from clothing and other combustible materials
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Name	Product identifier	%
Potassium Iodate	(CAS No) 7758-05-6 (EC No) 231-831-9	<=100

Full text of H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Check the vital functions. Unconscious: maintain adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim conscious with laboured breathing: half-seated. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Prevent cooling by covering the victim (no warming up). Keep watching the victim. Give psychological aid. Keep the victim calm, avoid physical strain. Depending on the victim's condition: doctor/hospital. Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service. Call a poison center or a doctor if you feel unwell.
First-aid measures after skin contact	: Rinse with water. Soap may be used. Take victim to a doctor if irritation persists. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse with water. Do not apply neutralizing agents. Take victim to an ophthalmologist if irritation persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth with water. Call Poison Information Centre (www.big.be/antigif.htm). Consult a doctor/medical service if you feel unwell. Ingestion of large quantities: immediately to hospital. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation	: AFTER INHALATION OF DUST: Dry/sore throat. Coughing. Irritation of the respiratory tract. Irritation of the nasal mucous membranes. May cause respiratory irritation.
Symptoms/injuries after skin contact	: Slight irritation. ON CONTINUOUS EXPOSURE/CONTACT: Red skin. Irritation.
Symptoms/injuries after eye contact	: Slight irritation. Eye irritation.
Symptoms/injuries after ingestion	: Nausea. Abdominal pain. Diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Potassium Iodate

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/03/2017

Doc No: SDS-960.092/0



SECTION 5: Fire-fighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Adapt extinguishing media to the environment. Water spray. Dry powder. Foam.
- Unsuitable extinguishing media : No unsuitable extinguishing media known.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : DIRECT FIRE HAZARD. Non combustible. INDIRECT FIRE HAZARD. Promotes combustion. Reactions involving a fire hazard: see "Reactivity Hazard". May intensify fire; oxidiser.
- Explosion hazard : INDIRECT EXPLOSION HAZARD. Reactions with explosion hazards: see "Reactivity Hazard".
- Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

- Precautionary measures fire : Exposure to fire/heat: keep upwind. Exposure to fire/heat: consider evacuation. Exposure to fire/heat: have neighbourhood close doors and windows.
- Firefighting instructions : Cool tanks/drums with water spray/remove them into safety. Do not move the load if exposed to heat. Dilute toxic gases with water spray. Take account of environmentally hazardous firefighting water. Use water moderately and if possible collect or contain it.
- Protection during firefighting : Heat/fire exposure: compressed air/oxygen apparatus. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Protective equipment : Gloves. Protective clothing. Dust cloud production: compressed air/oxygen apparatus. See "Material-Handling" to select protective clothing.
- Emergency procedures : Ventilate spillage area. Mark the danger area. Prevent dust cloud formation. No naked flames. Keep containers closed. Wash contaminated clothes. In case of reactivity hazard: consider evacuation. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
- Measures in case of dust release : In case of dust production: keep upwind. Dust production: have neighbourhood close doors and windows.

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Prevent soil and water pollution. Prevent spreading in sewers.

6.3. Methods and material for containment and cleaning up

- For containment : Contain released substance, pump into suitable containers. Plug the leak, cut off the supply. Dam up the solid spill. Knock down/dilute dust cloud with water spray.
- Methods for cleaning up : Mechanically recover the product. Stop dust cloud by covering with sand/earth. Scoop solid spill into closing containers. Carefully collect the spill/leftovers. Spill must not return in its original container. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling. Notify authorities if product enters sewers or public waters.
- Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Comply with the legal requirements. Remove contaminated clothing immediately. Clean contaminated clothing. Keep the substance free from contamination. Thoroughly clean/dry the installation before use. Do not discharge the waste into the drain. Avoid raising dust. Use earthed equipment. Keep away from naked flames/heat. Observe normal hygiene standards. Keep container tightly closed. Carry operations in the open/under local exhaust/ventilation or with respiratory protection. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

Potassium Iodate

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/03/2017

Doc No: SDS-960.092/0



Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.
Incompatible materials : combustible materials.
Heat and ignition sources : KEEP SUBSTANCE AWAY FROM: heat sources.
Information on mixed storage : KEEP SUBSTANCE AWAY FROM: combustible materials. reducing agents. organic materials. metal powders. water/moisture.
Storage area : Store in a cool area. Store in a dry area. Keep out of direct sunlight. Keep container in a well-ventilated place. Fireproof storeroom. Keep only in the original container. Meet the legal requirements.
Special rules on packaging : SPECIAL REQUIREMENTS: closing. clean. correctly labelled. meet the legal requirements. Secure fragile packagings in solid containers.
Packaging materials : SUITABLE MATERIAL: No data available. MATERIAL TO AVOID: No data available.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Potassium Iodate (7758-05-6)		
Bulgaria	Local name	Калиев йодат
Bulgaria	OEL TWA (mg/m ³)	5 mg/m ³

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Gloves. Safety glasses. In case of dust production: protective goggles. In case of dust production: head/neck protection. In case of dust production: dustproof clothing. Protective clothing.

Materials for protective clothing:

GIVE GOOD RESISTANCE: nitrile rubber

Hand protection:

Gloves

Eye protection:

Safety glasses. In case of dust production: protective goggles. Safety glasses

Skin and body protection:

Protective clothing. In case of dust production: head/neck protection. In case of dust production: dustproof clothing

Respiratory protection:

Dust production: dust mask with filter type P2

Device	Filter type	Condition	Standard
Dust mask		Dust protection	



Potassium Iodate

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/03/2017

Doc No: SDS-960.092/0



Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Crystalline solid. Crystalline powder.
Molecular mass	: 214 g/mol
Colour	: White.
Odour	: Odourless.
Odour threshold	: No data available
pH	: 6 (50 g/l, H ₂ O, 20°C)
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: 560 °C
Freezing point	: Not applicable
Boiling point	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: > 560 °C
Flammability (solid, gas)	: Non flammable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: Not applicable
Density	: 3.98 g/cm ³ (20°C)
Solubility	: Moderately soluble in water. Water: 9.2 g/100ml
Log Pow	: -7.18 (Estimated value)
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: May intensify fire; oxidiser.
Explosive limits	: Not applicable

9.2. Other information

VOC content	: Not applicable
-------------	------------------

SECTION 10: Stability and reactivity

10.1. Reactivity

On heating: oxidation resulting in increased fire or explosion risk and release of corrosive gases/vapours (hydrogen iodide). Violent exothermic reaction with organic material and with combustible materials: risk of spontaneous ignition. Violent exothermic reaction with (strong) reducers: (increased) risk of fire/explosion. Reacts violently with (some) metal powders. May intensify fire; oxidiser.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Combustible materials.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Potassium Iodate

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/03/2017

Doc No: SDS-960.092/0



SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Ecology - air	: Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009).
Ecology - water	: Severe water pollutant (surface water). Ground water pollutant. No data available on ecotoxicity.

12.2. Persistence and degradability

Potassium Iodate (7758-05-6)	
Persistence and degradability	Biodegradability: not applicable. Biodegradability in soil: not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable

12.3. Bioaccumulative potential

Potassium Iodate (7758-05-6)	
Log Pow	-7.18 (Estimated value)
Bioaccumulative potential	Bioaccumulation: not applicable.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Potassium Iodate (7758-05-6)	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Precipitate/make insoluble. Remove to an authorized dump (Class I). Treat using the best available techniques before discharge into drains or the aquatic environment.

Potassium Iodate

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/03/2017

Doc No: SDS-960.092/0



Additional information	: LWCA (the Netherlands): KGA category 06. Hazardous waste according to Directive 2008/98/EC.
European List of Waste (LoW) code	: 16 05 06* - laboratory chemicals consisting of or containing dangerous substances including mixtures of laboratory chemicals

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)	: 1479
UN-No. (IMDG)	: 1479
UN-No. (IATA)	: 1479
UN-No. (ADN)	: 1479
UN-No. (RID)	: 1479

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: OXIDIZING SOLID, N.O.S.
Proper Shipping Name (IMDG)	: OXIDIZING SOLID, N.O.S.
Proper Shipping Name (IATA)	: Oxidizing solid, n.o.s.
Proper Shipping Name (ADN)	: OXIDIZING SOLID, N.O.S.
Proper Shipping Name (RID)	: OXIDIZING SOLID, N.O.S.
Transport document description (ADR)	: UN 1479 OXIDIZING SOLID, N.O.S., 5.1, II, (E)
Transport document description (IMDG)	: UN 1479 OXIDIZING SOLID, N.O.S., 5.1, II
Transport document description (IATA)	: UN 1479 Oxidizing solid, n.o.s., 5.1, II
Transport document description (ADN)	: UN 1479 OXIDIZING SOLID, N.O.S., 5.1, II
Transport document description (RID)	: UN 1479 OXIDIZING SOLID, N.O.S., 5.1, II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: 5.1
Danger labels (ADR)	: 5.1



IMDG

Transport hazard class(es) (IMDG)	: 5.1
Danger labels (IMDG)	: 5.1



IATA

Transport hazard class(es) (IATA)	: 5.1
Hazard labels (IATA)	: 5.1



ADN

Potassium Iodate

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/03/2017

Doc No: SDS-960.092/0



Transport hazard class(es) (ADN) : 5.1
Danger labels (ADN) : 5.1



RID

Transport hazard class(es) (RID) : 5.1
Danger labels (RID) : 5.1



14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II


14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : No
Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : O2
Special provisions (ADR) : 274
Limited quantities (ADR) : 1kg
Excepted quantities (ADR) : E2
Packing instructions (ADR) : P002, IBC08
Special packing provisions (ADR) : B3
Mixed packing provisions (ADR) : MP2
Portable tank and bulk container instructions (ADR) : T3
Portable tank and bulk container special provisions (ADR) : TP33
Tank code (ADR) : SGAN
Tank special provisions (ADR) : TU3
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Special provisions for carriage - Packages (ADR) : V11
Special provisions for carriage - Loading, unloading and handling (ADR) : CV24
Hazard identification number (Kemler No.) : 50
Orange plates :



Potassium Iodate

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/03/2017

Doc No: SDS-960.092/0



Tunnel restriction code (ADR)	: E
EAC code	: 1Y
- Transport by sea	
Transport regulations (IMDG)	: Subject
Special provisions (IMDG)	: 274, 900
Limited quantities (IMDG)	: 1 kg
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P002
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B2, B4
Tank instructions (IMDG)	: T3
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-Q
Stowage category (IMDG)	: B
Segregation (IMDG)	: SG38, SG49, SG60, SG61
MFAG-No	: 140
- Air transport	
Transport regulations (IATA)	: Subject to the provisions
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y544
PCA limited quantity max net quantity (IATA)	: 2.5kg
PCA packing instructions (IATA)	: 558
PCA max net quantity (IATA)	: 5kg
CAO packing instructions (IATA)	: 562
CAO max net quantity (IATA)	: 25kg
Special provisions (IATA)	: A3
ERG code (IATA)	: 5L
- Inland waterway transport	
Classification code (ADN)	: O2
Special provisions (ADN)	: 274
Limited quantities (ADN)	: 1 kg
Excepted quantities (ADN)	: E2
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0
- Rail transport	
Transport regulations (RID)	: Subject
Classification code (RID)	: O2
Special provisions (RID)	: 274
Limited quantities (RID)	: 1kg
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P002, IBC08
Special packing provisions (RID)	: B4
Mixed packing provisions (RID)	: MP2
Portable tank and bulk container instructions (RID)	: T3
Portable tank and bulk container special provisions (RID)	: TP33
Tank codes for RID tanks (RID)	: SGAN
Special provisions for RID tanks (RID)	: TU3
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W11

Potassium Iodate

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/03/2017

Doc No: SDS-960.092/0



Special provisions for carriage - Loading, unloading and handling (RID) : CW24

Colis express (express parcels) (RID) : CE10

Hazard identification number (RID) : 50

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Potassium Iodate is not on the REACH Candidate List

Potassium Iodate is not on the REACH Annex XIV List

VOC content : Not applicable

15.1.2. National regulations

Germany

VwVwS Annex reference : Water hazard class (WGK) 3, severe hazard to waters

WGK remark : Internal classification water polluting based on standard worst-case evaluation points due to insufficient data

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

Waterbevaarlijkheid : 5 - Very toxic to aquatic organisms

SZW-lijst van kankerverwekkende stoffen : The substance is not listed

SZW-lijst van mutagene stoffen : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
EC50	Median effective concentration
IMDG	International Maritime Dangerous Goods
IATA	International Air Transport Association
LC50	Median lethal concentration
LD50	Median lethal dose
PBT	Persistent Bioaccumulative Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet

Potassium Iodate

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/03/2017

Doc No: SDS-960.092/0



vPvB	Very Persistent and Very Bioaccumulative
------	--

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Full text of H- and EUH-statements:	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Ox. Liq. 2	Oxidising Liquids, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H272	May intensify fire; oxidiser
H318	Causes serious eye irritation

SDS ISOLAB

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product