

# Potassium nitrate

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 29/03/2017


Doc No: SDS-960.116/0



### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance  
Substance name : Potassium nitrate  
EC-No. : 231-818-8  
CAS-No. : 7757-79-1  
Type of product : Pure substance  
Formula : KNO<sub>3</sub>  
Chemical structure :



Synonyms : E252 food grade / MULTI K GG / niter / nitrate of potash / nitrate of potassium / nitrate volumetrical standard / nitre / nitric acid potassium salt / Potassium nitrate / saltpeter / saltpetre / vicknite

BIG no : 10150

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Fertilizer

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

ISOLAB GmbH  
Bahnhofstrasse 10, D-97877  
Wertheim - Germany  
T +49 93 42 912 355 - F +49 93 42 912 357  
[prodsafe@isolab.de](mailto:prodsafe@isolab.de)

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Germany	Giftnotruf der Charité CBF, Haus VIII (Wirtschaftsgebäude), UG	Hindenburgdamm 30 12203 Berlin	+49 30 19240	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Ox. Sol. 3 H272

Full text of hazard classes and H-statements : see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS03

Signal word (CLP) : Warning  
Hazard statements (CLP) : H272 - May intensify fire; oxidiser  
Precautionary statements (CLP) : P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

# Potassium nitrate

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 29/03/2017

Doc No: SDS-960.116/0



P221 - Take any precaution to avoid mixing with combustibles/...

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Name	Product identifier	%
Potassium nitrate	(CAS-No.) 7757-79-1 (EC-No.) 231-818-8	100

Full text of H-statements: see section 16

### 3.2. Mixtures

Not applicable

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Check the vital functions. Unconscious: maintain adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim conscious with laboured breathing: half-seated. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Prevent cooling by covering the victim (no warming up). Keep watching the victim. Give psychological aid. Keep the victim calm, avoid physical strain. Depending on the victim's condition: doctor/hospital. Never give alcohol to drink.
First-aid measures after inhalation	: Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.
First-aid measures after skin contact	: Rinse with water. Soap may be used. Do not apply (chemical) neutralizing agents. Take victim to a doctor if irritation persists.
First-aid measures after eye contact	: Rinse with water. Do not apply neutralizing agents. Take victim to an ophthalmologist if irritation persists.
First-aid measures after ingestion	: Rinse mouth with water. Immediately after ingestion: give lots of water to drink. Victim is fully conscious: immediately induce vomiting. Induce vomiting by giving a 0.9 % saline solution. Call Poison Information Centre ( <a href="http://www.big.be/antigif.htm">www.big.be/antigif.htm</a> ). Consult a doctor/medical service if you feel unwell. Ingestion of large quantities: immediately to hospital. Doctor: administration of chemical antidote.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: AFTER INHALATION OF DUST: Dry/sore throat. Coughing. Irritation of the respiratory tract.
Symptoms/effects after skin contact	: Red skin. ON CONTINUOUS EXPOSURE/CONTACT: Tingling/irritation of the skin.
Symptoms/effects after eye contact	: Redness of the eye tissue. ON CONTINUOUS EXPOSURE/CONTACT: Irritation of the eye tissue.
Symptoms/effects after ingestion	: Gastrointestinal complaints. Vomiting. Nausea. Diarrhoea. AFTER ABSORPTION OF HIGH QUANTITIES: Blood in stool. Methemoglobinemia. FOLLOWING SYMPTOMS MAY APPEAR LATER: Blue/grey discoloration of the skin. Dizziness. Feeling of weakness. Disturbances of heart rate. Headache. Disturbances of consciousness.
Chronic symptoms	: ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Skin rash/inflammation.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Fire-fighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Adapt extinguishing media to the environment.
Unsuitable extinguishing media	: No unsuitable extinguishing media known.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: DIRECT FIRE HAZARD. Non combustible. INDIRECT FIRE HAZARD. Promotes combustion. Reactions involving a fire hazard: see "Reactivity Hazard".
Explosion hazard	: DIRECT EXPLOSION HAZARD. No data available on direct explosion hazard. INDIRECT EXPLOSION HAZARD. No data available on indirect explosion hazard.

### 5.3. Advice for firefighters

Precautionary measures fire	: Exposure to fire/heat: keep upwind. Exposure to fire/heat: consider evacuation. Exposure to fire/heat: have neighbourhood close doors and windows.
-----------------------------	--

# Potassium nitrate

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 29/03/2017

Doc No: SDS-960.116/0



- Firefighting instructions : Cool tanks/drums with water spray/remove them into safety. Do not move the load if exposed to heat. Dilute toxic gases with water spray.
- Protection during firefighting : Heat/fire exposure: compressed air/oxygen apparatus.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

- Protective equipment : Gloves. Protective clothing. Dust cloud production: compressed air/oxygen apparatus. Reactivity hazard: compressed air/oxygen apparatus. Reactivity hazard: gas-tight suit. See "Material-Handling" to select protective clothing.
- Emergency procedures : Mark the danger area. Prevent dust cloud formation, e.g. by wetting. No naked flames. Keep containers closed. Wash contaminated clothes. In case of hazardous reactions: keep upwind. In case of reactivity hazard: consider evacuation.
- Measures in case of dust release : In case of dust production: keep upwind. Dust production: have neighbourhood close doors and windows.

##### 6.1.2. For emergency responders

No additional information available

#### 6.2. Environmental precautions

Prevent spreading in sewers.

#### 6.3. Methods and material for containment and cleaning up

- For containment : Contain released substance, pump into suitable containers. Consult "Material-handling" to select material of containers. Plug the leak, cut off the supply. Dam up the solid spill. Knock down/dilute dust cloud with water spray. If reacting: dilute toxic gas/vapour with water spray. Take account of toxic/corrosive precipitation water.
- Methods for cleaning up : Prevent dispersion by covering with dry sand/earth. Scoop solid spill into closing containers. See "Material-handling" for suitable container materials. Spill must not return in its original container. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling.

#### 6.4. Reference to other sections

No additional information available

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Comply with the legal requirements. Remove contaminated clothing immediately. Clean contaminated clothing. Keep the substance free from contamination. Thoroughly clean/dry the installation before use. Do not discharge the waste into the drain. Avoid raising dust. Keep away from naked flames/heat. Observe normal hygiene standards. Keep container tightly closed. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Storage temperature : 20 °C
- Heat and ignition sources : KEEP SUBSTANCE AWAY FROM: heat sources.
- Information on mixed storage : KEEP SUBSTANCE AWAY FROM: combustible materials. reducing agents. (strong) acids. metals. organic materials.
- Storage area : Store in a dry area. Fireproof storeroom. Detached building. Meet the legal requirements.
- Special rules on packaging : SPECIAL REQUIREMENTS: closing. clean. correctly labelled. meet the legal requirements. Secure fragile packagings in solid containers.
- Packaging materials : SUITABLE MATERIAL: synthetic material. glass. MATERIAL TO AVOID: wood.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Potassium nitrate (7757-79-1)		
Bulgaria	Local name	Калиев нитрат
Bulgaria	OEL TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
Latvia	Local name	Kālijanitrāts
Latvia	OEL TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
Lithuania	Local name	Kalio nitratas

# Potassium nitrate

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 29/03/2017

Doc No: SDS-960.116/0



Potassium nitrate (7757-79-1)		
Lithuania	IPRV (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
Russian Federation	Local name	Калий нитрат
Russian Federation	OEL Ceiling (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
Russian Federation	Remark (RU)	3 класс опасности - опасное; а (аэрозоль)

### 8.2. Exposure controls

#### Materials for protective clothing:

GIVE GOOD RESISTANCE: butyl rubber. neoprene. rubber. GIVE POOR RESISTANCE: natural fibres

#### Hand protection:

Gloves

#### Eye protection:

Safety glasses. In case of dust production: protective goggles

#### Skin and body protection:

Protective clothing

#### Respiratory protection:

Dust production: dust mask with filter type P2

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Crystalline solid. Crystalline powder.
Molecular mass	: 101.1 g/mol
Colour	: Colourless-white.
Odour	: Odourless.
Odour threshold	: No data available
pH	: 5 - 8 (20°C; 50g/l)
pH solution	: 5 %
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: 334 °C
Freezing point	: No data available
Boiling point	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: 400 °C
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: 3
Relative density	: 2.109
Density	: 2.109 g/cm <sup>3</sup>
Solubility	: Soluble in water. Soluble in glycerol. Water: 32 g/100ml Ethanol: 0.16 g/100ml
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: May intensify fire; oxidiser.
Explosive limits	: No data available

# Potassium nitrate

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 29/03/2017

Doc No: SDS-960.116/0



### 9.2. Other information

Minimum ignition energy	: Not applicable
SADT	: Not applicable
VOC content	: Not applicable
Other properties	: Translucent.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Decomposes on exposure to temperature rise: release of oxygen. On burning: release of toxic and corrosive gases/vapours (nitrous vapours). Violent to explosive reaction with many compounds e.g.: with organic material, with combustible materials, with (some) metals and their compounds and with (strong) reducers. Reacts with (some) acids: release of toxic and corrosive gases/vapours (nitrous vapours).

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

No additional information available

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

No additional information available

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Potassium nitrate (7757-79-1)	
LD50 oral rat	3750 mg/kg (Rat)
Skin corrosion/irritation	: Not classified pH: 6 - 8 (5 %)
Serious eye damage/irritation	: Not classified pH: 6 - 8 (5 %)
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - air	: Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009).
Ecology - water	: Mild water pollutant (surface water). Ground water pollutant. Maximum concentration in drinking water: 50 mg/l (nitrate) (Directive 98/83/EC). Not harmful to fishes (LC50(96h) >1000 mg/l). Slightly harmful to invertebrates (Daphnia) (EC50 (48h): 100 - 1000 mg/l). May cause eutrophication. Slightly harmful to plankton (EC50: 100 - 1000 mg/l).

Potassium nitrate (7757-79-1)	
LC50 fish 2	1378 mg/l (LC50; 96 h; Poecilia reticulata)
LC50 other aquatic organisms 2	490 mg/l (48 h; Daphnia magna)

### 12.2. Persistence and degradability

Potassium nitrate (7757-79-1)	
Persistence and degradability	Biodegradability: not applicable.

# Potassium nitrate

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 29/03/2017

Doc No: SDS-960.116/0



Potassium nitrate (7757-79-1)	
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable

### 12.3. Bioaccumulative potential

Potassium nitrate (7757-79-1)	
Bioaccumulative potential	No bioaccumulation data available.

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods






Product/Packaging disposal recommendations : Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Precipitate/make insoluble. Remove to an authorized dump (Class I). Do not discharge into surface water.

Additional information : LWCA (the Netherlands): KGA category 05. Hazardous waste according to Directive 2008/98/EC.

European List of Waste (LoW) code : 06 10 02\* - wastes containing dangerous substances

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
1486	1486	1486	1486	1486
<b>14.2. UN proper shipping name</b>				
POTASSIUM NITRATE	POTASSIUM NITRATE	Potassium nitrate	POTASSIUM NITRATE	POTASSIUM NITRATE
<b>Transport document description</b>				
UN 1486 POTASSIUM NITRATE, 5.1, III, (E)	UN 1486 POTASSIUM NITRATE, 5.1, III	UN 1486 Potassium nitrate, 5.1, III	UN 1486 POTASSIUM NITRATE, 5.1, III	UN 1486 POTASSIUM NITRATE, 5.1, III
<b>14.3. Transport hazard class(es)</b>				
5.1	5.1	5.1	5.1	5.1
				
<b>14.4. Packing group</b>				
III	III	III	III	III
<b>14.5. Environmental hazards</b>				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : O2

Limited quantities (ADR) : 5kg

# Potassium nitrate

## Safety Data Sheet


according to Regulation (EU) 2015/830

Date of issue: 29/03/2017

Doc No: SDS-960.116/0



Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P002, IBC08, LP02, R001
Special packing provisions (ADR)	: B4
Mixed packing provisions (ADR)	: MP10
Portable tank and bulk container instructions (ADR)	: T1, BK1, BK2
Portable tank and bulk container special provisions (ADR)	: TP33
Tank code (ADR)	: SGAV
Tank special provisions (ADR)	: TU3
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Bulk (ADR)	: VC1, VC2, AP6, AP7
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV24
Hazard identification number (Kemler No.)	: 50
Orange plates	:



Tunnel restriction code (ADR)	: E
EAC code	: 1Z

### - Transport by sea

Transport regulations (IMDG)	: Subject
Special provisions (IMDG)	: 964, 967
Limited quantities (IMDG)	: 5 kg
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P002, LP02
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B3
Tank instructions (IMDG)	: T1, BK2, BK3
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-Q
Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW23
Properties and observations (IMDG)	: White crystals or powder. Soluble in water. Mixtures with combustible material are readily ignited and may burn fiercely. Harmful if swallowed.
MFAG-No	: 140

### - Air transport

Transport regulations (IATA)	: Subject to the provisions
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y546
PCA limited quantity max net quantity (IATA)	: 10kg
PCA packing instructions (IATA)	: 559
PCA max net quantity (IATA)	: 25kg
CAO packing instructions (IATA)	: 563
CAO max net quantity (IATA)	: 100kg
ERG code (IATA)	: 5L

### - Inland waterway transport

Classification code (ADN)	: O2
Limited quantities (ADN)	: 5 kg
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: B
Equipment required (ADN)	: PP

# Potassium nitrate

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 29/03/2017

Doc No: SDS-960.116/0



Provisions prior to loading (ADN)	: LO04
Provisions for carriage in bulk (ADN)	: CO02
Number of blue cones/lights (ADN)	: 0
Additional requirements/Remarks (ADN)	: CO02 and LO04 apply only when this substance is carried in bulk or without packaging

### - Rail transport

Transport regulations (RID)	: Subject
Classification code (RID)	: O2
Limited quantities (RID)	: 5kg
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P002, IBC08, LP02, R001
Special packing provisions (RID)	: B3
Mixed packing provisions (RID)	: MP10
Portable tank and bulk container instructions (RID)	: T1, BK1, BK2
Portable tank and bulk container special provisions (RID)	: TP33
Tank codes for RID tanks (RID)	: SGAV
Special provisions for RID tanks (RID)	: TU3
Transport category (RID)	: 3
Special provisions for carriage – Bulk (RID)	: VC1, VC2, AP6, AP7
Special provisions for carriage - Loading, unloading and handling (RID)	: CW24
Colis express (express parcels) (RID)	: CE11
Hazard identification number (RID)	: 50

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Potassium nitrate is not on the REACH Candidate List

Potassium nitrate is not on the REACH Annex XIV List

VOC content : Not applicable

#### 15.1.2. National regulations

##### Germany

VwVwS Annex reference : Water hazard class (WGK) 1, low hazard to waters (Classification according to VwVwS, Annex 1 or 2; ID No. 346)

WGK remark : Classification water polluting in compliance with Verwaltungsvorschrift wassergefährdender Stoffe (VwVwS) of 27 July 2005 (Anhang 2)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

##### Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed

SZW-lijst van mutagene stoffen : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

### 15.2. Chemical safety assessment

No additional information available



# Potassium nitrate

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 29/03/2017

Doc No: SDS-960.116/0



### SECTION 16: Other information

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
EC50	Median effective concentration
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Full text of H- and EUH-statements:

Ox. Sol. 3	Oxidising Solids, Category 3
H272	May intensify fire; oxidiser

SDS ISOLAB

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*