Urea Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 01/06/2022 Doc No: SDS-978.015/2



SECTION 1: Identification of the substance/mixture and of the company/undertaking

| 1.1. Product identifier | |
|---|--|
| Product form | : Substance |
| Substance name | : Urea |
| EC-No. | : 200-315-5 |
| CAS-No. | : 57-13-6 |
| Type of product | : Pure substance, Hygroscopic substance. Preventive measures apply to the substance in dry state only |
| Formula | : CH4N2O |
| Chemical structure | H_2N NH_2 |
| Synonyms | : amide of carbonic acid / aquacare / aquadrate / basodexan / BIK / B-I-K / carbamide / carbamide, resin / carbamidic acid / carbonyldiamide / carbonyldiamine / isourea / keratinamin / mocovina / nutraplus / pastarom / prespersion / prespersion,75 urea / pseudo-urea / supercel 3000 / ureaphil / ureophil / urepearl / urevert / varioform II |
| 1.2. Relevant identified uses of the subs | tance or mixture and uses advised against |

1.2.1. Relevant identified uses

Use of the substance/mixture

: Fertilizer Food industry: additive Industrial use Laboratory chemical

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

ISOLAB Laborgeräte GmbH Am Dillhof 2 - 63863 Eschau / GERMANY Tel: + 49 93 74 / 978 55-0 Fax: +49 93 74 / 978 55-29 prodsafe@isolab.de

1.4. Emergency telephone number

| Country | Organisation/Company | Address | Emergency number | Comment |
|---------|--|-----------------------------------|------------------|---------|
| Germany | Giftnotruf der Charité CBF, Haus VIII (Wirtschaftgebäude), UG | Hindenburgdamm 30 12203 Berlin | +49 30 19240 | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Not classified

Adverse physicochemical, human health and environmental effects No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] No labelling applicable

2.3. Other hazards

No additional information available

Urea Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 01/06/2022 Doc No: SDS-978.015/2



SECTION 3: Composition/information on ingredients

3.1. Substances

| Name | Product identifier | % |
|------|---|-----|
| Urea | (CAS-No.) 57-13-6 (EC-No.) 200-315-5 | 100 |

Full text of H-statements: see section 16

3.2. Mixtures

Not applicable

| SECTION 4: First aid measures | |
|--|---|
| 4.1. Description of first aid measures | |
| First-aid measures general | : Check the vital functions. Unconscious: maintain adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim conscious with laboured breathing: half-seated. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Prevent cooling by covering the victim (no warming up). Keep watching the victim. Give psychological aid. Keep the victim calm, avoid physical strain. Depending on the victim's condition: doctor/hospital. |
| First-aid measures after inhalation | : Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service. |
| First-aid measures after skin contact | : Rinse with water. Soap may be used. Do not apply (chemical) neutralizing agents. Take victim to a doctor if irritation persists. |
| First-aid measures after eye contact | : Rinse with water. Do not apply neutralizing agents. Take victim to an ophthalmologist if irritation persists. |
| First-aid measures after ingestion | : Rinse mouth with water. Immediately after ingestion: give lots of water to drink. Do not induce vomiting. Call Poison Information Centre (www.big.be/antigif.htm). Consult a doctor/medical service if you feel unwell. Ingestion of large quantities: immediately to hospital. |
| 4.2. Most important symptoms and effe | cts, both acute and delayed |
| Symptoms/effects after inhalation | : AFTER INHALATION OF DUST: Dry/sore throat. Coughing. |
| Symptoms/effects after skin contact | : No effects known. |
| Symptoms/effects after eye contact | : Redness of the eye tissue. |
| Symptoms/effects after ingestion | : Nausea. Vomiting. Cramps/uncontrolled muscular contractions. |
| Chronic symptoms | : No effects known. |
| 4.3. Indication of any immediate medic | al attention and special treatment needed |
| No additional information available | |
| SECTION 5: Fire-fighting measures | |
| 5.1. Extinguishing media | |

| 5.1. | Extinguishing media | | |
|---------|---|---|--|
| Suitabl | Suitable extinguishing media : All extinguishing media allowed. | | |
| Unsuita | able extinguishing media | : No unsuitable extinguishing media known. | |
| 5.2. | Special hazards arising from the | substance or mixture | |
| Fire ha | zard | : DIRECT FIRE HAZARD. Non combustible. INDIRECT FIRE HAZARD. Reactions involving a fire hazard: see "Reactivity Hazard". | |
| Explos | ion hazard | : INDIRECT EXPLOSION HAZARD. Reactions with explosion hazards: see "Reactivity Hazard". | |
| 5.3. | Advice for firefighters | | |
| Precau | itionary measures fire | : Exposure to fire/heat: keep upwind. Exposure to fire/heat: consider evacuation. Exposure to fire/heat: have neighbourhood close doors and windows. | |
| Firefig | nting instructions | : Cool tanks/drums with water spray/remove them into safety. Dilute toxic gases with water spray. Take account of toxic/corrosive precipitation water. | |
| Protect | tion during firefighting | : Heat/fire exposure: compressed air/oxygen apparatus. | |
| SECT | TION 6: Accidental release me | asures | |
| 6.1. | Personal precautions, protective | equipment and emergency procedures | |
| 6.1.1. | For non-emergency personnel | | |
| Protect | tive equipment | : Gloves. Protective clothing. Dust cloud production: compressed air/oxygen apparatus. See "Material-Handling" to select protective clothing. | |
| Emerg | ency procedures | : Mark the danger area. Prevent dust cloud formation, e.g. by wetting. No naked flames. Wash contaminated clothes. In case of reactivity hazard: consider evacuation. | |
| Measu | res in case of dust release | : In case of dust production: keep upwind. Dust production: have neighbourhood close doors and windows. | |
| 06/04/2 | | EN (English) 2/7 | |
| | | | |

Urea

Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 01/06/2022 Doc No: SDS-978.015/2



| 6.1.2. | For emergency responders | | |
|---|-------------------------------------|--|---|
| No addi | No additional information available | | |
| 6.2. | Environmental precautions | | |
| No additional information available | | | |
| 6.3. | Methods and material for containm | ent | and cleaning up |
| For con | tainment | | Contain released substance, pump into suitable containers. Consult "Material-handling" to select material of containers. Plug the leak, cut off the supply. Knock down/dilute dust cloud with water spray. |
| Method | s for cleaning up | : | Stop dust cloud by covering with sand/earth. Scoop solid spill into closing containers. See "Material-handling" for suitable container materials. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling. |
| 6.4. | Reference to other sections | | |
| No addi | tional information available | | |
| SECT | ION 7: Handling and storage | | |
| 7.1. | Precautions for safe handling | | |
| Precaut | ions for safe handling | : | Comply with the legal requirements. Remove contaminated clothing immediately. Clean contaminated clothing. Thoroughly clean/dry the installation before use. Avoid raising dust. Use earthed equipment. Keep away from naked flames/heat. Observe normal hygiene standards. Keep container tightly closed. Carry operations in the open/under local exhaust/ventilation or with respiratory protection. |
| 7.2. | Conditions for safe storage, includ | ing | any incompatibilities |
| Heat an | d ignition sources | : | KEEP SUBSTANCE AWAY FROM: heat sources. |
| Informa | tion on mixed storage | : | KEEP SUBSTANCE AWAY FROM: oxidizing agents. (strong) acids. halogens. water/moisture. |
| Storage | area | : | Store in a dry area. Keep out of direct sunlight. Keep container in a well-ventilated place. Meet the legal requirements. |
| Special | rules on packaging | : | SPECIAL REQUIREMENTS: hermetical. watertight. dry. clean. correctly labelled. meet the legal requirements. Secure fragile packagings in solid containers. |
| Packaging materials : SUITABLE MATERIAL: stainless steel. synthetic material. glass. cardboard. wood. MA TO AVOID: carbon steel. copper. bronze. | | SUITABLE MATERIAL: stainless steel. synthetic material. glass. cardboard. wood. MATERIAL TO AVOID: carbon steel. copper. bronze. | |
| 7.3. | Specific end use(s) | | |
| | | | |

No additional information available

SECTION 8: Exposure controls/personal protection

| Urea (57-13-6) | | |
|--------------------|----------------------------------|---|
| Bulgaria | Local name | Карбамид |
| Bulgaria | OEL TWA (mg/m ³) | 10 mg/m ³ |
| Latvia | Local name | Urīnviela |
| Latvia | OEL TWA (mg/m ³) | 10 mg/m ³ |
| Lithuania | Local name | Urea (karbamidas, šlapalas) |
| Lithuania | IPRV (mg/m ³) | 10 mg/m ³ |
| Russian Federation | Local name | Карбамид |
| Russian Federation | OEL Ceiling (mg/m ³) | 10 mg/m ³ |
| Russian Federation | Remark (RU) | 3 класс опасности - опасное; а (аэрозоль) |

8.2. Exposure controls

Materials for protective clothing:

GIVE EXCELLENT RESISTANCE: No data available. GIVE GOOD RESISTANCE: butyl rubber. chloroprene rubber. PVC. GIVE LESS RESISTANCE: No data available. GIVE POOR RESISTANCE: neoprene. nitrile rubber. viton

Hand protection:

Gloves

Eye protection:

In case of dust production: protective goggles

Urea Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 01/06/2022 Doc No: SDS-978.015/2



Skin and body protection:

Protective clothing. In case of dust production: head/neck protection. In case of dust production: dustproof clothing

Respiratory protection:

Dust production: dust mask with filter type P1

| SECTION 9: Physical and chemical properties | | |
|--|--|--|
| 9.1. Information on basic physical and chemical properties | | |
| Physical state | : Solid | |
| Appearance | : Crystalline solid. Crystalline powder. Little spheres. Grains. | |
| Molecular mass | : 60.06 g/mol | |
| Colour | : White. | |
| Odour | : Odourless. In moist air: Ammonia odour. | |
| Odour threshold | : No data available | |
| рН | : 9 (100 g/l, H ₂ O, 20 °C) | |
| pH solution | : 10 % | |
| Relative evaporation rate (butylacetate=1) | : No data available | |
| Melting point | : 133 °C | |
| Freezing point | : No data available | |
| Boiling point | : Not applicable | |
| Flash point | : No data available | |
| Auto-ignition temperature | : No data available | |
| Decomposition temperature | : > 133 °C | |
| Flammability (solid, gas) | : No data available | |
| Vapour pressure | : < 0.01 hPa (20 °C) | |
| Vapour pressure at 50 °C | : < 0.01 hPa (50 °C) | |
| Relative vapour density at 20 °C | : 2.1 | |
| Relative density | : 1.34 | |
| Density | : 1.34 g/cm3 (20 °C) | |
| Solubility | Soluble in water. Soluble in ethanol. Soluble in acetic acid. Soluble in pyrimidine. Soluble in hydrogenchloride. Water: 100 g/100ml Ethanol: 10 g/100ml | |
| Log Pow | : < -1.73 (Experimental value; EU Method A.8: Partition Coefficient) | |
| Viscosity, kinematic | : No data available | |
| Viscosity, dynamic | : 0.002 Pa.s (20 °C) | |
| Explosive properties | : No data available | |
| Oxidising properties | : No data available | |
| Explosive limits | : No data available | |
| 9.2. Other information | | |
| Saturation concentration | : < 0.01 g/m ³ | |
| VOC content | : 0% | |
| Other properties | : Hygroscopic. | |

SECTION 10: Stability and reactivity

10.1. Reactivity

Decomposes slowly on exposure to water (moisture) and in moist air: release of corrosive gases/vapours (ammonia). On heating: release of toxic/corrosive/combustible gases/vapours (ammonia). On burning: release of toxic and corrosive gases/vapours (nitrous vapours, carbon monoxide - carbon dioxide). Violent to explosive reaction with (some) halogens compounds: release of heat. Reacts with many compounds e.g.: with (strong) oxidizers: (increased) risk of fire/explosion.

10.2. Chemical stability

Unstable on exposure to moisture.

10.3. Possibility of hazardous reactions

No additional information available

Urea

Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 01/06/2022 Doc No: SDS-978.015/2



10.4. Conditions to avoid No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information 11.1. Information on toxicological effects Acute toxicity : Not classified Urea (57-13-6) Image: Second Second

| LD50 dermal rat | > 3200 mg/kg (Rat; Literature study) |
|-----------------------------------|--|
| LD50 dermal rabbit | > 21000 mg/kg (Rabbit; Literature study) |
| Skin corrosion/irritation | : Not classified |
| | pH: 7.2 (10 %) |
| Serious eye damage/irritation | : Not classified |
| | pH: 7.2 (10 %) |
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : Not classified |
| STOT-repeated exposure | : Not classified |
| Aspiration hazard | : Not classified |

| SECTION 12: Ecological info | brmation |
|-----------------------------|---|
| 12.1. Toxicity | |
| Ecology - general | : Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008. |
| Ecology - air | : Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009). Not included in the list of fluorinated greenhouse gases (Regulation (EC) No 842/2006). TA-Luft Klasse 5.2.5/l. |
| Ecology - water | : Ground water pollutant. Not harmful to fishes (LC50(96h) >1000 mg/l). Not harmful to invertebrates (Daphnia) (EC50 (48h) > 1000 mg/l). Not harmful to algae. |
| Urea (57-13-6) | |
| LC50 fish 1 | > 6810 mg/l (LC50; 96 h; Leuciscus idus; Static system) |
| EC50 Daphnia 1 | > 10000 mg/l (EC50; 48 h; Daphnia magna) |
| Threshold limit algae 1 | > 10000 mg/l (EC0; 168 h; Scenedesmus quadricauda; Static system; Fresh water) |

| 12.2. Persistence and degradability | | |
|-------------------------------------|---|--|
| Urea (57-13-6) | | |
| Persistence and degradability | Inherently biodegradable. Hydrolysis in water. Highly mobile in soil. | |
| ThOD | 0.27 g O₂/g substance | |
| 12.3. Bioaccumulative potential | | |
| Urea (57-13-6) | | |
| BCF fish 1 | 1 (BCF; 72 h; Brachydanio rerio) | |
| BCF other aquatic organisms 1 | 11700 (BCF) | |
| Log Pow | < -1.73 (Experimental value; EU Method A.8: Partition Coefficient) | |
| Bioaccumulative potential | Bioaccumulation: not applicable. | |

Urea

Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 01/06/2022 Doc No: SDS-978.015/2



12.4. Mobility in soil

Urea (57-13-6)

Log Koc

Koc,0.037-0.064; Experimental value

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

| SECTION 13: Disposal considerations | | |
|---|--|--|
| 13.1. Waste treatment methods | | |
| Product/Packaging disposal recommendation | s : Remove waste in accordance with local and/or national regulations. Remove to an authorized dump (Class II). Do not discharge into drains or the environment. | |
| Additional information | : LWCA (the Netherlands): KGA category 03. Can be considered as non hazardous waste according to Directive 2008/98/EC. | |
| European List of Waste (LoW) code | : 06 10 99 - wastes not otherwise specified | |

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

| ADR | IMDG | IATA | ADN | RID |
|-------------------|-----------------|------------------------------|----------------|----------------|
| 14.1. UN number | | • | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.2. UN proper s | hipping name | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| | | | | |
| 14.3. Transport h | azard class(es) | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.4. Packing gro | up | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.5. Environmen | tal hazards | | | - |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| | | No supplementary information | on available | · · · |

14.6. Special precautions for user

- Overland transport

Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

- Inland waterway transport

Not applicable

- Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions Urea is not on the REACH Candidate List Urea is not on the REACH Annex XIV List according to Regulation (EU) 2015/830 Date of issue: 01/06/2022 Doc No: SDS-978.015/2



VOC content

: 0%

÷

1 or 2; ID No. 118)

15.1.2. National regulations

Germany

VwVwS Annex reference

WGK remark

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

Netherlands

| Neuleilalius | |
|--|-------------------------------|
| SZW-lijst van kankerverwekkende stoffen | : The substance is not listed |
| SZW-lijst van mutagene stoffen | : The substance is not listed |
| NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding | : The substance is not listed |
| NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid | : The substance is not listed |
| NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling | : The substance is not listed |
| | |
| 15.2. Chemical safety assessment | |

Stoffe (VwVwS) of 27 July 2005 (Anhang 2)

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

No additional information available

SECTION 16: Other information

Abbreviations and acronyms:

| ADDIEVIALIONS | | | | |
|---------------|---|--|--|--|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways | | | |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road | | | |
| ATE | Acute Toxicity Estimate | | | |
| BCF | Bioconcentration factor | | | |
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 | | | |
| EC50 | Median effective concentration | | | |
| IARC | International Agency for Research on Cancer | | | |
| ΙΑΤΑ | International Air Transport Association | | | |
| IMDG | International Maritime Dangerous Goods | | | |
| LC50 | Median lethal concentration | | | |
| LD50 | Median lethal dose | | | |
| PBT | Persistent Bioaccumulative Toxic | | | |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 | | | |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail | | | |
| SDS | Safety Data Sheet | | | |
| vPvB | Very Persistent and Very Bioaccumulative | | | |

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

: Water hazard class (WGK) 1, low hazard to waters (Classification according to VwVwS, Annex

Classification water polluting in compliance with Verwaltungsvorschrift wassergefährdender

SDS ISOLAB

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product