Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 01/06/2022 Version: 0.0 Doc No: SDS-901.037/2



SECTION 1: Identification of the substance/mixture and of the company/undertaking

: Substance : Acetonitrile : 608-001-00-3

1.1.	Product identifier
Product fo	rm
Substance	name
EC Index-I	No.
EC-No.	
CAS-No.	
Type of pro	oduct
Formula	
Chemical s	structure

:	200-835-2
:	75-05-8
:	Pure substance,Small container
:	C_2H_3N
:	H C−C≡N H

Synonyms

: Acetonitrile / cyanomethane

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture

: Chemical substance for research Laboratory chemical

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

ISOLAB Laborgeräte GmbH Am Dillhof 2 - 63863 Eschau / GERMANY Tel: + 49 93 74 / 978 55-0 Fax: +49 93 74 / 978 55-29 prodsafe@isolab.de

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Germany	Giftnotruf der Charité CBF, Haus VIII (Wirtschaftgebäude), UG	Hindenburgdamm 30 12203 Berlin	+49 30 19240	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

 Flam. Liq. 2
 H225

 Acute Tox. 4 (Dermal)
 H312

 Acute Tox. 4 (Inhalation)
 H332

 Acute Tox. 4 (Oral)
 H302

 Eye Irrit. 2
 H319

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 01/06/2022 Version: 0.0 Doc No: SDS-901.037/2



2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

	GHS02 GHS07
Signal word (CLP)	: Danger
Hazard statements (CLP)	 H225 - Highly flammable liquid and vapour H302 + H312 + H332 - Harmful if swallowed, in contact with skin or if inhaled H319 - Causes serious eye irritation.
Precautionary statements (CLP)	 P210 - Keep away from heat/sparks/open flames/hot surfaces No smoking P240 - Ground/bond container and receiving equipment P302+P352 - IF ON SKIN: Wash with plenty of soap and water P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P403+233 - Store in a well-ventilated place. Keep container tightly closed.

J

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ing	TION 3: Composition/information on ingredients		
3.1. Substances			
Name	Product identifier	%	
Acetonitrile	(CAS-No.) 75-05-8 (EC-No.) 200-835-2 (EC Index-No.) 608-001-00-3	100	

Full text of H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Check the vital functions. Unconscious: maintain adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim conscious with laboured breathing: half-seated. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Prevent cooling by covering the victim (no warming up). Keep watching the victim. Give psychological aid. Keep the victim calm, avoid physical strain. Depending on the victim's condition: doctor/hospital.
First-aid measures after inhalation	: Remove the victim into fresh air. Do not apply mouth-to-mouth resuscitation. Respiratory problems: consult a doctor/medical service.
First-aid measures after skin contact	: Wash immediately with lots of water. Soap may be used. Do not apply (chemical) neutralizing agents. Take victim to a doctor if irritation persists.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Do not apply neutralizing agents. Take victim to an ophthalmologist if irritation persists.
First-aid measures after ingestion	: Rinse mouth with water. Immediately after ingestion: give lots of water to drink. Do not induce vomiting. Call Poison Information Centre (www.big.be/antigif.htm). Consult a doctor/medical service if you feel unwell. Ingestion of large quantities: immediately to hospital. Take the container/vomit to the doctor/hospital. Doctor: administration of chemical antidote.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/effects after inhalation	: EXPOSURE TO HIGH CONCENTRATIONS: Irritation of the respiratory tract. Irritation of the nasal mucous membranes. FOLLOWING SYMPTOMS MAY APPEAR LATER: Feeling of weakness. Headache. Dizziness. Mental confusion. Nausea. Vomiting. Change in the haemogramme/blood composition. Increased salivation. Disturbances of heart rate. Respiratory difficulties. Disturbances of consciousness. Cramps/uncontrolled muscular contractions. Risk of lung oedema.
Symptoms/effects after skin contact	: FOLLOWING SYMPTOMS MAY APPEAR LATER: Symptoms similar to those listed under inhalation.
Symptoms/effects after eye contact	: Irritation of the eye tissue.
01/06/2022 www.isolab.de	EN (English) 2/10

Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 01/06/2022 Version: 0.0

Symptoms/effects after ingestion

	ISOLAB [®] chemicals
: Risk of aspiration pneumonia. FOLLOWING SYM similar to those listed under inhalation.	PTOMS MAY APPEAR LATER: Symptoms

ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: No specific information available.

SIMILAR PRODUCTS CAUSE FOLLOWING SYMPTOMS: Runny nose. Feeling of weakness.

Chronic symptoms

Doc No: SDS-901.037/2

Headache. Dizziness. Gastrointestinal complaints. Loss of appetite. Loss of weight. Indication of any immediate medical attention and special treatment needed 4.3.

:

No additional information available

Suitable extinguishing media : Alcohol-resistant foam. BC powder. Carbon dioxide. MAJOR FIRE: Water spray. Polyvalent foam. Insuitable extinguishing media : Solid water jet ineffective as extinguishing medium. i.2. Special hazards arising from the substance or mixture iire hazard : DIRECT FIRE HAZARD. Highly flammable. Gas/vapour flammable with air within explosion limits. INDIRECT FIRE HAZARD. May be ignited by sparks. Gas/vapour spreads at floor level ignition hazard. Reactions involving a fire hazard: see "Reactivity Hazard". Explosion hazard : DIRECT EXPLOSION HAZARD. Gas/vapour explosive with air within explosion limits. INDIRECT EXPLOSION HAZARD. may be ignited by sparks. Reactions with explosion hazards: see "Reactivity Hazard". 3. Advice for firefighters Precautionary measures fire : Exposure to fire/heat: keep upwind. Exposure to fire/heat: consider evacuation. Exposure to fire/heat: have neighbourhood close doors and windows. : If exposed to fire cool the closed containers by spraying with water. Do not move the load if exposed to heat. Dilute toxic gases with water spray. Take account of environmentally hazardous firefighting water. Use water moderately and if possible collect or contain it.	SECTION 5: Fire-fighting measures	
foam. Insuitable extinguishing media : Solid water jet ineffective as extinguishing medium. Special hazards arising from the substance or mixture 'ire hazard : DIRECT FIRE HAZARD. Highly flammable. Gas/vapour flammable with air within explosion limits. INDIRECT FIRE HAZARD. May be ignited by sparks. Gas/vapour spreads at floor level ignition hazard. Reactions involving a fire hazard: see "Reactivity Hazard". Explosion hazard : DIRECT EXPLOSION HAZARD. Gas/vapour explosive with air within explosion limits. INDIRECT EXPLOSION HAZARD. May be ignited by sparks. Reactions with explosion hazard: see "Reactivity Hazard". 3. Advice for firefighters : Precautionary measures fire : Exposure to fire/heat: keep upwind. Exposure to fire/heat: consider evacuation. Exposure to fire/heat: have neighbourhood close doors and windows. : If exposed to fire cool the closed containers by spraying with water. Do not move the load if exposed to heat. Dilute toxic gases with water spray. Take account of environmentally hazardous firefighting water. Use water moderately and if possible collect or contain it. Protection during firefighting : Heat/fire exposure: compressed air/oxygen apparatus.	5.1. Extinguishing media	
i.2. Special hazards arising from the substance or mixture if if if hazard : DIRECT FIRE HAZARD. Highly flammable. Gas/vapour flammable with air within explosion limits. INDIRECT FIRE HAZARD. May be ignited by sparks. Gas/vapour spreads at floor level ignition hazard. Reactions involving a fire hazard: see "Reactivity Hazard". isxplosion hazard : DIRECT EXPLOSION HAZARD. Gas/vapour explosive with air within explosion limits. INDIRECT EXPLOSION HAZARD. may be ignited by sparks. Reactions with explosion hazards: see "Reactivity Hazard". isxplosion hazard : DIRECT EXPLOSION HAZARD. may be ignited by sparks. Reactions with explosion limits. INDIRECT EXPLOSION HAZARD. may be ignited by sparks. Reactions with explosion hazards: see "Reactivity Hazard". istrictionary measures fire : Exposure to fire/heat: keep upwind. Exposure to fire/heat: consider evacuation. Exposure to fire/heat: have neighbourhood close doors and windows. : Firefighting instructions : If exposed to fire cool the closed containers by spraying with water. Do not move the load if exposed to heat. Dilute toxic gases with water spray. Take account of environmentally hazardous firefighting water. Use water moderately and if possible collect or contain it. Protection during firefighting : Heat/fire exposure: compressed air/oxygen apparatus.	Suitable extinguishing media	
irre hazard : DIRECT FIRE HAZARD. Highly flammable. Gas/vapour flammable with air within explosion limits. INDIRECT FIRE HAZARD. May be ignited by sparks. Gas/vapour spreads at floor level ignition hazard. Reactions involving a fire hazard: see "Reactivity Hazard". ixxplosion hazard : DIRECT EXPLOSION HAZARD. Gas/vapour explosive with air within explosion limits. INDIRECT EXPLOSION HAZARD. may be ignited by sparks. Reactions with explosion hazards: see "Reactivity Hazard". ix.a. Advice for firefighters Precautionary measures fire : Exposure to fire/heat: keep upwind. Exposure to fire/heat: consider evacuation. Exposure to fire/heat: have neighbourhood close doors and windows. : If exposed to heat. Dilute toxic gases with water spray. Take account of environmentally hazardous firefighting water. Use water moderately and if possible collect or contain it. Protection during firefighting : Heat/fire exposure: compressed air/oxygen apparatus.	Insuitable extinguishing media	: Solid water jet ineffective as extinguishing medium.
Iimits. INDIRECT FIRE HAZARD. May be ignited by sparks. Gas/vapour spreads at floor level ignition hazard. Reactions involving a fire hazard: see "Reactivity Hazard". Explosion hazard DIRECT EXPLOSION HAZARD. Gas/vapour explosive with air within explosion limits. INDIRECT EXPLOSION HAZARD. may be ignited by sparks. Reactions with explosion hazards: see "Reactivity Hazard". 6.3. Advice for firefighters Precautionary measures fire : Exposure to fire/heat: keep upwind. Exposure to fire/heat: consider evacuation. Exposure to fire/heat: have neighbourhood close doors and windows. Firefighting instructions : If exposed to fire cool the closed containers by spraying with water. Do not move the load if exposed to heat. Dilute toxic gases with water spray. Take account of environmentally hazardous firefighting water. Use water moderately and if possible collect or contain it. Protection during firefighting : Heat/fire exposure: compressed air/oxygen apparatus.	5.2. Special hazards arising from the sul	bstance or mixture
INDIRECT EXPLOSION HAZARD. may be ignited by sparks. Reactions with explosion hazards: see "Reactivity Hazard". Advice for firefighters Precautionary measures fire : Exposure to fire/heat: keep upwind. Exposure to fire/heat: consider evacuation. Exposure to fire/heat: have neighbourhood close doors and windows. Firefighting instructions : If exposed to fire cool the closed containers by spraying with water. Do not move the load if exposed to heat. Dilute toxic gases with water spray. Take account of environmentally hazardous firefighting water. Use water moderately and if possible collect or contain it. Protection during firefighting : Heat/fire exposure: compressed air/oxygen apparatus.	Fire hazard	limits. INDIRECT FIRE HAZARD. May be ignited by sparks. Gas/vapour spreads at floor level:
Precautionary measures fire : Exposure to fire/heat: keep upwind. Exposure to fire/heat: consider evacuation. Exposure to fire/heat: have neighbourhood close doors and windows. : Firefighting instructions : If exposed to fire cool the closed containers by spraying with water. Do not move the load if exposed to heat. Dilute toxic gases with water spray. Take account of environmentally hazardous firefighting water. Use water moderately and if possible collect or contain it. Protection during firefighting : Heat/fire exposure: compressed air/oxygen apparatus.	Explosion hazard	INDIRECT EXPLOSION HAZARD. may be ignited by sparks. Reactions with explosion
firefighting instructionsfire/heat: have neighbourhood close doors and windows.Firefighting instructionsIf exposed to fire cool the closed containers by spraying with water. Do not move the load if exposed to heat. Dilute toxic gases with water spray. Take account of environmentally hazardous firefighting water. Use water moderately and if possible collect or contain it.Protection during firefighting: Heat/fire exposure: compressed air/oxygen apparatus.	5.3. Advice for firefighters	
exposed to heat. Dilute toxic gases with water spray. Take account of environmentally hazardous firefighting water. Use water moderately and if possible collect or contain it. Protection during firefighting : Heat/fire exposure: compressed air/oxygen apparatus.	Precautionary measures fire	
	Firefighting instructions	exposed to heat. Dilute toxic gases with water spray. Take account of environmentally
FCTION 6: Accidental release measures	Protection during firefighting	: Heat/fire exposure: compressed air/oxygen apparatus.
	SECTION 6: Accidental release more	SURGE

6.1.	Personal precautions, protective e	quip	ment and emergency procedures
6.1.1.	For non-emergency personnel		
Protective	e equipment		Gloves. Protective goggles. Head/neck protection. Protective clothing. See "Material-Handling" to select protective clothing.
Emergen	cy procedures	:	Mark the danger area. Stop engines and no smoking. No naked flames or sparks. Spark- and explosionproof appliances and lighting equipment. Wash contaminated clothes.
6.1.2.	For emergency responders		

No additi	ional information available	
6.2.	Environmental precautions	
Prevent	soil and water pollution. Prevent spreadin	g in sewers.
6.3.	Methods and material for containmer	nt and cleaning up
For conta	ainment	: Contain leaking substance. Consult "Material-handling" to select material of containers. Dam up the liquid spill. Try to reduce evaporation. Measure the concentration of the explosive gas-air mixture. Dilute/disperse combustible gas/vapour with water curtain.
Methods	for cleaning up	: Take up liquid spill into a non combustible material e.g.: sand, earth, vermiculite. Scoop absorbed substance into closing containers. See "Material-handling" for suitable container materials. Carefully collect the spill/leftovers. Contaminated surfaces: clean (treat) with an excess of water. Take collected spill to manufacturer/competent authority. Wash clothing and equipment after handling.
6.4.	Reference to other sections	
No additi	onal information available	
SECTI	ON 7: Handling and storage	
7.1.	Precautions for safe handling	
Precautio	ons for safe handling	: Comply with the legal requirements. Remove contaminated clothing immediately. Clean contaminated clothing. Do not discharge the waste into the drain. Thoroughly clean/dry the installation before use. Observe normal hygiene standards. Insufficient ventilation: keep naked flames/sparks away. Insufficient ventilation: take precautions against electrostatic charges. Insufficient ventilation: use spark-/explosionproof appliances and lighting system. Keep

container tightly closed. Measure the concentration in the air regularly. Work under local

exhaust/ventilation.

Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 01/06/2022 Version: 0.0 Doc No: SDS-901.037/2



7.2. Conditions for safe storage, including any incompatibilities

Heat and ignition sources	: KEEP SUBSTANCE AWAY FROM: heat sources. ignition sources.
Information on mixed storage	 KEEP SUBSTANCE AWAY FROM: oxidizing agents. reducing agents. (strong) acids. (strong) bases. water/moisture.
Storage area	 Store in a dry area. Ventilation at floor level. Fireproof storeroom. Store at ambient temperature. Keep out of direct sunlight. Meet the legal requirements.
Special rules on packaging	 SPECIAL REQUIREMENTS: hermetical. dry. clean. correctly labelled. meet the legal requirements. Secure fragile packagings in solid containers.
Packaging materials	: SUITABLE MATERIAL: stainless steel. aluminium. iron. polyethylene. glass. MATERIAL TO AVOID: copper. plastics.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection				
8.1. Control parameters				
Acetonitrile (75-05-8)				
Application Area	Exposure routes	Health effect	Value	
Workers	Inhalation	Acute local effects, Acute systemic effects	68 mg/m3	
Workers	Skin contact	Long-term systemic effects	32,2 mg/kg BW/d	
Workers	Inhalation	Long-term local effects, Long-term systemic effects	68 mg/m3	
Consumers	Inhalation	Acute local effects	220 mg/m3	
Consumers	Inhalation	Acute systemic effects	22 mg/m3	
Consumers	Inhalation	Long-term systemic effects	4,8 mg/m3	

8.2. Exposure controls

Materials for protective clothing:

GIVE GOOD RESISTANCE: butyl rubber. chlorinated polyethylene. tetrafluoroethylene. neoprene/butyl rubber. neoprene/natural rubber. GIVE LESS RESISTANCE: PVA. GIVE POOR RESISTANCE: nitrile rubber. polyethylene. natural rubber. neoprene. PVC. viton

Hand protection:

Gloves

Eye protection:

Safety glasses

Skin and body protection:

Head/neck protection. Protective clothing

Respiratory protection:

Wear gas mask with filter type A if conc. in air > exposure limit

Device	Filter type	Condition	Standard
Gas mask	Type A - High-boiling (>65 °C) organic compounds	If conc. in air > exposure limit	



SECTION 9: Physical and chemical properties		
9.1. Information on bas	sic physical and chemical properties	
Physical state	: Liquid	
Appearance	: Liquid.	
Volecular mass	: 41.05 g/mol	
Colour	: Colourless.	
24/02/2222		

Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 01/06/2022 Version: 0.0 Doc No: SDS-901.037/2



DUC NO. 3D3-901.037/2	
Odour	: Sweet odour. Aromatic odour. Ether-like odour.
Odour threshold	: 42 ppm 70 mg/m ³
pH	: No data available
Relative evaporation rate (butylacetate=1)	: 5.8
Melting point	: -45.7°C
Freezing point	: No data available
Boiling point	: 81.6 °C (1013 hPa)
Flash point	: 2 °C closed cup
Critical temperature	: 275 °C
Auto-ignition temperature	: 524 °C
Decomposition temperature	: > 120 °C
Flammability (solid, gas)	: No data available
Vapour pressure	: 97 hPa (20 °C)
Vapour pressure at 50 °C	: 360 hPa (50 °C)
Critical pressure	: 48320 hPa
Relative vapour density at 20 °C	: 1.4
Relative density	: 0.79 (20 °C)
Relative density of saturated gas/air mixture	: 1.04
Density	: 0.786 g/cm ³ (20 °C)
Solubility	 Soluble in water. Soluble in ethanol. Soluble in ether. Soluble in acetone. Soluble in chloroform. Soluble in methylacetate. Soluble in dichloroethane. Soluble in tetrachloromethane. Soluble in tetrachloroethene. Soluble in methanol. Soluble in ethylacetate. Soluble in oils/fats. Water: Complete Ethanol: Complete Ether: Complete Acetone: Complete
Log Pow	: 0.29 (Weight of evidence approach; Equivalent or similar to OECD 107; 25 °C)
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 0.003 Pa.s (40 °C)
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 3.0 - 17.0 vol %
9.2. Other information	
Specific conductivity	: 60000 pS/m
Saturation concentration	: 163 g/m ³
VOC content	: 100 %
Other properties	: Gas/vapour heavier than air at 20°C. Clear. Volatile. Substance has neutral reaction. May generate electrostatic charges.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts slowly with water (moisture): release of corrosive gases/vapours (ammonia, nitrous vapours). On heating: release of toxic/combustible gases/vapours (hydrogen cyanide). On burning: release of toxic and corrosive gases/vapours (nitrous vapours, carbon monoxide - carbon dioxide). Reacts violently with (strong) oxidizers: (increased) risk of fire/explosion. Reacts violently with (strong) reducers. Violent exothermic reaction with (some) acids: release of toxic and corrosive gases/vapours (nitrous vapours).

10.2.	Chemical stability		
Unstab	e on exposure to moisture.		
10.3.	Possibility of hazardous reactions		
No add	itional information available		
10.4.	Conditions to avoid		
No add	itional information available		
10.5.	Incompatible materials		
No add	itional information available		
10.6.	Hazardous decomposition products		
No add	itional information available		
01/06/20	22	EN (English)	5/10

Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 01/06/2022 Version: 0.0 Doc No: SDS-901.037/2



SECTION 11: Toxicological info	ormation
11.1. Information on toxicological e	effects
Acute toxicity	: Dermal: Harmful in contact with skin. Inhalation: Harmful if inhaled. Oral: Harmful if swallowed.
Acetonitrile (75-05-8)	
LD50 oral rat	2730 mg/kg
LD50 dermal rabbit	> 2.000 mg/kg
LC50 inhalation rat (mg/l)	27 mg/l/4h (Rat)
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: Classification concerning the environment: not applicable.
Ecology - air	: Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009).
Ecology - water	: Ground water pollutant. Maximum concentration in drinking water: 0.050 mg/l (cyanide) (Directive 98/83/EC). Not harmful to fishes (LC50(96h) >1000 mg/l). Not harmful to invertebrates (Daphnia) (EC50 (48h) > 1000 mg/l). Not harmful to algae (EC50 (72h) >1000 mg/l). Highly toxic to plankton. Not harmful to bacteria (EC50 >1000 mg/l). Inhibition of activated sludge. Nitrification of activated sludge isn't inhibited.

Acetonitrile (75-05-8)	
LC50 fish 1	1640 mg/l (LC50; Other; 96 h; Pimephales promelas; Flow-through system; Fresh water; Experimental value)
EC50 Daphnia 1	> 1000 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Semi-static system; Fresh water; Experimental value)
Threshold limit algae 1	9696 mg/l (EC50; ISO 10253; 72 h; Phaeodactylum; Static system; Salt water; Experimental value)
Threshold limit algae 2	> 1000 mg/l (EC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Pseudokirchneriella subcapitata; Static system; Fresh water; Experimental value)

12.2. Persistence and degradability

Acetonitrile (75-05-8)		
Persistence and degradability Readily biodegradable in water. No (test)data on mobility of the substance available.		
Biochemical oxygen demand (BOD) 0.17 g O₂/g substance		
ThOD	3.12 g O₂/g substance	

12.3. Bioaccumulative potential

Acetonitrile (75-05-8)		
3.162 (BCF; BCFWIN)		
0.29 (Weight of evidence approach; Equivalent or similar to OECD 107; 25 °C)		
Low potential for bioaccumulation (Log Kow < 4).		

12.4. Mobility in soil

Acetonitrile (75-05-8)	
Surface tension	0.029 N/m (20 °C)

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 01/06/2022 Version: 0.0 Doc No: SDS-901.037/2



SECTION 13: Disposal considerations

13.1. Waste treatment	methods	
Product/Packaging disposa		Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Remove waste in accordance with local and/or national regulations. Recycle by distillation. Do not landfill. Incinerate under surveillance with energy recovery. Do not discharge into drains or the environment.
Additional information		LWCA (the Netherlands): KGA category 06. Hazardous waste according to Directive 2008/98/EC.
European List of Waste (Lo	W) code :	16 05 06* - laboratory chemicals consisting of or containing dangerous substances including mixtures of laboratory chemicals

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN						
ADR	IMDG	IATA	ADN	RID		
14.1. UN number	·	•	·			
1648	1648	1648	1648	1648		
14.2. UN proper shipping name						
ACETONITRILE	ACETONITRILE	Acetonitrile	ACETONITRILE	ACETONITRILE		
Transport document descr	iption		•			
UN 1648 ACETONITRILE, 3, II, (D/E)	UN 1648 ACETONITRILE, 3, II (2°C c.c.)	UN 1648 Acetonitrile, 3, II	UN 1648 ACETONITRILE, 3, II	UN 1648 ACETONITRILE, 3, II		
14.3. Transport hazard	class(es)					
3	3	3	3	3		
14.4. Packing group						
II	Ш	Ш	Ш	П		
14.5. Environmental ha	azards		•	•		
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No		
	No s	upplementary information ava	ilable			

14.6. Special precautions for user

- Overland transport	
Classification code (ADR)	: F1
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T7
Portable tank and bulk container special provisions (ADR)	: TP2
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 2
Special provisions for carriage - Operation (ADR)	: S2, S20
Hazard identification number (Kemler No.)	: 33

Orange plates

Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 01/06/2022 Version: 0.0 Doc No: SDS-901.037/2

:

33

ISOLAB[®] chemicals

	1648
Tunnel restriction code (ADR)	: D/E
- Transport by sea	
Transport regulations (IMDG)	: Subject
Limited quantities (IMDG)	: 1L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP2
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-D
Stowage category (IMDG)	: B
Stowage and handling (IMDG)	: SW2
Flash point (IMDG)	: 2°C c.c.
Properties and observations (IMDG)	: Colourless, volatile liquid. Flashpoint: 2°C c.c. Explosive limits: 3% to 16% Miscible with water. When involved in a fire, evolves toxic cyanide fumes. Harmful if swallowed, by skin contact or by inhalation.
MFAG-No	: 127
- Air transport	
Transport regulations (IATA)	: Subject to the provisions
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 353
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
ERG code (IATA)	: 3L
 Inland waterway transport 	
Classification code (ADN)	: F1
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: Т
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 1
- Rail transport	
Transport regulations (RID)	: Subject
Classification code (RID)	: F1
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T7
Portable tank and bulk container special provisions (RID)	: TP2
Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE7

Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 01/06/2022 Version: 0.0 Doc No: SDS-901.037/2



rode c for the substance or mixture
c for the substance or mixture
c for the substance or mixture
() 2, hazard to waters (Classification according to VwVwS, Annex 1 or
ing in compliance with Verwaltungsvorschrift wassergefährdender / 2005 (Anhang 2)
ImSchV (Hazardous Incident Ordinance)
d
d
d
d
d
ncy management guidelines for the storage of flammable liquids
ge of 18 years are not allowed to use the product
3

No additional information available

SECTION 16: Other information

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
EC50	Median effective concentration	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	

Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 01/06/2022 Version: 0.0 Doc No: SDS-901.037/2



REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.		

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour
H302 + H312 + H332	Harmful if swallowed, in contact with skin or if inhaled
H319	Causes serious eye irritation.

SDS ISOLAB

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product