

# Dichloromethane

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 03/04/2017 Version: 0.0


Doc. No: SDS-914.014/1



### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance  
Substance name : Dichloromethane  
EC Index-No. : 602-004-00-3  
EC-No. : 200-838-9  
CAS-No. : 75-09-2  
Type of product : Pure substance  
Formula : CH<sub>2</sub>Cl<sub>2</sub>  
Chemical structure :



Synonyms : aerotherne MM / DCM (=dichloromethane) / Dichloromethane / F 30 (chlorocarbon) / freon 30 / hcc 30 / khmadon 30 / methane dichloride / methane, dichloro- / methylene bichloride / methylene chloride / methylene dichloride / narkotil / R 30 / R30 (refrigerant) / solaesthin / soleana vda / solmethine

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Industrial use  
Cleansing product  
Solvent  
Polymerisation: auxiliary substance  
Photographic chemical  
Degreasing agent  
Anti-freezing agent

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

ISOLAB Laborgeräte GmbH  
Am Dillhof 2 - 63863 Eschau / GERMANY  
Tel: + 49 93 74 / 978 55-0  
Fax: +49 93 74 / 978 55-29  
[prodsafe@isolab.de](mailto:prodsafe@isolab.de)

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Germany	Giftnotruf der Charité CBF, Haus VIII (Wirtschaftsgebäude), UG	Hindenburgdamm 30 12203 Berlin	+49 30 19240	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Carc. 2 H351  
Skin Irrit. 2 H315  
Eye Irrit. 2 H319  
STOT SE 3 H336

Full text of hazard classes and H-statements : see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

# Dichloromethane

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 03/04/2017 Version: 0.0

Doc. No: SDS-914.014/1



### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS08

GHS07

Signal word (CLP) :

Warning

Hazard statements (CLP) :

H315 - Causes skin irritation  
H319 - Causes serious eye irritation.  
H336 - May cause drowsiness or dizziness  
H351 - Suspected of causing cancer

Precautionary statements (CLP) :

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Name	Product identifier	%
Dichloromethane	(CAS-No.) 75-09-2 (EC-No.) 200-838-9 (EC Index-No.) 602-004-00-3	100

Full text of H-statements: see section 16

### 3.2. Mixtures

Not applicable

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general

: Check the vital functions. Unconscious: maintain adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim conscious with laboured breathing: half-seated. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Prevent cooling by covering the victim (no warming up). Keep watching the victim. Give psychological aid. Keep the victim calm, avoid physical strain. Depending on the victim's condition: doctor/hospital. Never give alcohol to drink.

First-aid measures after inhalation

: Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.

First-aid measures after skin contact

: Wash immediately with lots of water. Soap may be used. Do not apply (chemical) neutralizing agents. Take victim to a doctor if irritation persists.

First-aid measures after eye contact

: Rinse immediately with plenty of water. Do not apply neutralizing agents. Take victim to an ophthalmologist if irritation persists.

First-aid measures after ingestion

: Rinse mouth with water. Immediately after ingestion: give lots of water to drink. Do not induce vomiting. Give activated charcoal. Call Poison Information Centre ([www.big.be/antigif.htm](http://www.big.be/antigif.htm)). Consult a doctor/medical service if you feel unwell. Ingestion of large quantities: immediately to hospital. Doctor: gastric lavage.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation

: Dry/sore throat. Coughing. Slight irritation. EXPOSURE TO HIGH CONCENTRATIONS: Headache. Nausea. Feeling of weakness. Dizziness. Coordination disorders. Impaired concentration. Change in the haemogramme/blood composition. ON CONTINUOUS EXPOSURE/CONTACT: Respiratory difficulties. Disturbances of consciousness.

Symptoms/effects after skin contact

: Tingling/irritation of the skin.

Symptoms/effects after eye contact

: Irritation of the eye tissue.

Symptoms/effects after ingestion

: AFTER ABSORPTION OF HIGH QUANTITIES: Nausea. Dry/sore throat. Gastrointestinal complaints.

# Dichloromethane

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 03/04/2017 Version: 0.0

Doc. No: SDS-914.014/1



Chronic symptoms : ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Red skin. Dry skin. Central nervous system depression. Mental confusion. Slurred speech. Visual disturbances. Drunkenness. Delusions. Impaired memory. Enlargement/affection of the liver.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Fire-fighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Polyvalent foam. BC powder. Carbon dioxide.  
Unsuitable extinguishing media : No unsuitable extinguishing media known.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : DIRECT FIRE HAZARD. Flammable in the presence of a high energy source. Gas/vapour flammable with air within explosion limits. INDIRECT FIRE HAZARD. Heating increases the fire hazard. Reactions involving a fire hazard: see "Reactivity Hazard".  
Explosion hazard : DIRECT EXPLOSION HAZARD. Gas/vapour explosive within explosion limits if energy source high. INDIRECT EXPLOSION HAZARD. Heat may cause pressure rise in tanks/drums: explosion risk. Reactions with explosion hazards: see "Reactivity Hazard".

### 5.3. Advice for firefighters

Precautionary measures fire : Exposure to fire/heat: consider evacuation.  
Firefighting instructions : Cool tanks/drums with water spray/remove them into safety. Physical explosion risk: extinguish/cool from behind cover. Do not move the load if exposed to heat. After cooling: persistent risk of physical explosion. Dilute toxic gases with water spray.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment : Gloves. Protective goggles. Head/neck protection. Protective clothing. Large spills/in enclosed spaces: gas-tight suit. See "Material-Handling" to select protective clothing.  
Emergency procedures : Keep upwind. Mark the danger area. Seal off low-lying areas. Close doors and windows of adjacent premises. No naked flames. Keep containers closed. Wash contaminated clothes. Large spills/in confined spaces: consider evacuation. In case of reactivity hazard: consider evacuation.

#### 6.1.2. For emergency responders

No additional information available

### 6.2. Environmental precautions

Prevent spreading in sewers.

### 6.3. Methods and material for containment and cleaning up

For containment : Contain released substance, pump into suitable containers. Consult "Material-handling" to select material of containers. Plug the leak, cut off the supply. Dam up the liquid spill. Try to reduce evaporation. Provide equipment/receptacles with earthing.  
Methods for cleaning up : Take up liquid spill into absorbent material, e.g.: sand, earth, vermiculite. Scoop absorbed substance into closing containers. See "Material-handling" for suitable container materials. Carefully collect the spill/leftovers. Damaged/cooled tanks must be emptied. Clean contaminated surfaces with an excess of water. Take collected spill to manufacturer/competent authority. Wash clothing and equipment after handling.

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Comply with the legal requirements. Remove contaminated clothing immediately. Clean contaminated clothing. Thoroughly clean/dry the installation before use. Do not discharge the waste into the drain. Use earthed equipment. Keep away from naked flames/heat. Observe strict hygiene. Keep container tightly closed. Measure the concentration in the air regularly. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage temperature : < 35 °C  
Heat and ignition sources : KEEP SUBSTANCE AWAY FROM: heat sources.

# Dichloromethane

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 03/04/2017 Version: 0.0

Doc. No: SDS-914.014/1



Information on mixed storage	: KEEP SUBSTANCE AWAY FROM: oxidizing agents. (strong) acids. (strong) bases. organic materials. water/moisture.
Storage area	: Store in a cool area. Store in a dry area. Store in a dark area. Ventilation at floor level. Provide for a tub to collect spills. Provide the tank with earthing. Unauthorized persons are not admitted. Store only in a limited quantity. Meet the legal requirements.
Special rules on packaging	: SPECIAL REQUIREMENTS: closing. dry. clean. opaque. correctly labelled. meet the legal requirements. Secure fragile packagings in solid containers.
Packaging materials	: SUITABLE MATERIAL: stainless steel. polyethylene. glass. MATERIAL TO AVOID: iron. aluminium. synthetic material. copper. PVC.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Dichloromethane (75-09-2)		
EU	Local name	Methylene chloride; Dichloromethane
EU	IOELV TWA (mg/m <sup>3</sup> )	353 mg/m <sup>3</sup>
EU	IOELV TWA (ppm)	100 ppm
EU	IOELV STEL (mg/m <sup>3</sup> )	706 mg/m <sup>3</sup>
EU	IOELV STEL (ppm)	200 ppm
EU	Notes	skin
Austria	Local name	Dichlormethan (R 30)
Austria	MAK (mg/m <sup>3</sup> )	175 mg/m <sup>3</sup>
Austria	MAK (ppm)	50 ppm
Austria	MAK Short time value (mg/m <sup>3</sup> )	700 mg/m <sup>3</sup>
Austria	MAK Short time value (ppm)	200 ppm
Austria	Remark (AT)	H
Belgium	Local name	Chlorure de méthylène # Methyleenchloride
Belgium	Limit value (mg/m <sup>3</sup> )	177 mg/m <sup>3</sup> (Chlorure de méthylène; Belgium; Time-weighted average exposure limit 8 h)
Belgium	Limit value (ppm)	50 ppm (Chlorure de méthylène; Belgium; Time-weighted average exposure limit 8 h)
Bulgaria	Local name	Метиленхлорид (дихлорометан)
Bulgaria	OEL TWA (mg/m <sup>3</sup> )	100 mg/m <sup>3</sup>
Bulgaria	OEL STEL (mg/m <sup>3</sup> )	517 mg/m <sup>3</sup>
Croatia	Local name	Diklorometan; (metilen klorid)
Croatia	GVI (granična vrijednost izloženosti) (mg/m <sup>3</sup> )	350 mg/m <sup>3</sup>
Croatia	GVI (granična vrijednost izloženosti) (ppm)	100 ppm
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m <sup>3</sup> )	1060 mg/m <sup>3</sup>
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (ppm)	300 ppm
Croatia	Naznake (HR)	K (Skin): (naznaka da tvar može štetno djelovati kroz kožu); Xn (Štetno); BGV; Karc. kat. 3 (tvari koje izazivaju zabrinutost zbog mogućeg karcinogenog djelovanja na ljude)
Czech Republic	Local name	Dichlormethan
Czech Republic	Expoziční limity (PEL) (mg/m <sup>3</sup> )	200 mg/m <sup>3</sup>
Czech Republic	Expoziční limity (PEL) (ppm)	58 ppm
Czech Republic	Expoziční limity (NPK-P) (mg/m <sup>3</sup> )	500 mg/m <sup>3</sup>
Czech Republic	Expoziční limity (NPK-P) (ppm)	140 ppm
Czech Republic	Remark (CZ)	D
Denmark	Local name	Dichlormethan (Methylenchlorid)
Denmark	Grænseværdie (langvarig) (mg/m <sup>3</sup> )	122 mg/m <sup>3</sup>
Denmark	Grænseværdie (langvarig) (ppm)	35 ppm

# Dichloromethane

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 03/04/2017 Version: 0.0

Doc. No: SDS-914.014/1



Dichloromethane (75-09-2)		
Denmark	Anmærkninger (DK)	H (betyder, at stoffet kan optages gennem huden); K (betyder, at stoffet anses for at kunne være kræftfremkaldende)
Finland	Local name	Dikloorimetaani
Finland	HTP-arvo (8h) (mg/m <sup>3</sup> )	350 mg/m <sup>3</sup>
Finland	HTP-arvo (8h) (ppm)	100 ppm
Finland	HTP-arvo (15 min)	880 mg/m <sup>3</sup>
Finland	HTP-arvo (15 min) (ppm)	250 ppm
France	Local name	Dichlorométhane (Chlorure de méthylène)
France	VME (mg/m <sup>3</sup> )	178 mg/m <sup>3</sup> (Dichlorométhane; France; Time-weighted average exposure limit 8 h; VRC: Valeur réglementaire contraignante)
France	VME (ppm)	50 ppm (Dichlorométhane; France; Time-weighted average exposure limit 8 h; VRC: Valeur réglementaire contraignante)
France	VLE (mg/m <sup>3</sup> )	356 mg/m <sup>3</sup> (Dichlorométhane; France; Short time value; VRC: Valeur réglementaire contraignante)
France	VLE (ppm)	100 ppm (Dichlorométhane; France; Short time value; VRC: Valeur réglementaire contraignante)
France	Note (FR)	Valeurs réglementaires contraignantes; substance classée cancérigène de catégorie 2; risque de pénétration percutanée
Germany	Local name	Dichlormethan
Germany	TRGS 900 Occupational exposure limit value (mg/m <sup>3</sup> )	180 mg/m <sup>3</sup>
Germany	TRGS 900 Occupational exposure limit value (ppm)	50 ppm
Germany	Remark (TRGS 900)	DFG,H,Z
Greece	OEL TWA (mg/m <sup>3</sup> )	350 mg/m <sup>3</sup>
Greece	OEL TWA (ppm)	100 ppm
Greece	OEL STEL (mg/m <sup>3</sup> )	1750 mg/m <sup>3</sup>
Greece	OEL STEL (ppm)	500 ppm
Hungary	Local name	DIKLÓRMETÁN
Hungary	AK-érték	10 mg/m <sup>3</sup>
Hungary	CK-érték	10 mg/m <sup>3</sup>
Hungary	Megjegyzések (HU)	i; VI.
Ireland	Local name	Dichloromethane
Ireland	OEL (8 hours ref) (mg/m <sup>3</sup> )	174 mg/m <sup>3</sup>
Ireland	OEL (8 hours ref) (ppm)	50 ppm
Latvia	Local name	Metilēnhlorīds (dihlormetāns)
Latvia	OEL TWA (mg/m <sup>3</sup> )	120 mg/m <sup>3</sup>
Latvia	OEL STEL (mg/m <sup>3</sup> )	150 mg/m <sup>3</sup>
Lithuania	Local name	Metileno chloridas
Lithuania	IPRV (mg/m <sup>3</sup> )	120 mg/m <sup>3</sup>
Lithuania	IPRV (ppm)	35 ppm
Lithuania	TPRV (mg/m <sup>3</sup> )	250 mg/m <sup>3</sup>
Lithuania	TPRV (ppm)	70 ppm
Lithuania	Remark (LT)	K (kancerogeninis poveikis); O (medžiaga į organizmą gali prasiskverbti pro nepažeistą odą); Ozono sluoksnį ardanti medžiaga. Naudojimas ribojamas.
Poland	Local name	Dichlorometan
Poland	NDS (mg/m <sup>3</sup> )	88 mg/m <sup>3</sup>
Portugal	Local name	Diclorometano
Portugal	OEL TWA (ppm)	50 ppm
Romania	Local name	Clorura de metilen
Romania	OEL TWA (mg/m <sup>3</sup> )	174 mg/m <sup>3</sup>

# Dichloromethane

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 03/04/2017 Version: 0.0

Doc. No: SDS-914.014/1



Dichloromethane (75-09-2)		
Romania	OEL TWA (ppm)	50 ppm
Slovakia	Local name	Dichlórmétán (metylénchlorid)
Slovakia	NPHV (priemerná) (mg/m <sup>3</sup> )	350 mg/m <sup>3</sup>
Slovakia	NPHV (priemerná) (ppm)	100 ppm
Slovenia	Local name	diklorometa (metilen klorid)
Slovenia	OEL TWA (mg/m <sup>3</sup> )	350 mg/m <sup>3</sup>
Slovenia	OEL TWA (ppm)	100 ppm
Slovenia	OEL STEL (mg/m <sup>3</sup> )	1400 mg/m <sup>3</sup>
Slovenia	OEL STEL (ppm)	400 ppm
Spain	Local name	Cloruro de metileno (Diclorometano)
Spain	VLA-ED (mg/m <sup>3</sup> )	177 mg/m <sup>3</sup>
Spain	VLA-ED (ppm)	50 ppm
Spain	Notes	r (Esta sustancia tiene establecidas restricciones a la fabricación, la comercialización o el uso en los términos especificados en el "Reglamento (CE) n° 1907/2006 sobre Registro, Evaluación, Autorización y Restricción de sustancias y preparados químicos" (REACH) de 18 de diciembre de 2006 (DOUE L 369 de 30 de diciembre de 2006). Las restricciones de una sustancia pueden aplicarse a todos los usos o sólo a usos concretos. El anexo XVII del Reglamento REACH contiene la lista de todas las sustancias restringidas y especifica los usos que se han restringido), VLB® (Agente químico que tiene Valor Límite Biológico específico en este documento).
Sweden	Local name	Diklormetan
Sweden	nivågränsvärde (NVG) (mg/m <sup>3</sup> )	120 mg/m <sup>3</sup> 120 mg/m <sup>3</sup>
Sweden	nivågränsvärde (NVG) (ppm)	35 ppm 35 ppm
Sweden	kortidsvärde (KTV) (mg/m <sup>3</sup> )	250 mg/m <sup>3</sup> 250 mg/m <sup>3</sup>
Sweden	kortidsvärde (KTV) (ppm)	70 ppm 70 ppm
Sweden	Anmärkning (SE)	C (Ämnet är cancerframkallande Risk för cancer finns även vid annan exponering än via inandning. För vissa cancerframkallande ämnen som inte har gränsvärden gäller förbud eller tillståndskrav enligt föreskrifterna om kemiska arbetsmiljörisker); H (Ämnet kan lätt upptas genom huden Det föreskrivna gränsvärdet bedöms ge tillräckligt skydd endast under förutsättning att huden är skyddad mot exponering för ämnet ifråga); V (Vägledande korttidsgränsvärde ska användas som ett rekommenderat högsta värde som inte bör överskridas); 36 (Metylenklorid är även reglerade av Kemikalieinspektionens lagstiftning. Dispens krävs för att saluhålla, överlåta och använda metylenklorid yrkesmässigt i Sverige undantaget forskning, utveckling och analysarbete)
United Kingdom	Local name	Dichloromethane
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	350 mg/m <sup>3</sup> Dichloromethane; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)
United Kingdom	WEL TWA (ppm)	100 ppm Dichloromethane; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	1060 mg/m <sup>3</sup> Dichloromethane; United Kingdom; Short time value; Workplace exposure limit (EH40/2005)
United Kingdom	WEL STEL (ppm)	300 ppm Dichloromethane; United Kingdom; Short time value; Workplace exposure limit (EH40/2005)



# Dichloromethane

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 03/04/2017 Version: 0.0

Doc. No: SDS-914.014/1



Dichloromethane (75-09-2)		
United Kingdom	Remark (WEL)	BMGV (Biological monitoring guidance values are listed in Table 2), Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Russian Federation	Local name	Дихлорметан
Russian Federation	OEL Ceiling (mg/m <sup>3</sup> )	100 mg/m <sup>3</sup>
Russian Federation	OEL TWA (mg/m <sup>3</sup> )	50 mg/m <sup>3</sup>
Russian Federation	Remark (RU)	4 класс опасности - умеренно опасное; п (пары и/или газы)
Norway	Local name	Diklormetan (Metylenklorid)
Norway	Greenseverdier (AN) (mg/m <sup>3</sup> )	50 mg/m <sup>3</sup>
Norway	Greenseverdier (AN) (ppm)	15 ppm
Norway	Merknader (NO)	H (Kjemikalier som kan tas opp gjennom huden); K (Kjemikalier som skal betraktes som kreftfremkallende)
Switzerland	Local name	Dichlormethan
Switzerland	VME (mg/m <sup>3</sup> )	117 mg/m <sup>3</sup> 117 mg/m <sup>3</sup>
Switzerland	VME (ppm)	50 ppm 50 ppm
Switzerland	VLE (mg/m <sup>3</sup> )	353 mg/m <sup>3</sup> 353 mg/m <sup>3</sup>
Switzerland	VLE (ppm)	100 ppm 100 ppm
Switzerland	Remark (CH)	H* C1 <sub>B</sub> <sup>#</sup> B - ZNS - DFG, HSE, NIOSH <sup>#</sup> Kein erhöhtes Krebsrisiko bei Einhalten des MAK-Werts <sup>s. 1.3.2.3</sup>
Australia	Local name	Methylene chloride
Australia	TWA (mg/m <sup>3</sup> )	174 mg/m <sup>3</sup> Synonym (Dichloromethane)
Australia	TWA (ppm)	50 ppm Synonym (Dichloromethane)
Australia	Remark (AU)	Carcinogenicity Category 2 – Suspected human carcinogen. The classification of a chemical into this category is on the basis of evidence from human and animal studies, where the evidence is not sufficiently convincing to place the chemical into Category 1 or from limited evidence of carcinogenicity in human or animal studies; Sen - Respiratory and/or Skin Sensitiser.
USA - ACGIH	Local name	Dichloromethane
USA - ACGIH	ACGIH TWA (ppm)	50 ppm (Dichloromethane (Methylene chloride)); USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
USA - ACGIH	Remark (ACGIH)	COHb-emia; CNS impair
USA - OSHA	Local name	Methylene chloride
USA - OSHA	Remark (OSHA)	(2) See Table Z-2.

## 8.2. Exposure controls

### Materials for protective clothing:

GIVE GOOD RESISTANCE: PVA. GIVE LESS RESISTANCE: neoprene. tetrafluoroethylene. GIVE POOR RESISTANCE: butyl rubber. natural rubber. nitrile rubber. PVC. viton. styrene-butadiene rubber

### Hand protection:

Gloves

### Eye protection:

Safety glasses

### Skin and body protection:

Head/neck protection. Protective clothing

# Dichloromethane

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 03/04/2017 Version: 0.0

Doc. No: SDS-914.014/1



### Respiratory protection:

Gas mask with filter type AX at conc. in air > exposure limit. High vapour/gas concentration: self-contained respirator

Device	Filter type	Condition	Standard
Gas mask	Type AX - Low-boiling (<65 °C) organic compounds	If conc. in air > exposure limit	



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid.
Molecular mass	: 84.93 g/mol
Colour	: Colourless.
Odour	: Sweet odour. Ether-like odour.
Odour threshold	: 214 ppm 755 mg/m <sup>3</sup>
pH	: Neutral at 20 °C
Relative evaporation rate (butylacetate=1)	: 27.5
Relative evaporation rate (ether=1)	: 1.8
Melting point	: -95 °C
Freezing point	: No data available
Boiling point	: 40 °C
Flash point	: No data available
Critical temperature	: 245 °C
Auto-ignition temperature	: 556 °C
Decomposition temperature	: > 120 °C
Flammability (solid, gas)	: No data available
Vapour pressure	: 475 hPa (20 °C)
Vapour pressure at 50 °C	: 1445 hPa (50 °C)
Critical pressure	: 61000 hPa
Relative vapour density at 20 °C	: 2.9
Relative density	: 1.3
Relative density of saturated gas/air mixture	: 1.9
Density	: 1.33 g/cm <sup>3</sup> (20 °C)
Solubility	: Moderately soluble in water. Substance sinks in water. Soluble in ethanol. Soluble in ether. Soluble in acetone. Soluble in chloroform. Soluble in tetrachloromethane. Soluble in dimethylformamide. Water: 2.0 g/100ml
Log Pow	: 1.25 (Experimental value)
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 0.00043 Pa.s (20 °C)
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 13 - 22 vol % 450 - 780 g/m <sup>3</sup>

### 9.2. Other information

Specific conductivity	: 4300 pS/m
Saturation concentration	: 1535 g/m <sup>3</sup>
VOC content	: 100 %
Other properties	: Gas/vapour heavier than air at 20°C. Clear. Highly volatile. May generate electrostatic charges.



# Dichloromethane

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 03/04/2017 Version: 0.0

Doc. No: SDS-914.014/1



### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Reacts on exposure to water and heat with (some) metals. Decomposes slowly on exposure to water (moisture): release of toxic and corrosive gases/vapours (hydrogen chloride). On heating under increased oxygen concentration: (increased) risk of fire/explosion. On burning: release of toxic and corrosive gases/vapours (hydrogen chloride, carbon monoxide - carbon dioxide). Violent to explosive reaction with many compounds e.g. with (some) acids, with (some) metal powders and with (strong) oxidizers: (increased) risk of fire/explosion and formation of small quantities of phosgene.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. Conditions to avoid

No additional information available

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

No additional information available

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Dichloromethane (75-09-2)	
LD50 oral rat	1600 mg/kg (Rat)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit; Literature study)

Skin corrosion/irritation : Not classified  
Serious eye damage/irritation : Not classified  
Respiratory or skin sensitisation : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Suspected of causing cancer.  
Reproductive toxicity : Not classified  
STOT-single exposure : Not classified  
STOT-repeated exposure : Not classified  
Aspiration hazard : Not classified  
IARC group : 2A

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : Classification concerning the environment: not applicable.  
Ecology - air : Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009). TA-Luft Klasse 5.2.5/l.  
Ecology - water : Water pollutant (surface water). Ground water pollutant. Slightly harmful to fishes (LC50(96h) 100-1000 mg/l). Slightly harmful to invertebrates (Daphnia) (EC50 (48h): 100 - 1000 mg/l). Practically non-toxic to algae (EC50 >100 mg/l). Toxic to bacteria. Inhibition of activated sludge.

Dichloromethane (75-09-2)	
LC50 fish 1	193 mg/l (LC50; 96 h; Pimephales promelas)
EC50 Daphnia 1	168.2 mg/l (EC50; 48 h)

#### 12.2. Persistence and degradability

Dichloromethane (75-09-2)	
Persistence and degradability	Not readily biodegradable in water. Biodegradable in the soil.

#### 12.3. Bioaccumulative potential

Dichloromethane (75-09-2)	
BCF fish 1	2 - 40 (BCF)

# Dichloromethane

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 03/04/2017 Version: 0.0

Doc. No: SDS-914.014/1



<b>Dichloromethane (75-09-2)</b>	
Log Pow	1.25 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

### 12.4. Mobility in soil

<b>Dichloromethane (75-09-2)</b>	
Surface tension	0.028 N/m (20 °C)
Ecology - soil	May be harmful to plant growth, blooming and fruit formation.

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods






Product/Packaging disposal recommendations : Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Recycle by distillation. Remove to an incinerator for chlorinated waste materials with energy recovery. Do not discharge into surface water (Directive 2000/60/EC, Council Decision 2455/2001/EC).

Additional information : LWCA (the Netherlands): KGA category 04. Hazardous waste according to Directive 2008/98/EC.

European List of Waste (LoW) code : 07 01 03\* - organic halogenated solvents, washing liquids and mother liquors

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
1593	1593	1593	1593	1593
<b>14.2. UN proper shipping name</b>				
DICHLOROMETHANE	DICHLOROMETHANE	Dichloromethane	DICHLOROMETHANE	DICHLOROMETHANE
<b>Transport document description</b>				
UN 1593 DICHLOROMETHANE, 6.1, III, (E)	UN 1593 DICHLOROMETHANE, 6.1, III	UN 1593 Dichloromethane, 6.1, III	UN 1593 DICHLOROMETHANE, 6.1, III	UN 1593 DICHLOROMETHANE, 6.1, III
<b>14.3. Transport hazard class(es)</b>				
6.1	6.1	6.1	6.1	6.1
				
<b>14.4. Packing group</b>				
III	III	III	III	III
<b>14.5. Environmental hazards</b>				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : T1  
Special provisions (ADR) : 516  
Limited quantities (ADR) : 5I  
Excepted quantities (ADR) : E1

# Dichloromethane

## Safety Data Sheet


according to Regulation (EU) 2015/830

Date of issue: 03/04/2017 Version: 0.0

Doc. No: SDS-914.014/1



Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T7
Portable tank and bulk container special provisions (ADR)	: TP2
Tank code (ADR)	: L4BH
Tank special provisions (ADR)	: TU15, TE19
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13, CV28
Special provisions for carriage - Operation (ADR)	: S9
Hazard identification number (Kemler No.)	: 60
Orange plates	:



Tunnel restriction code (ADR)	: E
EAC code	: Z2

### - Transport by sea

Transport regulations (IMDG)	: Subject
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
IBC special provisions (IMDG)	: B8
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP2
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-A
Stowage category (IMDG)	: A
Properties and observations (IMDG)	: Colourless, volatile liquid with heavy vapours. Boiling point: 40°C. When involved in a fire, evolves extremely toxic fumes (phosgene). Toxic if swallowed, by skin contact or by inhalation.
MFAG-No	: 160

### - Air transport

Transport regulations (IATA)	: Subject to the provisions
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y642
PCA limited quantity max net quantity (IATA)	: 2L
PCA packing instructions (IATA)	: 655
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 663
CAO max net quantity (IATA)	: 220L
ERG code (IATA)	: 6L

### - Inland waterway transport

Classification code (ADN)	: T1
Special provisions (ADN)	: 516, 802
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP, TOX, A

# Dichloromethane

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 03/04/2017 Version: 0.0

Doc. No: SDS-914.014/1



Ventilation (ADN) : VE02

Number of blue cones/lights (ADN) : 0

### - Rail transport

Transport regulations (RID) : Subject

Classification code (RID) : T1

Special provisions (RID) : 516

Limited quantities (RID) : 5L

Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : B8

Mixed packing provisions (RID) : MP19

Portable tank and bulk container instructions (RID) : T7

Portable tank and bulk container special provisions (RID) : TP2

Tank codes for RID tanks (RID) : L4BH

Special provisions for RID tanks (RID) : TU15

Transport category (RID) : 2

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading and handling (RID) : CW13, CW28, CW31

Colis express (express parcels) (RID) : CE8

Hazard identification number (RID) : 60

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Dichloromethane is not on the REACH Candidate List

Dichloromethane is not on the REACH Annex XIV List

VOC content : 100 %

#### 15.1.2. National regulations

##### Germany

VwVwS Annex reference : Water hazard class (WGK) 2, hazard to waters (Classification according to VwVwS, Annex 1 or 2; ID No. 149)

WGK remark : Classification water polluting in compliance with Verwaltungsvorschrift wassergefährdender Stoffe (VwVwS) of 27 July 2005 (Anhang 2)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

##### Netherlands

Waterbevaarlijkheid : 1 - Black list substance

SZW-lijst van kankerverwekkende stoffen : The substance is not listed

SZW-lijst van mutagene stoffen : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

##### Denmark

# Dichloromethane

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 03/04/2017 Version: 0.0

Doc. No: SDS-914.014/1



Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product  
Pregnant/breastfeeding women working with the product must not be in direct contact with the product  
The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
EC50	Median effective concentration
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Full text of H- and EUH-statements:	
Carc. 2	Carcinogenicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H351	Suspected of causing cancer
H315	Causes skin irritation
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness

SDS ISOLAB

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*