Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/06/2022 Version: 0.0

Doc. No: SDS-968.046/3



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
Substance name : Silver nitrate
EC index no : 047-001-00-2
EC no : 231-853-9
CAS No : 7761-88-8
Type of product : Pure substance

Formula : AgNO₃

Chemical structure

 $\mathsf{Ag}^{+} \begin{bmatrix} \mathsf{O} \\ \mathsf{I} \\ \mathsf{O} & \mathsf{N} \end{bmatrix}^{-}$

Synonyms : lunar caustic / nitrate of silver / nitric acid silver salt / nitric acid silver(1+) salt / silver

mononitrate / Silver nitrate / silver(I) nitrate / silver(I) salt nitric acid

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemical

Chemical intermediate Water treatment

Oxidant

Photographic chemical: component Cosmetic product: dyestuff

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

ISOLAB Laborgeräte GmbH Am Dillhof 2 - 63863 Eschau / GERMANY

Tel: + 49 93 74 / 978 55-0 Fax: +49 93 74 / 978 55-29 prodsafe@isolab.de

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Germany	Giftnotruf der Charité CBF, Haus VIII (Wirtschaftgebäude), UG	Hindenburgdamm 30 12203 Berlin	+49 (0) 30 19240	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Solids, Category 2 H272
Skin corrosion/irritation, Category 1B H314
Hazardous to the aquatic environment — Acute Hazard, Category 1 H400
Hazardous to the aquatic environment — Chronic Hazard, Category 1 H410

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

11/12/2016 EN (English) 1/10

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/06/2022 Version: 0.0

Doc. No: SDS-968.046/3



2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







_

605 G

Signal word (CLP) : Danger

Hazard statements (CLP) : H272 - May intensify fire; oxidiser

H314 - Causes severe skin burns and eye damage H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (CLP) : P210 - Keep away from heat. - No smoking

P320 - Specific treatment is urgent (see clothing, combustible materials on this label)

P260.BIG - Do not breathe dust.

P273 - Avoid release to the environment

P321 - Specific treatment (see information on this label)

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

P370+P378.BIG - In case of fire: Use suitable extinguishing medium for extinction.

P405 - Store locked up

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Name	Product identifier	%
Silver nitrate	(CAS No) 7761-88-8 (EC no) 231-853-9 (EC index no) 047-001-00-2	≤ 100

Full text of H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: Check the vital functions. Unconscious: maintain adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim conscious with laboured breathing: half-seated. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Prevent cooling by covering the victim (no warming up). Keep watching the victim. Give psychological aid. Keep the victim calm, avoid physical strain. Depending on the victim's condition: doctor/hospital.

First-aid measures after inhalation

: Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.

First-aid measures after skin contact

: Wash immediately with lots of water (15 minutes)/shower. Do not apply (chemical) neutralizing agents. Remove clothing while washing. Do not remove clothing if it sticks to the skin. Cover wounds with sterile bandage. Consult a doctor/medical service. If burned surface > 10%: take victim to hospital.

First-aid measures after eye contact

: Rinse immediately with plenty of water for 15 minutes. Do not apply neutralizing agents. Take victim to an ophthalmologist.

First-aid measures after ingestion

: Rinse mouth with water. Immediately after ingestion: give lots of water to drink. Do not induce vomiting. Immediately consult a doctor/medical service. Doctor: administration of chemical antidote. Call Poison Information Centre (www.big.be/antigif.htm). Ingestion of large quantities: immediately to hospital.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation

: AFTER INHALATION OF DUST: Dry/sore throat. Coughing. FOLLOWING SYMPTOMS MAY APPEAR LATER: Risk of lung oedema.

Symptoms/injuries after skin contact

: Caustic burns/corrosion of the skin.

Symptoms/injuries after eye contact

: Corrosion of the eye tissue. Permanent eye damage.

11/12/2016 EN (English) 2/10

www.isolab.de

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/06/2022 Version: 0.0

Doc. No: SDS-968.046/3

Chronic symptoms

Symptoms/injuries after ingestion

: AFTER ABSORPTION OF HIGH QUANTITIES: Burns to the gastric/intestinal mucosa. Vomiting. Abdominal pain. Diarrhoea. Shock. Dizziness. Low arterial pressure. Disturbances of consciousness. Cramps/uncontrolled muscular contractions. Respiratory collapse.

: ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: May stain the skin. Blue/grey discolouration of the skin. Inflammation/damage of the eye tissue. Visual disturbances.

Possible inflammation of the respiratory tract.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Adapt extinguishing media to the environment.

Unsuitable extinguishing media : No unsuitable extinguishing media known.

5.2. Special hazards arising from the substance or mixture

Fire hazard : DIRECT FIRE HAZARD. Non combustible. INDIRECT FIRE HAZARD. Promotes combustion.

Reactions involving a fire hazard: see "Reactivity Hazard".

Explosion hazard : INDIRECT EXPLOSION HAZARD. Reactions with explosion hazards: see "Reactivity Hazard".

5.3. Advice for firefighters

Precautionary measures fire : Exposure to fire/heat: keep upwind. Exposure to fire/heat: consider evacuation. Exposure to

fire/heat: have neighbourhood close doors and windows.

Firefighting instructions : Cool tanks/drums with water spray/remove them into safety. Cool from behind cover/unmanned

monitors. Dilute toxic gases with water spray. Take account of toxic fire-fighting water. Use

water moderately and if possible collect or contain it.

Protection during firefighting : Heat/fire exposure: compressed air/oxygen apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Gloves. Face-shield. Corrosion-proof suit. Dust cloud production: compressed air/oxygen

apparatus. See "Material-Handling" to select protective clothing.

production: have neighbourhood close doors and windows.

Emergency procedures : Mark the danger area. Prevent dust cloud formation. No naked flames. Keep containers closed.

Wash contaminated clothes. In case of hazardous reactions: keep unwind. In case of reactivity.

Wash contaminated clothes. In case of hazardous reactions: keep upwind. In case of reactivity hazard: consider evacuation.

Measures in case of dust release : In case of dust production: keep upwind. In case of dust production: consider evacuation. Dust

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent soil and water pollution. Prevent spreading in sewers.

6.3. Methods and material for containment and cleaning up

For containment : Contain released substance, pump into suitable containers. Consult "Material-handling" to

select material of containers. Plug the leak, cut off the supply. Dam up the solid spill. Knock down/dilute dust cloud with water spray. Take account of toxic/corrosive precipitation water.

Methods for cleaning up

: Prevent dispersion by covering with dry sand. Scoop solid spill into closing containers or synthetic bags. See "Material-handling" for suitable container materials. Carefully collect the spill/leftovers. Spill must not return in its original container. Clean contaminated surfaces with an excess of water. Take collected spill to manufacturer/competent authority. Wash clothing

and equipment after handling.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Comply with the legal requirements. Remove contaminated clothing immediately. Clean contaminated clothing. Keep the substance free from contamination. Thoroughly clean/dry the installation before use. Do not discharge the waste into the drain. Avoid raising dust. Keep away from naked flames/heat. Observe very strict hygiene - avoid contact. Keep container tightly closed. Measure the concentration in the air regularly. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

11/12/2016 EN (English) 3/10

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/06/2022 Version: 0.0

Doc. No: SDS-968.046/3



7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store at +2°C to +30°C.

Heat and ignition sources : KEEP SUBSTANCE AWAY FROM: heat sources.

Information on mixed storage : KEEP SUBSTANCE AWAY FROM: combustible materials. reducing agents. (strong) bases.

organic materials. alcohols.

Storage area : Protected from light. Tightly closed. Do not store near combustible materials.

Special rules on packaging : SPECIAL REQUIREMENTS: closing. watertight. clean. opaque. correctly labelled. meet the

legal requirements. Secure fragile packagings in solid containers.

Packaging materials : SUITABLE MATERIAL: iron. synthetic material.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Silver nitrate (7761-88-	8)	
EU	IOELV TWA (mg/m³)	0.01 mg/m³ (Silver (soluble compounds as Ag); EU; Time-weighted average exposure limit 8 h; Indicative occupational exposure limit value)
Belgium	Limit value (mg/m³)	0.01 mg/m³ (Argent (composés solubles) (en Ag); Belgium; Time-weighted average exposure limit 8 h)
France	VME (mg/m³)	0.01 mg/m³ (Argent (composés solubles), en Ag; France; Time-weighted average exposure limit 8 h; VRI: Valeur réglementaire indicative)
Netherlands	Grenswaarde TGG 8H (mg/m³)	0.01 mg/m³ (Zilver, oplosbare verbindingen (als Ag); Netherlands; Time-weighted average exposure limit 8 h; Public occupational exposure limit value; als Ag)
United Kingdom	WEL TWA (mg/m³)	0.01 mg/m³ Silver (soluble compounds as Ag); United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)
USA - ACGIH	ACGIH TWA (mg/m³)	0.01 mg/m³ (Silver Soluble compounds, as Ag; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)

8.2. Exposure controls

Materials for protective clothing:

GIVE GOOD RESISTANCE: butyl rubber. neoprene. PVA

Hand protection:

Gloves

Eye protection:

Face shield. In case of dust production: protective goggles

Skin and body protection:

Corrosion-proof clothing. In case of dust production: head/neck protection

Respiratory protection:

Dust production: dust mask with filter type P3. High dust production: self-contained breathing apparatus

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Crystalline solid.

Molecular mass : 169.87 g/mol

Colour : Colourless to grey. On exposure to light: dark grey to black.

Odour Codourless.

Odour threshold : No data available

pH : 5.4 - 6.4 (100 g/l, H₂O, 20 °C)

Relative evaporation rate (butylacetate=1) : No data available

11/12/2016 EN (English) 4/10

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/06/2022 Version: 0.0

Doc. No: SDS-968.046/3

Melting point : 212 °C

Freezing point : No data available

Boiling point : 444 °C (1013 hPa) (decomposition)

Flash point : Not applicable
Auto-ignition temperature : No data available

Decomposition temperature : 444 °C

Flammability (solid, gas) : No data available Vapour pressure : $< 0.1 \text{ hPa } (20 \,^{\circ}\text{C})$

Relative vapour density at 20 °C : 5.8 Relative density : 4.3

Density : 4.35 g/cm³ (20 °C)

Solubility : Soluble in water. Substance sinks in water. Soluble in ammonia. Soluble in glycerol.

Water: 2160 g/l (20°C) Acetone: 0.4 g/100ml : 0.19 (Estimated value)

Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available

Oxidising properties : May intensify fire; oxidiser.

Explosive limits : No data available

9.2. Other information

VOC content : 0 %

Other properties : Translucent. Substance has neutral reaction.

SECTION 10: Stability and reactivity

10.1. Reactivity

Log Pow

On burning: release of toxic and corrosive gases/vapours (nitrous vapours). Decomposes on exposure to light. This reaction is accelerated on exposure to impurities. Violent to explosive reaction with many compounds e.g.: with (strong) reducers. Violent to explosive reaction with combustible materials: risk of spontaneous ignition.

10.2. Chemical stability

Unstable on exposure to light.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Silver nitrate (7761-88-8)		
LD50 oral rat	1173 mg/kg (Rat)	
Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: 7	
Serious eye damage/irritation	: Serious eye damage, category 1, implicit pH: 7	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	

11/12/2016 EN (English) 5/10

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/06/2022 Version: 0.0

Doc. No: SDS-968.046/3

STOT-single exposure : Not classified
STOT-repeated exposure : Not classified
Aspiration hazard : Not classified



SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Dangerous for the environment.

Ecology - air : Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009).

Ecology - water : Severe water pollutant (surface water). Maximum concentration in drinking water: 50 mg/l

(nitrate) (Directive 98/83/EC). Highly toxic to fishes. Very toxic to invertebrates (Daphnia).

Highly toxic to algae. May cause eutrophication.

Silver nitrate (7761-88-8)	
LC50 fish 2	0.006 mg/l (LC50; 96 h; Salmo gairdneri)
EC50 Daphnia 1	0.0006 mg/l (EC50; 48 h)

12.2. Persistence and degradability

Silver nitrate (7761-88-8)		
Persistence and degradability	Biodegradability: not applicable.	
Biochemical oxygen demand (BOD)	Not applicable	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	

12.3. Bioaccumulative potential

Silver nitrate (7761-88-8)		
BCF fish 1	11 - 19 (BCF)	
BCF fish 2	15 - 150 (BCF)	
Log Pow	0.19 (Estimated value)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations

Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Recycle/reuse. Remove to an authorized dump (Class I).

Additional information : LWCA (the Netherlands): KGA category 06. Hazardous waste according to Directive

2008/98/EC.

European List of Waste (LoW) code : 06 03 13* - solid salts and solutions containing heavy metals

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
1493	1493	1493	1493	1493
14.2. UN proper shippi	ng name			
SILVER NITRATE (CONTAINS ; Silver nitrate)	SILVER NITRATE (CONTAINS ; Silver nitrate)	Silver nitrate (CONTAINS ; Silver nitrate)	SILVER NITRATE (CONTAINS ; Silver nitrate)	SILVER NITRATE (CONTAINS ; Silver nitrate)

11/12/2016 EN (English) 6/10

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/06/2022 Version: 0.0

Doc. No: SDS-968.046/3



ADR	IMDG	IATA	ADN	RID
Transport document descr	iption			
UN 1493 SILVER NITRATE (CONTAINS; Silver nitrate), 5.1, II, (E), ENVIRONMENTALLY HAZARDOUS	UN 1493 SILVER NITRATE (CONTAINS; Silver nitrate), 5.1, II, MARINE POLLUTANT/ENVIRONM ENTALLY HAZARDOUS	UN 1493 Silver nitrate (CONTAINS; Silver nitrate), 5.1, II, ENVIRONMENTALLY HAZARDOUS	UN 1493 SILVER NITRATE (CONTAINS ; Silver nitrate), 5.1, II, ENVIRONMENTALLY HAZARDOUS	UN 1493 SILVER NITRATE (CONTAINS; Silver nitrate), 5.1, II, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard	class(es)			
5.1	5.1	5.1	5.1	5.1
5.1	(N)	5.1	5.1	5.1
14.4. Packing group				
II	Ш	Ш	II	Ш
14.5. Environmental hazards				
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
No supplementary information available				

14.6. Special precautions for user

- Overland transport

 Classification code (ADR)
 : O2

 Limited quantities (ADR)
 : 1kg

 Excepted quantities (ADR)
 : E2

Packing instructions (ADR) : P002, IBC08

Special packing provisions (ADR) : B4

Mixed packing provisions (ADR) : MP10

Portable tank and bulk container instructions (ADR) : T3

(ADR)

Portable tank and bulk container special : TP33

provisions (ADR)
Tank code (ADR) : SGAV
Tank special provisions (ADR) : TU3
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Special provisions for carriage - Packages (ADR)

Special provisions for carriage - Bulk (ADR)

Special provisions for carriage - Loading,

unloading and handling (ADR)

Hazard identification number (Kemler No.) : 50

Orange plates

: VC1, VC2, AP6, AP7

: CV24

50 1493

Tunnel restriction code (ADR) : E EAC code : 1Y

- Transport by sea

Transport regulations (IMDG) : Subject
Limited quantities (IMDG) : 1 kg
Excepted quantities (IMDG) : E2
Packing instructions (IMDG) : P002
IBC packing instructions (IMDG) : IBC08
IBC special provisions (IMDG) : B2, B4

11/12/2016 EN (English) 7/10

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/06/2022 Version: 0.0

Doc. No: SDS-968.046/3

Tank instructions (IMDG) : T3
Tank special provisions (IMDG) : TP33
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-Q
Stowage category (IMDG) : A

Properties and observations (IMDG) : Colourless crystals. Soluble in water. Mixtures with combustible material are readily ignited and

may burn fiercely. Harmful if swallowed. Irritating to skin and mucous membranes.

MFAG-No : 14

- Air transport

Transport regulations (IATA) : Subject PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y544 PCA limited quantity max net quantity (IATA) : 2.5kg PCA packing instructions (IATA) : 558 PCA max net quantity (IATA) : 5kg CAO packing instructions (IATA) : 562 CAO max net quantity (IATA) : 25kg ERG code (IATA) : 5L

- Inland waterway transport

Classification code (ADN) : O2
Limited quantities (ADN) : 1 kg
Excepted quantities (ADN) : E2
Equipment required (ADN) : PP
Number of blue cones/lights (ADN) : 0

- Rail transport

Transport regulations (RID) : Subject
Classification code (RID) : O2
Limited quantities (RID) : 1kg
Excepted quantities (RID) : E2

Packing instructions (RID) : P002, IBC08

Special packing provisions (RID) : B4

Mixed packing provisions (RID) : MP10

Portable tank and bulk container instructions : T3

(RID)

Portable tank and bulk container special

provisions (RID)

: TP33

Tank codes for RID tanks (RID): SGAVSpecial provisions for RID tanks (RID): TU3Transport category (RID): 2Special provisions for carriage – Packages: W11

(RID)

Special provisions for carriage – Bulk (RID) : VC1, VC2, AP6, AP7

Special provisions for carriage - Loading, : CW24

unloading and handling (RID)

Colis express (express parcels) (RID) : CE10 Hazard identification number (RID) : 50

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Silver nitrate is not on the REACH Candidate List Silver nitrate is not on the REACH Annex XIV List

11/12/2016 EN (English) 8/10





Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 01/06/2022 Version: 0.0

Doc. No: SDS-968.046/3



VOC content : 0%

National regulations 15.1.2.

Germany

VwVwS Annex reference : Water hazard class (WGK) 3, severe hazard to waters (Classification according to VwVwS,

Annex 1 or 2; ID No. 185)

Classification water polluting in compliance with Verwaltungsvorschrift wassergefährdender WGK remark

Stoffe (VwVwS) of 27 July 2005 (Anhang 2)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Netherlands

Waterbezwaarlijkheid : 1 - Black list substance : The substance is not listed SZW-lijst van kankerverwekkende stoffen SZW-lijst van mutagene stoffen The substance is not listed NIET-limitatieve lijst van voor de voortplanting : The substance is not listed

giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Ontwikkeling

: The substance is not listed

: The substance is not listed

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Chemical safety assessment 15.2.

No additional information available

SECTION 16: Other information

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
EC50	Median effective concentration
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
PBT	Persistent Bioaccumulative Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Full text of H- and EUH-stater	ments:	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Ox. Sol. 2	Oxidising Solids, Category 2	
Skin Corr. 1B	Skin corrosion/irritation, Category 1B	
H272	May intensify fire; oxidiser	
H314	Causes severe skin burns and eye damage	
H400	Very toxic to aquatic life	

11/12/2016 EN (English) 9/10

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/06/2022 Version: 0.0

Doc. No: SDS-968.046/3



H410 Very toxic to aquatic life with long lasting effects

SDS ISOLAB

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

11/12/2016 EN (English) 10/10