

# Iodine

## Safety Data Sheet

according to Regulation (EU) 2015/830  
Date of issue: 01/06/2022 Version: 0.0  
Doc. No: SDS-935.016/2



### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance  
Substance name : Iodine  
EC index no : 053-001-00-3  
EC no : 231-442-4  
CAS No : 7553-56-2  
Type of product : Pure substance  
Formula : I<sub>2</sub>  
Synonyms : diiodine / elemental iodine / eranol / Iodine / iodine, bean / iodine, colloidal / iodine, crystal, resublimed / iodine, crystals / iodine, powder / iodine, resublimed / iodine, sublimed / iodum / iosan superdip / molecular iodine

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemical  
Chemical raw material  
Biocide

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

ISOLAB Laborgeräte GmbH  
Am Dillhof 2 - 63863 Eschau / GERMANY  
Tel: + 49 93 74 / 978 55-0  
Fax: +49 93 74 / 978 55-29  
[prodsafe@isolab.de](mailto:prodsafe@isolab.de)

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Germany	Giftnotruf der Charité CBF, Haus VIII (Wirtschaftsgebäude), UG	Hindenburgdamm 30 12203 Berlin	+49 (0) 30 19240	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (dermal), Category 4 H312  
Acute toxicity (inhal.), Category 4 H332  
Hazardous to the aquatic environment — Acute Hazard, Category 1 H400

Full text of hazard classes and H-statements : see section 16

##### Adverse physicochemical, human health and environmental effects

Harmful in contact with skin. Harmful if inhaled. Very toxic to aquatic life.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) :

Warning

Hazard statements (CLP) :

H332 - Harmful if inhaled  
H312 - Harmful in contact with skin  
H400 - Very toxic to aquatic life

Precautionary statements (CLP) :

P280 - Wear protective gloves, protective clothing

# Iodine

## Safety Data Sheet

according to Regulation (EU) 2015/830  
Date of issue: 01/06/2022 Version: 0.0  
Doc. No: SDS-935.016/2



P271 - Use only outdoors or in a well-ventilated area  
P312 - Call a POISON CENTER or doctor/physician if you feel unwell  
P304+P340 - IF INHALED: remove victim to fresh air and keep at rest in a position comfortable for breathing  
P363 - Wash contaminated clothing before reuse

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Name	Product identifier	%
Iodine	(CAS No) 7553-56-2 (EC no) 231-442-4 (EC index no) 053-001-00-3	> 99.8

Full text of H-statements: see section 16

### 3.2. Mixtures

Not applicable

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Check the vital functions. Unconscious: maintain adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim conscious with laboured breathing: half-seated. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Prevent cooling by covering the victim (no warming up). Keep watching the victim. Give psychological aid. Keep the victim calm, avoid physical strain. Depending on the victim's condition: doctor/hospital.
First-aid measures after inhalation	: Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service. Doctor: administration of corticoid spray.
First-aid measures after skin contact	: Wash immediately with lots of water. Soap may be used. Remove clothing while washing. Take victim to a doctor if irritation persists.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Do not apply neutralizing agents. Take victim to an ophthalmologist if irritation persists.
First-aid measures after ingestion	: Rinse mouth with water. Immediately after ingestion: give lots of water to drink. Do not induce vomiting. Call Poison Information Centre ( <a href="http://www.big.be/antigif.htm">www.big.be/antigif.htm</a> ). Consult a doctor/medical service if you feel unwell. Take the container/vomit to the doctor/hospital. Ingestion of large quantities: immediately to hospital.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation	: AFTER INHALATION OF DUST: Coughing. Dry/sore throat. Irritation of the respiratory tract. Irritation of the nasal mucous membranes. Respiratory difficulties. FOLLOWING SYMPTOMS MAY APPEAR LATER: Risk of lung oedema.
Symptoms/injuries after skin contact	: Tingling/irritation of the skin. ON CONTINUOUS EXPOSURE/CONTACT: Destruction of tissue.
Symptoms/injuries after eye contact	: Irritation of the eye tissue. ON CONTINUOUS EXPOSURE/CONTACT: Corrosion of the eye tissue. Inflammation/damage of the eye tissue.
Symptoms/injuries after ingestion	: AFTER ABSORPTION OF HIGH QUANTITIES: Burns to the gastric/intestinal mucosa. Nausea. Abdominal pain. Diarrhoea. Low arterial pressure. Shock. Disturbances of consciousness. FOLLOWING SYMPTOMS MAY APPEAR LATER: Possible laryngeal spasm/oedema. Decreased renal function. Change in urine output.
Chronic symptoms	: ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Skin rash/inflammation. Dry/sore throat. Possible inflammation of the respiratory tract. Loss of weight. Thyroid enlargement/affection. Enlargement of the lymph glands.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Adapt extinguishing media to the environment.
Unsuitable extinguishing media	: No unsuitable extinguishing media known.

# Iodine

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/06/2022 Version: 0.0

Doc. No: SDS-935.016/2



### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : DIRECT FIRE HAZARD. Non combustible. INDIRECT FIRE HAZARD. Promotes combustion. Reactions involving a fire hazard: see "Reactivity Hazard".
- Explosion hazard : INDIRECT EXPLOSION HAZARD. Reactions with explosion hazards: see "Reactivity Hazard".
- Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

- Precautionary measures fire : Exposure to fire/heat: keep upwind. Exposure to fire/heat: have neighbourhood close doors and windows.
- Firefighting instructions : Cool tanks/drums with water spray/remove them into safety. Take account of environmentally hazardous firefighting water. Use water moderately and if possible collect or contain it.
- Protection during firefighting : Heat/fire exposure: compressed air/oxygen apparatus.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

- Protective equipment : Gloves. Face-shield. Protective clothing. Dust cloud production: compressed air/oxygen apparatus. Dust cloud production: dust-tight suit. See "Material-Handling" to select protective clothing.
- Emergency procedures : Mark the danger area. Prevent dust cloud formation. No naked flames. Wash contaminated clothes. In case of reactivity hazard: consider evacuation.
- Measures in case of dust release : In case of dust production: keep upwind. Dust production: have neighbourhood close doors and windows.

#### 6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Prevent soil and water pollution. Prevent spreading in sewers.

### 6.3. Methods and material for containment and cleaning up

- For containment : Contain released substance, pump into suitable containers. Consult "Material-handling" to select material of containers. Plug the leak, cut off the supply. Dam up the solid spill. Knock down/dilute dust cloud with water spray.
- Methods for cleaning up : Stop dust cloud by covering with sand/earth. Scoop solid spill into closing containers. See "Material-handling" for suitable container materials. Carefully collect the spill/leftovers. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling.
- Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Comply with the legal requirements. Remove contaminated clothing immediately. Clean contaminated clothing. Thoroughly clean/dry the installation before use. Do not discharge the waste into the drain. Avoid raising dust. Keep away from naked flames/heat. Observe very strict hygiene - avoid contact. Keep container tightly closed. Measure the concentration in the air regularly. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.
- Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in a well-ventilated place. Keep cool.
- Heat and ignition sources : KEEP SUBSTANCE AWAY FROM: heat sources.
- Information on mixed storage : KEEP SUBSTANCE AWAY FROM: combustible materials. reducing agents. (strong) bases. metals. metal powders.
- Storage area : Store in a cool area. Keep out of direct sunlight. Store in a dry area. Ventilation at floor level. Meet the legal requirements.
- Special rules on packaging : SPECIAL REQUIREMENTS: closing. clean. correctly labelled. meet the legal requirements. Secure fragile packagings in solid containers.

# Iodine

## Safety Data Sheet

according to Regulation (EU) 2015/830  
Date of issue: 01/06/2022 Version: 0.0  
Doc. No: SDS-935.016/2



Packaging materials : SUITABLE MATERIAL: glass. MATERIAL TO AVOID: metal. steel. iron. zinc.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Iodine (7553-56-2)		
Belgium	Limit value (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup> (Iode (vapeur); Belgium; Time-weighted average exposure limit 8 h)
Belgium	Limit value (ppm)	0.01 ppm (Iode (vapeur); Belgium; Time-weighted average exposure limit 8 h)
Belgium	Short time value (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup> (Iode (vapeur); Belgium; Short time value)
Belgium	Short time value (ppm)	0.1 ppm (Iode (vapeur); Belgium; Short time value)
France	VLE (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup> (Iode; France; Short time value; VL: Valeur non réglementaire indicative)
France	VLE (ppm)	0.1 ppm (Iode; France; Short time value; VL: Valeur non réglementaire indicative)
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	1.1 mg/m <sup>3</sup> Iodine; United Kingdom; Short time value; Workplace exposure limit (EH40/2005)
United Kingdom	WEL STEL (ppm)	0.1 ppm Iodine; United Kingdom; Short time value; Workplace exposure limit (EH40/2005)
USA - ACGIH	ACGIH TWA (ppm)	0.01 ppm (Iodine; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value; Inhalable fraction and vapor)
USA - ACGIH	ACGIH STEL (ppm)	0.1 ppm (Iodine; USA; Short time value; TLV - Adopted Value; Vapor and aerosol)

### 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Materials for protective clothing:

GIVE GOOD RESISTANCE: butyl rubber. neoprene. nitrile rubber. polyethylene

Condition	Material	Standard
Good resistance:	Butyl rubber, Neoprene, Nitrile rubber, Polyethylene	

#### Hand protection:

Gloves

#### Eye protection:

Face shield. In case of dust production: protective goggles

Type	Use	Characteristics	Standard
Face shield	Fine dust , Dust		

#### Skin and body protection:

Protective clothing. In case of dust production: head/neck protection. In case of dust production: dustproof clothing

#### Respiratory protection:

Dust production: dust mask with filter type P3

Device	Filter type	Condition	Standard
Dust mask	Type P3	Dust protection	



# Iodine

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/06/2022 Version: 0.0

Doc. No: SDS-935.016/2



### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Crystalline solid. Powder. Grains. Scales.
Molecular mass	: 253.8 g/mol
Colour	: Metallic violet-black.
Odour	: Irritating/pungent odour.
Odour threshold	: 0.85 ppm 9 mg/m <sup>3</sup>
pH	: 5.4
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: 114 °C
Freezing point	: Not applicable
Boiling point	: 184 °C
Flash point	: Not applicable
Critical temperature	: 512 °C
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable
Vapour pressure	: 0.31 hPa (25 °C)
Vapour pressure at 50 °C	: 2.8 hPa (50 °C)
Relative vapour density at 20 °C	: 8.8
Relative density	: 4.9
Density	: 4930 kg/m <sup>3</sup>
Solubility	: Insoluble in water. Substance sinks in water. Soluble in ethanol. Soluble in ether. Soluble in chloroform. Soluble in tetrachloromethane. Soluble in methanol. Soluble in carbondisulfide. Water: 0.03 g/100ml Ethanol: 21 g/100ml Ether: 27 g/100ml
Log Pow	: 2.49 (Experimental value)
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: 0.0022 Pa.s (116 °C)
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: Not applicable

### 9.2. Other information

Saturation concentration	: 3.6 g/m <sup>3</sup>
VOC content	: Not applicable
Other properties	: Gas/vapour heavier than air at 20°C. May sublime. Substance has acid reaction.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

On heating: release of harmful/irritant gases/vapours (iodine). Reacts violently with many compounds e.g.: with (strong) reducers, with combustible materials, with (some) bases and with (some) metal powders: (increased) risk of fire/explosion.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

# Iodine

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/06/2022 Version: 0.0

Doc. No: SDS-935.016/2



### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Dermal: Harmful in contact with skin. Inhalation: Harmful if inhaled.

Iodine (7553-56-2)	
LD50 oral rat	315 mg/kg
LD50 dermal rabbit	1425 mg/kg

Skin corrosion/irritation : Not classified  
pH: 5.4

Serious eye damage/irritation : Not classified  
pH: 5.4

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Dangerous for the environment.

Ecology - air : Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009).

Ecology - water : Mild water pollutant (surface water). Highly toxic to fishes. Harmful to invertebrates (Daphnia). Harmful to algae.

Iodine (7553-56-2)	
LC50 fish 1	0.164 mg/l (LC50; 96 h)

### 12.2. Persistence and degradability

Iodine (7553-56-2)	
Persistence and degradability	Biodegradability: not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable

### 12.3. Bioaccumulative potential

Iodine (7553-56-2)	
BCF other aquatic organisms 1	0.027 (BCF)
Log Pow	2.49 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

# Iodine

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/06/2022 Version: 0.0

Doc. No: SDS-935.016/2



### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

- Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- Product/Packaging disposal recommendations : Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Recycle/reuse. Remove to an authorized dump (Class I). Do not discharge into surface water.
- Additional information : LWCA (the Netherlands): KGA category 05. Hazardous waste according to Directive 2008/98/EC.
- European List of Waste (LoW) code : 06 13 01\* - inorganic plant protection products, wood-preserving agents and other biocides

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
3495	3495	3495	3495	3495
<b>14.2. UN proper shipping name</b>				
IODINE	IODINE	Iodine	IODINE	IODINE
<b>Transport document description</b>				
UN 3495 IODINE, 8 (6.1), III, (E), ENVIRONMENTALLY HAZARDOUS	UN 3495 IODINE, 8 (6.1), III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS	UN 3495 Iodine, 8 (6.1) (6.1), III, ENVIRONMENTALLY HAZARDOUS	UN 3495 IODINE, 8 (6.1), III, ENVIRONMENTALLY HAZARDOUS	UN 3495 IODINE, 8 (6.1), III, ENVIRONMENTALLY HAZARDOUS
<b>14.3. Transport hazard class(es)</b>				
8 (6.1)	8 (6.1)	8 (6.1)	8 (6.1)	8 (6.1)
<b>14.4. Packing group</b>				
III	III	III	III	III
<b>14.5. Environmental hazards</b>				
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
No supplementary information available				

#### 14.6. Special precautions for user

##### - Overland transport

- Classification code (ADR) : CT2
- Special provisions (ADR) : 279
- Limited quantities (ADR) : 5kg
- Excepted quantities (ADR) : E1
- Packing instructions (ADR) : P002, IBC08, R001
- Mixed packing provisions (ADR) : MP10
- Portable tank and bulk container instructions (ADR) : T1
- Portable tank and bulk container special provisions (ADR) : TP33
- Tank code (ADR) : SGAV, L4BN
- Vehicle for tank carriage : AT

# Iodine

## Safety Data Sheet


according to Regulation (EU) 2015/830

Date of issue: 01/06/2022 Version: 0.0

Doc. No: SDS-935.016/2



Transport category (ADR) : 3  
Special provisions for carriage - Bulk (ADR) : VC1, VC2, AP7  
Special provisions for carriage - Loading, unloading and handling (ADR) : CV13, CV28  
Hazard identification number (Kemler No.) : 86  
Orange plates :



Tunnel restriction code (ADR) : E

### - Transport by sea

Transport regulations (IMDG) : Subject  
Special provisions (IMDG) : 279  
Limited quantities (IMDG) : 5 kg  
Excepted quantities (IMDG) : E1  
Packing instructions (IMDG) : P002  
IBC packing instructions (IMDG) : IBC08  
IBC special provisions (IMDG) : B3  
Tank instructions (IMDG) : T1  
Tank special provisions (IMDG) : TP33  
EmS-No. (Fire) : F-A  
EmS-No. (Spillage) : S-B  
Stowage category (IMDG) : B  
Stowage and handling (IMDG) : SW2  
Segregation (IMDG) : SG37  
Properties and observations (IMDG) : Bluish-black solid with a metallic lustre and a pungent odour. Melting point: 114°C. Below its melting point, may evolve vapours which are irritating to skin, eyes and mucous membranes. Slightly soluble in water but soluble in most organic solvents. Corrosive to most metals.  
MFAG-No : 154

### - Air transport

Transport regulations (IATA) : Subject  
PCA Excepted quantities (IATA) : E1  
PCA Limited quantities (IATA) : Y845  
PCA limited quantity max net quantity (IATA) : 5kg  
PCA packing instructions (IATA) : 860  
PCA max net quantity (IATA) : 25kg  
CAO packing instructions (IATA) : 864  
CAO max net quantity (IATA) : 100kg  
Special provisions (IATA) : A113  
ERG code (IATA) : 8P

### - Inland waterway transport

Classification code (ADN) : CT2  
Special provisions (ADN) : 279, 802  
Limited quantities (ADN) : 5 kg  
Excepted quantities (ADN) : E1  
Equipment required (ADN) : PP, EP, TOX, A  
Ventilation (ADN) : VE02  
Number of blue cones/lights (ADN) : 0

### - Rail transport

Transport regulations (RID) : Subject  
Classification code (RID) : CT2  
Special provisions (RID) : 279  
Limited quantities (RID) : 5kg



# Iodine

## Safety Data Sheet

according to Regulation (EU) 2015/830  
Date of issue: 01/06/2022 Version: 0.0  
Doc. No: SDS-935.016/2



Excepted quantities (RID)	: E1
Packing instructions (RID)	: P002, IBC08, R001
Special packing provisions (RID)	: B3
Mixed packing provisions (RID)	: MP10
Portable tank and bulk container instructions (RID)	: T1
Portable tank and bulk container special provisions (RID)	: TP33
Tank codes for RID tanks (RID)	: SGAV, L4BN
Transport category (RID)	: 3
Special provisions for carriage – Bulk (RID)	: VC1, VC2, AP7
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW28
Colis express (express parcels) (RID)	: CE11
Hazard identification number (RID)	: 86

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Iodine is not on the REACH Candidate List

Iodine is not on the REACH Annex XIV List

VOC content : Not applicable

#### 15.1.2. National regulations

##### Germany

VwVwS Annex reference : Water hazard class (WGK) 1, low hazard to waters (ID No. 492)

WGK remark : Classification water polluting in compliance with Verwaltungsvorschrift wassergefährdender Stoffe (VwVwS) of 27 July 2005 (Anhang 2)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

##### Netherlands

Waterbezwaarlijkheid : 5 - Very toxic to aquatic organisms

SZW-lijst van kankerverwekkende stoffen : The substance is not listed

SZW-lijst van mutagene stoffen : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

##### Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product  
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
-----	---

# Iodine

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/06/2022 Version: 0.0

Doc. No: SDS-935.016/2



ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
EC50	Median effective concentration
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
PBT	Persistent Bioaccumulative Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
H312	Harmful in contact with skin
H332	Harmful if inhaled
H400	Very toxic to aquatic life

SDS ISOLAB

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*