

Mercury(II)sulfate

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 05/04/2017


Doc No: SDS-947.036/1



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
Substance name : Mercury(II)sulfate
EC Index-No. : 080-002-00-6
EC-No. : 231-992-5
CAS-No. : 7783-35-9
Type of product : Pure substance
Formula : HgSO₄
Chemical structure :



Synonyms : mercuric sulfate / mercuric sulfate,solid / mercuric sulphate / mercury bisulfate (=mercury(II)sulfate) / mercury persulfate / mercury sulfate / mercury sulphate / Mercury sulphate / mercury(2+)salt(1:1) / mercury(II)sulfate(1:1) / sulfuric acid mercury(II)salt / sulfuric acid, mercury(2+) salt (1:1)

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Electrolyte
Catalyst
Reagent
Laboratory chemical

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

ISOLAB Laborgeräte GmbH
Am Dillhof 2 - 63863 Eschau / GERMANY
Tel: + 49 93 74 / 978 55-0
Fax: +49 93 74 / 978 55-29
prodsafe@isolab.de

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Germany	Giftnotruf der Charité CBF, Haus VIII (Wirtschaftgebäude), UG	Hindenburgdamm 30 12203 Berlin	+49 30 19240	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute Tox. 2 (Inhalation) H330

Acute Tox. 1 (Dermal) H310

Acute Tox. 2 (Oral) H300

STOT RE 2 H373

Aquatic Acute 1 H400

Aquatic Chronic 1 H410

Full text of hazard classes and H-statements : see section 16

Specific concentration limits:

(C >= 0.1) STOT RE 2, H373

Adverse physicochemical, human health and environmental effects

No additional information available

Mercury(II)sulfate

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 05/04/2017

Doc No: SDS-947.036/1



2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS06

GHS08

GHS09

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H300 + H310 + H330 - Fatal if swallowed, in contact with skin or if inhaled.
H373 - May cause damage to organs through prolonged or repeated exposure
H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (CLP) :

P273 - Avoid release to the environment.
P280 - Wear protective gloves/ protective clothing.
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P308 + P310 - IF exposed or concerned: immediately call a POISON CENTER or doctor/physician.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Name	Product identifier	%
Mercury(II)sulfate	(CAS-No.) 7783-35-9 (EC-No.) 231-992-5 (EC Index-No.) 080-002-00-6	100

Full text of H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general :

Check the vital functions. Unconscious: maintain adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim conscious with laboured breathing: half-seated. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Prevent cooling by covering the victim (no warming up). Keep watching the victim. Give psychological aid. Keep the victim calm, avoid physical strain. Depending on the victim's condition: doctor/hospital.

First-aid measures after inhalation :

Remove the victim into fresh air. Immediately consult a doctor/medical service.

First-aid measures after skin contact :

Wash immediately with lots of water (15 minutes)/shower. Do not apply (chemical) neutralizing agents. Remove clothing before washing. Consult a doctor/medical service.

First-aid measures after eye contact :

Rinse immediately with plenty of water for 15 minutes. Do not apply neutralizing agents. Take victim to an ophthalmologist.

First-aid measures after ingestion :

Rinse mouth with water. Immediately consult a doctor/medical service. Call Poison Information Centre (www.big.be/antigif.htm). Ingestion of large quantities: immediately to hospital. Take the container/vomit to the doctor/hospital. Doctor: gastric lavage.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation :

AFTER INHALATION OF DUST: Dry/sore throat. Coughing. Irritation of the respiratory tract. Irritation of the nasal mucous membranes. ON CONTINUOUS EXPOSURE/CONTACT: Respiratory difficulties. FOLLOWING SYMPTOMS MAY APPEAR LATER: Risk of lung oedema.

Symptoms/effects after skin contact :

Tingling/irritation of the skin. ON CONTINUOUS EXPOSURE/CONTACT: Blisters. Symptoms similar to those listed under inhalation.

Symptoms/effects after eye contact :

Corrosion of the eye tissue.

Symptoms/effects after ingestion :

Dry/sore throat. Abdominal pain. Vomiting. Diarrhoea. Metal taste. AFTER ABSORPTION OF HIGH QUANTITIES: Burns to the gastric/intestinal mucosa. Blood in stool. Shock. FOLLOWING SYMPTOMS MAY APPEAR LATER: Decreased renal function.

Mercury(II)sulfate

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 05/04/2017

Doc No: SDS-947.036/1



Chronic symptoms : ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Skin rash/inflammation. Gastrointestinal complaints. Inflammation/affection of the gums. Affection/discolouration of the teeth. Metal taste. Affection of the renal tissue. Impairment of the nervous system. Impaired memory. Emotional instability.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media : Adapt extinguishing media to the environment.

Unsuitable extinguishing media : No unsuitable extinguishing media known.

5.2. Special hazards arising from the substance or mixture

Fire hazard : DIRECT FIRE HAZARD. Non combustible.

Explosion hazard : DIRECT EXPLOSION HAZARD. No data available on direct explosion hazard. INDIRECT EXPLOSION HAZARD. No data available on indirect explosion hazard.

5.3. Advice for firefighters

Precautionary measures fire : Exposure to fire/heat: keep upwind. Exposure to fire/heat: consider evacuation. Exposure to fire/heat: have neighbourhood close doors and windows.

Firefighting instructions : Cool tanks/drums with water spray/remove them into safety. Dilute toxic gases with water spray. Use water moderately and if possible collect or contain it. Take account of toxic fire-fighting water.

Protection during firefighting : Heat/fire exposure: compressed air/oxygen apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Gloves. Face-shield. Protective clothing. Dust cloud production: compressed air/oxygen apparatus. Dust cloud production: dust-tight suit. Contact with moisture/water: compressed air/oxygen apparatus. Contact with moisture/water: gas-tight suit.

Emergency procedures : Mark the danger area. Prevent dust cloud formation. No naked flames. Wash contaminated clothes. On contact with moisture/water: keep upwind. On contact with moisture/water: consider evacuation.

Measures in case of dust release : In case of dust production: keep upwind. In case of dust production: consider evacuation. Dust production: have neighbourhood close doors and windows.

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent soil and water pollution. Prevent spreading in sewers.

6.3. Methods and material for containment and cleaning up

For containment : Contain released substance, pump into suitable containers. Consult "Material-handling" to select material of containers. Plug the leak, cut off the supply. Dam up the solid spill. Knock down/dilute dust cloud with water spray. Take account of toxic/corrosive precipitation water.

Methods for cleaning up : Prevent dispersion by covering with dry sand/earth. Scoop solid spill into closing containers. See "Material-handling" for suitable container materials. Carefully collect the spill/leftovers. Take collected spill to manufacturer/competent authority. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Pulverization rapidly increases toxic concentration.

Precautions for safe handling : Comply with the legal requirements. Remove contaminated clothing immediately. Clean contaminated clothing. Thoroughly clean/dry the installation before use. Do not discharge the waste into the drain. Avoid raising dust. Keep away from naked flames/heat. Avoid contact of substance with water. Observe very strict hygiene - avoid contact. Keep container tightly closed. Measure the concentration in the air regularly. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

Mercury(II)sulfate

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 05/04/2017

Doc No: SDS-947.036/1



7.2. Conditions for safe storage, including any incompatibilities

Heat and ignition sources	: KEEP SUBSTANCE AWAY FROM: heat sources.
Information on mixed storage	: KEEP SUBSTANCE AWAY FROM: reducing agents. (strong) acids. water/moisture.
Storage area	: Store in a cool area. Keep out of direct sunlight. Store in a dry area. Store in a dark area. Keep locked up. Unauthorized persons are not admitted. Meet the legal requirements.
Special rules on packaging	: SPECIAL REQUIREMENTS: hermetical. watertight. dry. clean. opaque. correctly labelled. meet the legal requirements. Secure fragile packagings in solid containers.
Packaging materials	: SUITABLE MATERIAL: steel. synthetic material. glass. MATERIAL TO AVOID: lead. aluminium. iron. copper. zinc.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Mercury(II)sulfate (7783-35-9)		
EU	IOELV TWA (mg/m ³)	0.02 mg/m ³ (Mercury, divalent inorganic compounds; EU; Time-weighted average exposure limit 8 h; Indicative occupational exposure limit value)
Belgium	Limit value (mg/m ³)	2 mg/m ³ (Mercure et composés inorganiques bivalents du mercure, y compris l'oxyde de mercure et le chlorure mercurique (mesurés comme mercure) (8); Belgium; Time-weighted average exposure limit 8 h)
Finland	Local name	Elohopea-(II)-sulfaatti
Finland	HTP-arvo (8h) (mg/m ³)	0.02 mg/m ³
Finland	Huomautus (FI)	lho, Hg, melu
France	VME (mg/m ³)	0.02 mg/m ³ (Mercure et composés bivalents du mercure, y compris l'oxyde de mercure et le chlorure de mercurique; France; Time-weighted average exposure limit 8 h; VRC: Valeur réglementaire contraignante)
Netherlands	Grenswaarde TGG 8H (mg/m ³)	0.02 mg/m ³ (Kwik en tweewaardige anorganische kwikverbindingen (gemeten als kwik); Netherlands; Time-weighted average exposure limit 8 h; Public occupational exposure limit value; als Hg)
United Kingdom	WEL TWA (mg/m ³)	0.02 mg/m ³ Mercury divalent inorganic compounds including mercuric oxide and mercuric chloride (measured as mercury); United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)
USA - ACGIH	ACGIH TWA (mg/m ³)	0.025 mg/m ³ (Mercury, Inorganic forms, as Hg; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)

8.2. Exposure controls

Materials for protective clothing:

GIVE EXCELLENT RESISTANCE: No data available. GIVE GOOD RESISTANCE: butyl rubber. chlorinated polyethylene. natural rubber. neoprene. nitrile rubber. polyurethane. PVC. nitrile rubber/PVC. GIVE LESS RESISTANCE: No data available. GIVE POOR RESISTANCE: No data available

Hand protection:

Gloves

Eye protection:

Face shield. In case of dust production: protective goggles

Skin and body protection:

Protective clothing. In case of dust production: head/neck protection. In case of dust production: dustproof clothing

Respiratory protection:

Dust production: dust mask with filter type P3. On heating: Gas mask with filter type Hg. High dust production: self-contained breathing apparatus

Mercury(II)sulfate

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 05/04/2017

Doc No: SDS-947.036/1



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Crystalline solid. Crystalline powder. Grains.
Molecular mass	: 296.65 g/mol
Colour	: White or colourless.
Odour	: Odourless.
Odour threshold	: No data available
pH	: 1 (50 g/l, H ₂ O, 20 °C)
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: (decomposition)
Freezing point	: No data available
Boiling point	: (decomposition)
Flash point	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: > 450 °C
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 6.5
Density	: 6470 kg/m ³
Solubility	: Reacts with water. Substance sinks in water. Soluble in hydrogenchloride. Soluble in sulfuric acid. Decomposition at 20°C.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

VOC content : 0 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Decomposes on exposure to water (moisture): release of corrosive products (sulphuric acid vapours). Reacts violently on exposure to temperature rise with (some) acids. On heating/burning: release of toxic and corrosive gases/vapours (sulphur oxides, mercury vapours). Decomposes on exposure to light.

10.2. Chemical stability

Unstable on exposure to light. Unstable on exposure to moisture. Hygroscopic.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Inhalation: Fatal if inhaled. Dermal: Fatal in contact with skin. Oral: Fatal if swallowed.

Mercury(II)sulfate

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 05/04/2017

Doc No: SDS-947.036/1



Mercury(II)sulfate (7783-35-9)

LD50 oral rat	57 mg/kg (Rat; Literature study)
LD50 dermal rat	625 mg/kg (Rat; Literature study)

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Dangerous for the environment.
Ecology - air	: Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009). TA-Luft Klasse 5.2.2/I.
Ecology - water	: Severe water pollutant (surface water). Highly toxic to fishes. Very toxic to invertebrates (Daphnia). Highly toxic to algae.

Mercury(II)sulfate (7783-35-9)

LC50 fish 1	0.033 ppm (LC50; 96 h)
EC50 Daphnia 1	0.0052 mg/l (EC50; 48 h)
Threshold limit algae 1	0.4 ppm (EC50)

12.2. Persistence and degradability

Mercury(II)sulfate (7783-35-9)

Persistence and degradability	Biodegradability: not applicable. Biodegradability in soil: not applicable. Adsorbs into the soil.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable

12.3. Bioaccumulative potential

Mercury(II)sulfate (7783-35-9)

Bioaccumulative potential	Bioaccumable.
---------------------------	---------------

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations	: Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Recycle/reuse. Do not discharge into surface water (Directive 2000/60/EC, Council Decision 2455/2001/EC).
Additional information	: LWCA (the Netherlands): KGA category 06. Hazardous waste according to Directive 2008/98/EC.

Mercury(II)sulfate

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 05/04/2017

Doc No: SDS-947.036/1



European List of Waste (LoW) code : 06 03 13* - solid salts and solutions containing heavy metals
16 05 06* - laboratory chemicals consisting of or containing dangerous substances including mixtures of laboratory chemicals

SECTION 14: Transport information


In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
1645	1645	1645	1645	1645
14.2. UN proper shipping name				
MERCURY SULPHATE	MERCURY SULPHATE	Mercury sulphate	MERCURY SULPHATE	MERCURY SULPHATE
Transport document description				
UN 1645 MERCURY SULPHATE, 6.1, II, (D/E), ENVIRONMENTALLY HAZARDOUS	UN 1645 MERCURY SULPHATE, 6.1, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS	UN 1645 Mercury sulphate, 6.1, II, ENVIRONMENTALLY HAZARDOUS	UN 1645 MERCURY SULPHATE, 6.1, II, ENVIRONMENTALLY HAZARDOUS	UN 1645 MERCURY SULPHATE, 6.1, II, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es)				
6.1	6.1	6.1	6.1	6.1
14.4. Packing group				
II	II	II	II	II
14.5. Environmental hazards				
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
No supplementary information available				

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : T5
Limited quantities (ADR) : 500g
Excepted quantities (ADR) : E4
Packing instructions (ADR) : P002, IBC08
Special packing provisions (ADR) : B4
Mixed packing provisions (ADR) : MP10
Portable tank and bulk container instructions (ADR) : T3
Portable tank and bulk container special provisions (ADR) : TP33
Tank code (ADR) : SGAH
Tank special provisions (ADR) : TU15, TE19
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Special provisions for carriage - Packages (ADR) : V11
Special provisions for carriage - Loading, unloading and handling (ADR) : CV13, CV28
Special provisions for carriage - Operation (ADR) : S9, S19
Hazard identification number (Kemler No.) : 60
Orange plates :



Mercury(II)sulfate

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 05/04/2017

Doc No: SDS-947.036/1



Tunnel restriction code (ADR)	: D/E
EAC code	: 2X
- Transport by sea	
Transport regulations (IMDG)	: Subject
Limited quantities (IMDG)	: 500 g
Excepted quantities (IMDG)	: E4
Packing instructions (IMDG)	: P002
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B2, B4
Tank instructions (IMDG)	: T3
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-A
Stowage category (IMDG)	: A
Properties and observations (IMDG)	: White crystals or powder. Decomposes in water, forming sulphuric acid. Toxic if swallowed, by skin contact or by dust inhalation.
MFAG-No	: 151
- Air transport	
Transport regulations (IATA)	: Subject to the provisions
PCA Excepted quantities (IATA)	: E4
PCA Limited quantities (IATA)	: Y644
PCA limited quantity max net quantity (IATA)	: 1kg
PCA packing instructions (IATA)	: 669
PCA max net quantity (IATA)	: 25kg
CAO packing instructions (IATA)	: 676
CAO max net quantity (IATA)	: 100kg
ERG code (IATA)	: 6L
- Inland waterway transport	
Classification code (ADN)	: T5
Special provisions (ADN)	: 802
Limited quantities (ADN)	: 500 g
Excepted quantities (ADN)	: E4
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 2
- Rail transport	
Transport regulations (RID)	: Subject
Classification code (RID)	: T5
Limited quantities (RID)	: 500g
Excepted quantities (RID)	: E4
Packing instructions (RID)	: P002, IBC08
Special packing provisions (RID)	: B4
Mixed packing provisions (RID)	: MP10
Portable tank and bulk container instructions (RID)	: T3
Portable tank and bulk container special provisions (RID)	: TP33
Tank codes for RID tanks (RID)	: SGAH
Special provisions for RID tanks (RID)	: TU15
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W11
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW28, CW31
Colis express (express parcels) (RID)	: CE9

Mercury(II)sulfate

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 05/04/2017

Doc No: SDS-947.036/1



Hazard identification number (RID) : 60

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Mercury(II)sulfate is not on the REACH Candidate List

Mercury(II)sulfate is not on the REACH Annex XIV List

VOC content : 0 %

15.1.2. National regulations

Germany

VwVwS Annex reference : Water hazard class (WGK) 3, severe hazard to waters (Classification according to VwVwS, Annex 1 or 2; ID No. 412)

WGK remark : Classification water polluting in compliance with Verwaltungsvorschrift wassergefährdender Stoffe (VwVwS) of 27 July 2005 (Anhang 2)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

Waterbevaarlijkheid : 1 - Black list substance

SZW-lijst van kankerverwekkende stoffen : The substance is not listed

SZW-lijst van mutagene stoffen : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
PBT	Persistent Bioaccumulative Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet

Mercury(II)sulfate

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 05/04/2017

Doc No: SDS-947.036/1



vPvB	Very Persistent and Very Bioaccumulative
------	--

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Full text of H- and EUH-statements:	
Acute Tox. 1 (Dermal)	Acute toxicity (dermal), Category 1
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H300	Fatal if swallowed
H310	Fatal in contact with skin
H330	Fatal if inhaled
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

SDS ISOLAB

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product