# Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/06/2022 Doc No: SDS-947.D02/2



# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **Product identifier**

Product form : Substance Substance name : METHYL GREEN EC-No. 230-415-4 CAS-No. : 7114-03-6 Type of product : Pure substance Formula : C<sub>27</sub>H<sub>35</sub>Cl<sub>2</sub>N<sub>3</sub> · ZnCl<sub>2</sub>

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only

Use of the substance/mixture Dyestuff

Laboratory chemical

#### 1.2.2. Uses advised against

No additional information available

#### Details of the supplier of the safety data sheet 1.3.

ISOLAB Laborgeräte GmbH

Am Dillhof 2 - 63863 Eschau / GERMANY

Tel: +49 93 74 / 978 55-0 Fax: +49 93 74 / 978 55-29 prodsafe@isolab.de

#### 1.4. **Emergency telephone number**

Country	Organisation/Company	Address	Emergency number	Comment
Germany	Giftnotruf der Charité CBF, Haus VIII (Wirtschaftgebäude), UG	Hindenburgdamm 30 12203 Berlin	+49 30 19240	

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Irrit. 2 H319 STOT SE 3 H335 Skin Irrit. 2 H315 Aquatic Acute 1 H400 Aquatic Chronic 1 H410

Full text of hazard classes and H-statements : see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

# **Label elements**

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07 GHS09

Signal word (CLP) : Warning

H319 - Causes serious eye irritation Hazard statements (CLP) H335 - May cause respiratory irritation

H315 - Causes skin irritation

H410 - Very toxic to aquatic life with long lasting effects

: P264 - Wash hands thoroughly after handling Precautionary statements (CLP)

P273 - Avoid release to the environment

P312 - Call a POISON CENTER or doctor/physician if you feel unwell

P391 - Collect spillage

08/03/2017 EN (English) 1/9

# Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/06/2022 Doc No: SDS-947.D02/2



P304+P340 - IF INHALED: remove victim to fresh air and keep at rest in a position comfortable

for breathing

P332+P313 - If skin irritation occurs: Get medical advice/attention

P405 - Store locked up

#### 2.3. Other hazards

No additional information available

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Name	Product identifier	%
METHYL GREEN	(CAS-No.) 7114-03-6	100
	(EC-No.) 230-415-4	

Full text of H-statements: see section 16

### **Mixtures**

Not applicable

### **SECTION 4: First aid measures**

## Description of first aid measures

7.1.	Description	O., O.	iii ot aid	measare	,,,
First-aid	d measures o	genera	ıl		

: Check the vital functions. Unconscious: maintain adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim conscious with laboured breathing: half-seated. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Prevent cooling by covering the victim (no warming up). Keep watching the victim. Give psychological aid. Keep the victim calm, avoid physical strain. Depending on the victim's condition: doctor/hospital.

First-aid measures after inhalation

Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.

First-aid measures after skin contact

Wash immediately with lots of water. Soap may be used. Take victim to a doctor if irritation

persists.

First-aid measures after eye contact

Rinse immediately with plenty of water. Take victim to an ophthalmologist.

First-aid measures after ingestion

Rinse mouth with water. Call Poison Information Centre (www.big.be/antigif.htm). Consult a doctor/medical service if you feel unwell. Ingestion of large quantities: immediately to hospital.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation

: Irritation of the respiratory tract. Irritation of the nasal mucous membranes.

Symptoms/effects after skin contact Symptoms/effects after eye contact

: Tingling/irritation of the skin. : Irritation of the eye tissue.

### Indication of any immediate medical attention and special treatment needed

No additional information available

# **SECTION 5: Fire-fighting measures**

#### 5.1. Extinguishing media

: Polyvalent foam. ABC powder. Carbon dioxide. Suitable extinguishing media : No unsuitable extinguishing media known. Unsuitable extinguishing media

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard

: DIRECT FIRE HAZARD. No data available on direct fire hazard. INDIRECT FIRE HAZARD. No

data available on indirect fire hazard.

Explosion hazard

: DIRECT EXPLOSION HAZARD. No data available on direct explosion hazard. INDIRECT

EXPLOSION HAZARD. No data available on indirect explosion hazard.

## Advice for firefighters

Precautionary measures fire

: Exposure to fire/heat: keep upwind. Exposure to fire/heat: consider evacuation. Exposure to fire/heat: have neighbourhood close doors and windows.

Firefighting instructions

Dilute toxic gases with water spray. Take account of environmentally hazardous firefighting

water. Use water moderately and if possible collect or contain it.

Protection during firefighting

: Heat/fire exposure: compressed air/oxygen apparatus.

08/03/2017 EN (English) 2/9

# Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/06/2022 Doc No: SDS-947.D02/2



## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Protective equipment

: Gloves. Face-shield. Protective clothing. Dust cloud production: compressed air/oxygen

apparatus. Dust cloud production: dust-tight suit.

**Emergency procedures** 

: Mark the danger area. Prevent dust cloud formation, e.g. by wetting. No naked flames. Wash

contaminated clothes.

Measures in case of dust release

: In case of dust production: keep upwind. Dust production: have neighbourhood close doors and

windows.

## 6.1.2. For emergency responders

No additional information available

### 6.2. Environmental precautions

Prevent soil and water pollution. Prevent spreading in sewers.

# 6.3. Methods and material for containment and cleaning up

For containment

: Contain released substance, pump into suitable containers. Plug the leak, cut off the supply.

Dam up the solid spill. Knock down/dilute dust cloud with water spray.

Methods for cleaning up

Stop dust cloud by humidifying. Scoop solid spill into closing containers. Carefully collect the spill/leftovers. Clean contaminated surfaces with an excess of water. Wash clothing and

equipment after handling.

### 6.4. Reference to other sections

No additional information available

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling

: Comply with the legal requirements. Remove contaminated clothing immediately. Clean contaminated clothing. Do not discharge the waste into the drain. Avoid raising dust. Keep away from naked flames/heat. Observe normal hygiene standards. Keep container tightly closed. Measure the concentration in the air regularly. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

# 7.2. Conditions for safe storage, including any incompatibilities

Heat and ignition sources

: KEEP SUBSTANCE AWAY FROM: heat sources.

Information on mixed storage

: KEEP SUBSTANCE AWAY FROM: oxidizing agents.

Storage area Special rules on packaging Store in a dry area. Keep container in a well-ventilated place. Meet the legal requirements.SPECIAL REQUIREMENTS: closing, correctly labelled, meet the legal requirements. Secure

fragile packagings in solid containers.

Packaging materials : SUITABLE MATERIAL: No data available. MATERIAL TO AVOID: No data available.

## 7.3. Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

# Personal protective equipment:

Gloves. Safety glasses.

# Materials for protective clothing:

GIVE EXCELLENT RESISTANCE: No data available. GIVE GOOD RESISTANCE: No data available. GIVE LESS RESISTANCE: No data available. GIVE POOR RESISTANCE: No data available

## Hand protection:

Gloves

# Eye protection:

Face shield. In case of dust production: protective goggles

### Skin and body protection:

08/03/2017 EN (English) 3/9

# Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/06/2022 Doc No: SDS-947.D02/2



Protective clothing. In case of dust production: head/neck protection. In case of dust production: dustproof clothing

### Respiratory protection:

Dust production: dust mask with filter type P2

Device	Filter type	Condition	Standard
Dust mask	Type P2	Dust protection	







# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Solid
Appearance : Solid.
Molecular mass : 608.78 g/mol
Colour : Orange yellow.

Odour : No data available on odour.

Odour threshold : No data available pH : No data available Relative evaporation rate (butylacetate=1) : No data available

Melting point : > 300 °C

Freezing point No data available Boiling point : No data available Flash point : No data available Auto-ignition temperature : No data available Decomposition temperature No data available : No data available Flammability (solid, gas) Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available

Solubility : Moderately soluble in water.

Water: 7 g/100ml
Log Pow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

## 9.2. Other information

VOC content : 0 %

Other properties : Substance has acid reaction.

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

On burning: release of toxic and corrosive gases/vapours (nitrous vapours, hydrogen bromide, hydrogen chloride, carbon monoxide - carbon dioxide).

## 10.2. Chemical stability

No data available.

# 10.3. Possibility of hazardous reactions

No additional information available

## 10.4. Conditions to avoid

No additional information available

08/03/2017 EN (English) 4/9

# Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/06/2022 Doc No: SDS-947.D02/2



#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

No additional information available

## SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

: Not classified Acute toxicity

Skin corrosion/irritation : Causes skin irritation.

pH: 4.6 (1 %)

Serious eye damage/irritation : Causes serious eye irritation.

pH: 4.6 (1 %)

Respiratory or skin sensitisation : Not classified : Not classified Germ cell mutagenicity Carcinogenicity : Not classified Reproductive toxicity : Not classified

STOT-single exposure : May cause respiratory irritation.

STOT-repeated exposure : Not classified Aspiration hazard : Not classified

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

: Dangerous for the environment. Ecology - general

Ecology - air : Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009).

Severe water pollutant (surface water). Harmful to fishes. Very toxic to invertebrates (Daphnia). Ecology - water

May cause eutrophication at very low concentration. pH shift. Inhibition of activated sludge.

METHYL GREEN (7114-03-6)	
LC50 fish 1	2.61 mg/l (LC50; 96 h)
EC50 Daphnia 1	0.068 mg/l (EC50; 48 h)
Threshold limit algae 1	< 0.12 mg/l (EC50)

#### 12.2. Persistence and degradability

METHYL GREEN (7114-03-6)	
Persistence and degradability	Adsorbs into the soil.

### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

# Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

## Waste treatment methods

Product/Packaging disposal recommendations

Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Recycle/reuse. Do not discharge into the sewer. Do not discharge into surface water.

LWCA (the Netherlands): KGA category 04. Can be considered as non hazardous waste Additional information according to Directive 2008/98/EC.


08/03/2017 EN (English) 5/9 www.isolab.de

# Safety Data Sheet

according to Regulation (EU) 2015/830

European List of Waste (LoW) code

Date of issue: 01/06/2022 Doc No: SDS-947.D02/2





# **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
3077	3077	3077	3077	3077
14.2. UN proper shippi	ng name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	Environmentally hazardous substance, solid, n.o.s.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Transport document descri				
UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III, (E)	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III, MARINE POLLUTANT	UN 3077 Environmentally hazardous substance, solid, n.o.s., 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III
14.3. Transport hazard				
9	9	9	9	9
14.4. Packing group	<del>,</del>	<del>,</del>	<u>,                                      </u>	
III	III	III	III	III
14.5. Environmental ha				
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
	No supplementary information available			

## 14.6. Special precautions for user

# - Overland transport

Classification code (ADR) : M7

Special provisions (ADR) : 274, 335, 601, 375

Limited quantities (ADR) : 5kg
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P002, IBC08, LP02, R001

Mixed packing provisions (ADR) : MP10

Portable tank and bulk container instructions : T1, BK1, BK2

(ADR)

Portable tank and bulk container special : TP33

provisions (ADR)

Tank code (ADR) : SGAV, LGBV

Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages : V13

(ADR)
Special provisions for carriage - Bulk (ADR)

Special provisions for carriage - Bulk (ADR) : VC1, VC2 Special provisions for carriage - Loading, : CV13 unloading and handling (ADR)

Harman Salan (San Canananan (Kanalan Na )

90 3077

Tunnel restriction code (ADR) : E

08/03/2017 EN (English) 6/9

# Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/06/2022 Doc No: SDS-947.D02/2



EAC code : 2Z

## - Transport by sea

Transport regulations (IMDG) : Subject

Special provisions (IMDG) : 274, 335, 966, 967, 969

Limited quantities (IMDG) : 5 kg
Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P002, LP02
Special packing provisions (IMDG) : PP12
IBC packing instructions (IMDG) : IBC08
IBC special provisions (IMDG) : B3

Tank instructions (IMDG) : T1, BK1, BK2, BK3

Tank special provisions (IMDG) : TP33
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-F
Stowage category (IMDG) : A
Stowage and handling (IMDG) : SW23
MFAG-No : 171

### - Air transport

Transport regulations (IATA) : Subject to the provisions

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y956
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 956
PCA max net quantity (IATA) : 400kg
CAO packing instructions (IATA) : 956
CAO max net quantity (IATA) : 400kg

Special provisions (IATA) : A97, A158, A179, A197

ERG code (IATA) : 9L

### - Inland waterway transport

Classification code (ADN) : M7

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 kg
Excepted quantities (ADN) : E1
Carriage permitted (ADN) : T\* B\*\*
Equipment required (ADN) : PP, A
Number of blue cones/lights (ADN) : 0

# - Rail transport

Transport regulations (RID) : Subject Classification code (RID) : M7

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5kg
Excepted quantities (RID) : E1

Packing instructions (RID) : P002, IBC08, LP02, R001

Special packing provisions (RID) : PP12, B3

Mixed packing provisions (RID) : MP10

Portable tank and bulk container instructions : T1, BK1, BK2 (RID)

Portable tank and bulk container special

provisions (RID)

: TP33

Tank codes for RID tanks (RID) : SGAV, LGBV

Transport category (RID) : 3
Special provisions for carriage – Packages : W13

(RID)

Special provisions for carriage – Bulk (RID) : VC1, VC2

08/03/2017 EN (English) 7/9

# Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/06/2022 Doc No: SDS-947.D02/2



Special provisions for carriage - Loading,

unloading and handling (RID)

Colis express (express parcels) (RID) : CE11 Hazard identification number (RID) . 90

### Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

: CW13, CW31

#### 15.1.1. **EU-Regulations**

No REACH Annex XVII restrictions

METHYL GREEN is not on the REACH Candidate List METHYL GREEN is not on the REACH Annex XIV List

VOC content : 0%

#### 15.1.2. **National regulations**

Germany

: Water hazard class (WGK) 3, severe hazard to waters VwVwS Annex reference

WGK remark : Classification water polluting according to external literature source : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

12th Ordinance Implementing the Federal Immission Control Act - 12.BlmSchV

**Netherlands** 

SZW-lijst van kankerverwekkende stoffen : The substance is not listed SZW-lijst van mutagene stoffen The substance is not listed NIET-limitatieve lijst van voor de voortplanting : The substance is not listed

giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting giftige stoffen - Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Ontwikkeling

: The substance is not listed

: The substance is not listed

**Denmark** 

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

### 15.2. **Chemical safety assessment**

No additional information available

# **SECTION 16: Other information**

# Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
PBT	Persistent Bioaccumulative Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
vPvB	Very Persistent and Very Bioaccumulative
SDS	Safety Data Sheet

Data sources

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Full text of H- and EUH-statements:	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1

08/03/2017 EN (English) 8/9

# Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/06/2022 Doc No: SDS-947.D02/2



Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
H315	Causes skin irritation	
H319	Causes serious eye irritation	
H335	May cause respiratory irritation	
H400	Very toxic to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	

## SDS ISOLAB

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product