

# Potassium dichromate

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/06/2022


Doc No: SDS-960.056/3



### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance  
Substance name : Potassium dichromate  
EC Index-No. : 024-002-00-6  
EC-No. : 231-906-6  
CAS-No. : 7778-50-9  
Type of product : Pure substance  
Formula :  $K_2Cr_2O_7$   
Chemical structure :



Synonyms : bichromate of potash / chromate of potash, red / chromic acid ( $H_2Cr_2O_7$ ), dipotassium salt / chromic acid, dipotassium salt (=potassium dichromate) / dichromic acid [ $H_2Cr_2O_7$ ], dipotassium salt / dichromic acid, dipotassium salt / dipotassium bichromate / dipotassium dichromate / iopezite / potassium bichromate / potassium chromate, red / potassium dichromate(VI) / red potassium chromate

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Dyestuff/pigment  
Oxidant  
Anti-corrosion agent  
Explosive: additive  
Laboratory chemical

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

ISOLAB Laborgeräte GmbH  
Am Dillhof 2 - 63863 Eschau / GERMANY  
Tel: + 49 93 74 / 978 55-0  
Fax: +49 93 74 / 978 55-29  
[prodsafe@isolab.de](mailto:prodsafe@isolab.de)

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Germany	Giftnotruf der Charité CBF, Haus VIII (Wirtschaftgebäude), UG	Hindenburgdamm 30 12203 Berlin	+49 30 19240	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Ox. Sol. 2 H272  
Carc. 1B H350  
Muta. 1B H340  
Repr. 1B H360FD  
Acute Tox. 2 (Inhalation) H330  
Acute Tox. 4 (Dermal) H312  
Acute Tox. 3 (Oral) H301  
STOT RE 1 H372  
Skin Corr. 1B H314  
Resp. Sens. 1 H334  
STOT SE 3 H335  
Skin Sens. 1 H317  
Aquatic Acute 1 H400  
Aquatic Chronic 1 H410

Full text of hazard classes and H-statements : see section 16

# Potassium dichromate

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/06/2022

Doc No: SDS-960.056/3



Specific concentration limits:  
(C >= 5) STOT SE 3, H335

### Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Danger

Hazard statements (CLP)

: H272 - May intensify fire; oxidiser  
H350 - May cause cancer  
H340 - May cause genetic defects  
H360FD - May damage fertility. May damage the unborn child  
H330 - Fatal if inhaled  
H335 - May cause respiratory irritation.  
H312 - Harmful in contact with skin  
H301 - Toxic if swallowed  
H372 - Causes damage to organs through prolonged or repeated exposure (if inhaled)  
H314 - Causes severe skin burns and eye damage  
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled  
H317 - May cause an allergic skin reaction  
H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (CLP)

: P201 - Obtain special instructions before use.  
P221 - Take any precaution to avoid mixing with combustibles, heavy-metal compounds, acids and alkalis.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.  
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P310 - IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

## 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Name	Product identifier	%
Potassium dichromate substance listed as REACH Candidate substance listed in REACH Annex XIV	(CAS-No.) 7778-50-9 (EC-No.) 231-906-6 (EC Index-No.) 024-002-00-6	100

Full text of H-statements: see section 16

### 3.2. Mixtures

Not applicable

# Potassium dichromate

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/06/2022

Doc No: SDS-960.056/3



### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	: Check the vital functions. Unconscious: maintain adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim conscious with laboured breathing: half-seated. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Prevent cooling by covering the victim (no warming up). Keep watching the victim. Give psychological aid. Keep the victim calm, avoid physical strain. Depending on the victim's condition: doctor/hospital.
First-aid measures after inhalation	: Remove the victim into fresh air. Immediately consult a doctor/medical service.
First-aid measures after skin contact	: Wash immediately with lots of water (15 minutes)/shower. Remove clothing while washing. Do not apply (chemical) neutralizing agents. Do not remove clothing if it sticks to the skin. Cover wounds with sterile bandage. Consult a doctor/medical service. If burned surface > 10%: take victim to hospital.
First-aid measures after eye contact	: Rinse immediately with plenty of water for 15 minutes. Do not apply neutralizing agents. Take victim to an ophthalmologist.
First-aid measures after ingestion	: Rinse mouth with water. Do not induce vomiting. Immediately consult a doctor/medical service. Call Poison Information Centre ( <a href="http://www.big.be/antigif.htm">www.big.be/antigif.htm</a> ). Ingestion of large quantities: immediately to hospital. Take the container/vomit to the doctor/hospital.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Dry/sore throat. Coughing. Irritation of the respiratory tract. Irritation of the nasal mucous membranes. EXPOSURE TO HIGH CONCENTRATIONS: Respiratory difficulties. Risk of lung oedema.
Symptoms/effects after skin contact	: Caustic burns/corrosion of the skin.
Symptoms/effects after eye contact	: Corrosion of the eye tissue.
Symptoms/effects after ingestion	: Abdominal pain. Vomiting. Burns to the gastric/intestinal mucosa. Bleeding of the gastrointestinal tract. Blood in vomit. Shock. Disturbances of consciousness. Change in the haemogramme/blood composition. Enlargement/affection of the liver. Affection of the renal tissue. Respiratory collapse.
Chronic symptoms	: ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Skin rash/inflammation. Slow-healing wounds. Change in the haemogramme/blood composition. Respiratory difficulties. Lung tissue affection/degeneration. Affection of the nasal septum.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Fire-fighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	: EXTINGUISHING MEDIA FOR SURROUNDING FIRES: Adapt extinguishing media to the environment.
Unsuitable extinguishing media	: No unsuitable extinguishing media known.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: DIRECT FIRE HAZARD. Non combustible. INDIRECT FIRE HAZARD. Promotes combustion. Reactions involving a fire hazard: see "Reactivity Hazard".
Explosion hazard	: INDIRECT EXPLOSION HAZARD. Reactions with explosion hazards: see "Reactivity Hazard".

#### 5.3. Advice for firefighters

Precautionary measures fire	: Exposure to fire/heat: keep upwind. Exposure to fire/heat: consider evacuation. Exposure to fire/heat: have neighbourhood close doors and windows.
Firefighting instructions	: Cool tanks/drums with water spray/remove them into safety. Take account of toxic fire-fighting water. Use water moderately and if possible collect or contain it.
Protection during firefighting	: Heat/fire exposure: compressed air/oxygen apparatus.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Protective equipment	: Gloves. Face-shield. Corrosion-proof suit. Dust cloud production: compressed air/oxygen apparatus. See "Material-Handling" to select protective clothing.
Emergency procedures	: Mark the danger area. Prevent dust cloud formation. No naked flames. Keep containers closed. Wash contaminated clothes. In case of reactivity hazard: consider evacuation.
Measures in case of dust release	: In case of dust production: keep upwind. In case of dust production: consider evacuation. Dust production: have neighbourhood close doors and windows.

# Potassium dichromate

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/06/2022

Doc No: SDS-960.056/3



### 6.1.2. For emergency responders

No additional information available

### 6.2. Environmental precautions

Prevent soil and water pollution. Prevent spreading in sewers.

### 6.3. Methods and material for containment and cleaning up

- For containment : Contain released substance, pump into suitable containers. Consult "Material-handling" to select material of containers. Plug the leak, cut off the supply. Dam up the solid spill. Knock down/dilute dust cloud with water spray. Take account of toxic/corrosive precipitation water.
- Methods for cleaning up : Prevent dispersion by covering with dry sand/earth. Scoop solid spill into closing containers. Carefully collect the spill/leftovers. Spill must not return in its original container. See "Material-handling" for suitable container materials. Clean contaminated surfaces with an excess of water. Take collected spill to manufacturer/competent authority. Wash clothing and equipment after handling.

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Additional hazards when processed : Pulverization rapidly increases toxic concentration.
- Precautions for safe handling : Comply with the legal requirements. Remove contaminated clothing immediately. Clean contaminated clothing. Keep the substance free from contamination. Thoroughly clean/dry the installation before use. Do not discharge the waste into the drain. Avoid raising dust. Keep away from naked flames/heat. Observe very strict hygiene - avoid contact. Keep container tightly closed. Measure the concentration in the air regularly. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

### 7.2. Conditions for safe storage, including any incompatibilities

- Heat and ignition sources : KEEP SUBSTANCE AWAY FROM: heat sources.
- Information on mixed storage : KEEP SUBSTANCE AWAY FROM: combustible materials. reducing agents. (strong) acids. oils-fats. organic materials. metal powders.
- Storage area : Store in a dry area. Keep container in a well-ventilated place. Keep locked up. Unauthorized persons are not admitted. Store at ambient temperature. Keep only in the original container. Meet the legal requirements.
- Special rules on packaging : SPECIAL REQUIREMENTS: closing. clean. correctly labelled. meet the legal requirements. Secure fragile packagings in solid containers.
- Packaging materials : MATERIAL TO AVOID: paper. wood. aluminium.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Potassium dichromate (7778-50-9)		
Austria	Local name	Kaliumdichromat
Austria	Remark (AT)	Sah
Belgium	Limit value (mg/m <sup>3</sup> )	0.05 mg/m <sup>3</sup> (Chrome VI, composés solubles dans l'eau en Cr (non classés ailleurs); Belgium; Time-weighted average exposure limit 8 h)
Finland	Local name	Kaliumdikromaatti
Finland	HTP-arvo (8h) (mg/m <sup>3</sup> )	0.005 mg/m <sup>3</sup>
Finland	Huomautus (FI)	Cr
France	VME (mg/m <sup>3</sup> )	0.001 mg/m <sup>3</sup> (Chrome hexavalent et ses composés; France; Time-weighted average exposure limit 8 h; VRC: Valeur réglementaire contraignante)
France	VLE (mg/m <sup>3</sup> )	0.005 mg/m <sup>3</sup> (Chrome hexavalent et ses composés; France; Short time value; VRC: Valeur réglementaire contraignante)
Netherlands	Grenswaarde TGG 8H (mg/m <sup>3</sup> )	0.025 mg/m <sup>3</sup> (Chroom(VI)-oplosbare verbindingen (als Cr); Netherlands; Time-weighted average exposure limit 8 h; Public occupational exposure limit value; als Cr)

# Potassium dichromate

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/06/2022

Doc No: SDS-960.056/3



Potassium dichromate (7778-50-9)		
Netherlands	Grenswaarde TGG 15MIN (mg/m <sup>3</sup> )	0.05 mg/m <sup>3</sup> (Chroom(VI)-oplosbare verbindingen (als Cr); Netherlands; Short time value; Public occupational exposure limit value; als Cr)
Spain	Local name	Dicromato de potasio
Spain	VLA-ED (mg/m <sup>3</sup> )	0.05 mg/m <sup>3</sup> como Cr
Spain	Notes	Sen (Sensibilizante. Véase Apartado 6), r (Esta sustancia tiene establecidas restricciones a la fabricación, la comercialización o el uso en los términos especificados en el "Reglamento (CE) n° 1907/2006 sobre Registro, Evaluación, Autorización y Restricción de sustancias y preparados químicos" (REACH) de 18 de diciembre de 2006 (DOUE L 369 de 30 de diciembre de 2006). Las restricciones de una sustancia pueden aplicarse a todos los usos o sólo a usos concretos. El anexo XVII del Reglamento REACH contiene la lista de todas las sustancias restringidas y especifica los usos que se han restringido), TR1B (Cuando las pruebas utilizadas para la clasificación procedan principalmente de datos en animales).
Sweden	Local name	Kaliumdikromat
Sweden	nivågränsvärde (NVG) (mg/m <sup>3</sup> )	0.005 mg/m <sup>3</sup> totaldamm
Sweden	kortidsvärde (KTV) (mg/m <sup>3</sup> )	0.015 mg/m <sup>3</sup> totaldamm
Sweden	Anmärkning (SE)	C (Ämnet är cancerframkallande Risk för cancer finns även vid annan exponering än via inandning. För vissa cancerframkallande ämnen som inte har gränsvärden gäller förbud eller tillståndskrav enligt föreskrifterna om kemiska arbetsmiljörisker); S (Ämnet är sensibiliserande Sensibiliserande ämnen kan ge allergi eller annan överkänslighet. Överkänslighetsbesvären drabbar främst huden eller andningsorganen. Överkänslighet innebär att man reagerar vid kontakt med ämnen som normalt inte ger besvär. Allergi är en undergrupp av överkänslighet som orsakas av reaktioner i kroppens immunsystem. Särskilt låga gränsvärden har fastställts för ämnen med mer uttalat luftvägssensibiliserande egenskaper. Några ämnen med starkt sensibiliserande egenskaper får endast hanteras efter tillstånd från Arbetsmiljöverket, se föreskrifterna om kemiska arbetsmiljörisker. Dessa ämnen har inga gränsvärden men i vissa fall riktvärden); V (Vägledande korttidsgränsvärde ska användas som ett rekommenderat högsta värde som inte bör överskridas); 2 (Med totaldamm menas de partiklar (aerosoler) som fastnar på ett filter i den provtagare som beskrivs i Metodserien, Provtagning av totaldamm och respirabelt damm, Metod nr 1010, Arbetarskyddsstyrelsen, numera Arbetsmiljöverket. Filterdiametern är normalt 37 mm, men kan även vara 25 mm. Trots sitt namn provtas inte den totala mängden luftburna partiklar med denna metod); 13 (Ämnen som har tagits upp på bilaga XIV (tillstånd) till REACH och kräver tillstånd för att få användas och släppas ut på marknaden (1 juni 2016). För aktuell lista se Echas hemsida)
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	0.05 mg/m <sup>3</sup> Chromium (VI) compounds (as Cr); United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)
USA - ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	0.05 mg/m <sup>3</sup> (Chromium, water-soluble inorgan. Cr VI compounds; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)

## 8.2. Exposure controls

# Potassium dichromate

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/06/2022

Doc No: SDS-960.056/3



### Materials for protective clothing:

GIVE GOOD RESISTANCE: butyl rubber. PVC

### Hand protection:

Gloves

### Eye protection:

Face shield. In case of dust production: protective goggles

### Skin and body protection:

Corrosion-proof clothing. In case of dust production: head/neck protection

### Respiratory protection:

Dust production: dust mask with filter type P3. High dust production: self-contained breathing apparatus

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Crystalline solid. Powder.
Molecular mass	: 294.19 g/mol
Colour	: Yellow-orange to orange-red.
Odour	: Odourless.
Odour threshold	: No data available
pH	: 3.6 (10 %)
pH solution	: 10 %
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: 398 °C
Freezing point	: No data available
Boiling point	: > 500 °C (1013 hPa)
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: 500 °C
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 2.7 (25 °C)
Density	: 2.7 g/cm <sup>3</sup> (20 °C)
Solubility	: Soluble in water. Water: 11.5 g/100ml
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: May intensify fire; oxidiser.
Explosive limits	: No data available

### 9.2. Other information

Minimum ignition energy	: Not applicable
SADT	: Not applicable
VOC content	: Not applicable
Other properties	: Substance has acid reaction.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

On exposure to temperature rise: oxidation which increases fire hazard. On burning: formation of metallic fumes. Reacts violently with combustible materials: risk of spontaneous ignition. Reacts violently with (strong) reducers: (increased) risk of fire/explosion. Reacts violently with organic material. Reacts with (some) acids/bases.

# Potassium dichromate

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/06/2022

Doc No: SDS-960.056/3



### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

No additional information available

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

No additional information available

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Inhalation: Fatal if inhaled. Dermal: Harmful in contact with skin. Oral: Toxic if swallowed.

Potassium dichromate (7778-50-9)	
LD50 oral rat	90.5 mg/kg (Rat)
LD50 dermal rabbit	403 - 490 mg/kg (Rabbit)
LC50 inhalation rat (mg/l)	0.094 mg/l/4h (Rat)

Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: 3.6 (10 %)
Serious eye damage/irritation	: Serious eye damage, category 1, implicit pH: 3.6 (10 %)
Respiratory or skin sensitisation	: May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.
Germ cell mutagenicity	: May cause genetic defects.
Carcinogenicity	: May cause cancer.
Reproductive toxicity	: May damage fertility. May damage the unborn child.
STOT-single exposure	: Not classified
STOT-repeated exposure	: Causes damage to organs through prolonged or repeated exposure (if inhaled).
Aspiration hazard	: Not classified
IARC group	: 3

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: Dangerous for the environment.
Ecology - air	: Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009). TA-Luft Klasse 5.2.7.1.1/l.
Ecology - water	: Maximum concentration in drinking water: 0.050 mg/l (chromium) (Directive 98/83/EC). Harmful to fishes. Very toxic to invertebrates (Daphnia). Highly toxic to algae. Highly toxic to bacteria. pH shift.

Potassium dichromate (7778-50-9)	
LC50 fish 2	63.6 mg/l (LC50; 96 h; Oncorhynchus mykiss)
EC50 Daphnia 1	0.035 mg/l (EC50; 48 h; Daphnia magna)
EC50 Daphnia 2	7.8 mg/l (LC50; 48 h; Artemia salina)
Threshold limit algae 1	0.233 mg/l (ErC50; 72 h; Selenastrum capricornutum)

### 12.2. Persistence and degradability

Potassium dichromate (7778-50-9)	
Persistence and degradability	Biodegradability: not applicable. Adsorbs into the soil.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable

# Potassium dichromate

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/06/2022

Doc No: SDS-960.056/3



### 12.3. Bioaccumulative potential

Potassium dichromate (7778-50-9)	
BCF fish 1	17.4 (BCF)
BCF other aquatic organisms 1	32 (BCF; 48 h; Mytilidae)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

Potassium dichromate (7778-50-9)	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

- Product/Packaging disposal recommendations : Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Recycle/reuse. Detoxicate. Remove to an authorized dump (Class I). Do not discharge into drains or the environment.
- Additional information : LWCA (the Netherlands): KGA category 05. Hazardous waste according to Directive 2008/98/EC.
- European List of Waste (LoW) code : 16 09 02\* - chromates, e.g. potassium chromate, potassium or sodium dichromate



# Potassium dichromate

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/06/2022

Doc No: SDS-960.056/3



### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
3086	3086	3086	3086	3086
<b>14.2. UN proper shipping name</b>				
TOXIC SOLID, OXIDIZING, N.O.S.	TOXIC SOLID, OXIDIZING, N.O.S.	Toxic solid, oxidizing, n.o.s.	TOXIC SOLID, OXIDIZING, N.O.S.	TOXIC SOLID, OXIDIZING, N.O.S.
<b>Transport document description</b>				
UN 3086 TOXIC SOLID, OXIDIZING, N.O.S., 6.1 (5.1), I, (C/E), ENVIRONMENTALLY HAZARDOUS	UN 3086 TOXIC SOLID, OXIDIZING, N.O.S., 6.1 (5.1), I, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS	UN 3086 Toxic solid, oxidizing, n.o.s., 6.1 (5.1), I, ENVIRONMENTALLY HAZARDOUS	UN 3086 TOXIC SOLID, OXIDIZING, N.O.S., 6.1 (5.1), I, ENVIRONMENTALLY HAZARDOUS	UN 3086 TOXIC SOLID, OXIDIZING, N.O.S., 6.1 (5.1), I, ENVIRONMENTALLY HAZARDOUS
<b>14.3. Transport hazard class(es)</b>				
6.1 (5.1)	6.1 (5.1)	6.1 (5.1)	6.1 (5.1)	6.1 (5.1)
<b>14.4. Packing group</b>				
I	I	I	I	I
<b>14.5. Environmental hazards</b>				
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
No supplementary information available				

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR)	: TO2
Special provisions (ADR)	: 274
Limited quantities (ADR)	: 0
Excepted quantities (ADR)	: E5
Packing instructions (ADR)	: P002
Mixed packing provisions (ADR)	: MP18
Portable tank and bulk container instructions (ADR)	: T6
Portable tank and bulk container special provisions (ADR)	: TP33
Tank code (ADR)	: S10AH, L10CH
Tank special provisions (ADR)	: TU14, TU15, TE19, TE21
Vehicle for tank carriage	: AT
Transport category (ADR)	: 1
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV1, CV13, CV28
Special provisions for carriage - Operation (ADR)	: S9, S14
Hazard identification number (Kemler No.)	: 665
Orange plates	:



Tunnel restriction code (ADR) : C/E

# Potassium dichromate

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/06/2022

Doc No: SDS-960.056/3



EAC code : 2W

### - Transport by sea

Transport regulations (IMDG) : Subject  
Special provisions (IMDG) : 274  
Limited quantities (IMDG) : 0  
Excepted quantities (IMDG) : E5  
Packing instructions (IMDG) : P002  
Tank instructions (IMDG) : T6  
Tank special provisions (IMDG) : TP33  
EmS-No. (Fire) : F-A  
EmS-No. (Spillage) : S-Q  
Stowage category (IMDG) : C  
Properties and observations (IMDG) : Toxic if swallowed, by skin contact or by inhalation.  
MFAG-No : 141

### - Air transport

Transport regulations (IATA) : Subject to the provisions  
PCA Excepted quantities (IATA) : E5  
PCA Limited quantities (IATA) : Forbidden  
PCA limited quantity max net quantity (IATA) : Forbidden  
PCA packing instructions (IATA) : 665  
PCA max net quantity (IATA) : 1kg  
CAO packing instructions (IATA) : 672  
CAO max net quantity (IATA) : 15kg  
Special provisions (IATA) : A5  
ERG code (IATA) : 6X

### - Inland waterway transport

Classification code (ADN) : TO2  
Special provisions (ADN) : 274, 802  
Limited quantities (ADN) : 0  
Excepted quantities (ADN) : E5  
Equipment required (ADN) : PP, EP  
Number of blue cones/lights (ADN) : 2

### - Rail transport

Transport regulations (RID) : Subject  
Classification code (RID) : TO2  
Special provisions (RID) : 274  
Limited quantities (RID) : 0  
Excepted quantities (RID) : E5  
Packing instructions (RID) : P002  
Mixed packing provisions (RID) : MP18  
Portable tank and bulk container instructions (RID) : T6  
Portable tank and bulk container special provisions (RID) : TP33  
Tank codes for RID tanks (RID) : S10AH, L10CH  
Special provisions for RID tanks (RID) : TU14, TU15, TU38, TE21, TE22  
Transport category (RID) : 1  
Special provisions for carriage - Loading, unloading and handling (RID) : CW13, CW28, CW31  
Hazard identification number (RID) : 665

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# Potassium dichromate

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/06/2022

Doc No: SDS-960.056/3



### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Potassium dichromate is on the REACH Candidate List

Potassium dichromate is on the REACH Annex XIV List:

Authorisation number	Sunset date	REACH authorisation exemptions
	21/09/2017	

VOC content : Not applicable

##### 15.1.2. National regulations

###### Germany

VwVwS Annex reference : Water hazard class (WGK) 3, severe hazard to waters (KBwS-Beschluss; ID No. 339)

WGK remark : Classification water polluting in compliance with Verwaltungsvorschrift wassergefährdender Stoffe (VwVwS) of 27 July 2005 (Anhang 2)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

###### Netherlands

Waterbevaarlijkheid : 1 - Black list substance

SZW-lijst van kankerverwekkende stoffen : Potassium dichromate is listed

SZW-lijst van mutagene stoffen : Potassium dichromate is listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : Potassium dichromate is listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : Potassium dichromate is listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : Potassium dichromate is listed

###### Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product  
Pregnant/breastfeeding women working with the product must not be in direct contact with the product  
The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

#### 15.2. Chemical safety assessment

No additional information available

### SECTION 16: Other information

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
PBT	Persistent Bioaccumulative Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet

# Potassium dichromate

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 01/06/2022

Doc No: SDS-960.056/3



vPvB	Very Persistent and Very Bioaccumulative
------	--

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Full text of H- and EUH-statements:	
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Carc. 1B	Carcinogenicity, Category 1B
Muta. 1B	Germ cell mutagenicity, Category 1B
Ox. Sol. 2	Oxidising Solids, Category 2
Repr. 1B	Reproductive toxicity, Category 1B
Resp. Sens. 1	Respiratory sensitisation, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3
H272	May intensify fire; oxidiser
H301	Toxic if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H330	Fatal if inhaled
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H340	May cause genetic defects
H350	May cause cancer
H360FD	May damage fertility. May damage the unborn child
H372	Causes damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

SDS ISOLAB

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*