Safety Data Sheet according to Regulation (EU) 2015/830 Date of issue: 01/06/2022 Doc No: SDS-960.086/2



| SECTION 1: Identification of the sub | stance/mixture and of the company/undertaking |
|--|---|
| 1.1. Product identifier | |
| Product form | : Substance |
| Substance name | : Potassium hydroxide |
| EC index no | : 019-002-00-8 |
| EC no | : 215-181-3 |
| CAS No | : 1310-58-3 |
| Type of product | : Pure substance, Hygroscopic substance. Preventive measures apply to the substance in dry state only |
| Formula | : KOH |
| Chemical structure | : |
| | κ [⁺] ο Ϊ |
| Synonyms | : caustic potash / caustic potash dry / caustic potash, dry solid, flake, bead or granular / caustic potash, solid / caustic potash, solid / hydrate of potash / hydrate of potassium / hydroxide of potash / hydroxide of potassium / lye (=potassium hydroxide) / potash / potash hydrate / potash lye / potassium hydroxide / potassium hydroxide (K(OH)) / potassium hydroxide dry / potassium hydroxide, dry solid, flake, bead or granular / potassium hydroxide, electrolytical, solid / potassium hydroxide, solid / |
| 1.2. Relevant identified uses of the subst | tance or mixture and uses advised against |

1.2.1. Relevant identified uses

Use of the substance/mixture

: Laboratory chemical

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

ISOLAB Laborgeräte GmbH Am Dillhof 2 - 63863 Eschau / GERMANY Tel: + 49 93 74 / 978 55-0 Fax: +49 93 74 / 978 55-29 prodsafe@isolab.de

1.4. Emergency telephone number

| Country | Organisation/Company | Address | Emergency number | Comment |
|---------|--|-----------------------------------|------------------|---------|
| Germany | Giftnotruf der Charité CBF, Haus VIII (Wirtschaftgebäude), UG | Hindenburgdamm 30 12203 Berlin | +49 (0) 30 19240 | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1,H290Acute toxicity (oral), Category 4H302Skin corrosion/irritation, Category 1AH314

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Causes severe skin burns and eye damage.

Safety Data Sheet according to Regulation (EU) 2015/830

Date of issue: 01/06/2022 Doc No: SDS-960.086/2

2.2. Label elements



| Labelling according to Regulation (EC) No. 12 | 272/2008 [CLP] |
|---|---|
| Hazard pictograms (CLP) | : GHS05 GHS07 |
| Signal word (CLP) | : Danger |
| Hazard statements (CLP) | : H290 May be corrosive to metals H302 - Harmful if swallowed H314 - Causes severe skin burns and eye damage |
| Precautionary statements (CLP) | P280 - Wear protective gloves, eye protection, face protection, protective clothing P264 - Wash hands thoroughly after handling P310 - Immediately call a POISON CENTER or doctor/physician P304+P340 - IF INHALED: remove victim to fresh air and keep at rest in a position comfortable for breathing P363 - Wash contaminated clothing before reuse P301+P312 - IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell P405 - Store locked up |

2.3. Other hazards

No additional information available

| SECTION 3: Composition/information on ing | gredients | |
|--|---|---------|
| 3.1. Substances | | |
| Name | Product identifier | % |
| Potassium hydroxide | (CAS No) 1310-58-3 (EC no) 215-181-3 (EC index no) 019-002-00-8 | 85 - 90 |

Full text of H-statements: see section 16

3.2. Mixtures

Not applicable

| SECTION 4: First aid measure | S |
|---------------------------------------|---|
| 4.1. Description of first aid meas | ures |
| First-aid measures general | : Check the vital functions. Unconscious: maintain adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim conscious with laboured breathing: half-seated. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Prevent cooling by covering the victim (no warming up). Keep watching the victim. Give psychological aid. Keep the victim calm, avoid physical strain. Depending on the victim's condition: doctor/hospital. |
| First-aid measures after inhalation | Remove the victim into fresh air. Doctor: administration of corticoid spray. Respiratory problems: consult a doctor/medical service. |
| First-aid measures after skin contact | Wash immediately with lots of water (15 minutes)/shower. Do not apply (chemical) neutralizing agents. Remove clothing while washing. Do not remove clothing if it sticks to the skin. Cover wounds with sterile bandage. Consult a doctor/medical service. If burned surface > 10%: take victim to hospital. |
| First-aid measures after eye contact | Rinse immediately with plenty of water for 15 minutes. Cover eyes aseptically. Do not apply neutralizing agents. Take victim to an ophthalmologist. |
| First-aid measures after ingestion | : Rinse mouth with water. Immediately after ingestion: give lots of water to drink. Do not induce vomiting. Do not give activated charcoal. Immediately consult a doctor/medical service. Call Poison Information Centre (www.big.be/antigif.htm). Ingestion of large quantities: immediately to hospital. Take the container/vomit to the doctor/hospital. Do not give chemical antidote. |
| 4.2. Most important symptoms a | nd effects, both acute and delayed |
| Symptoms/injuries after inhalation | AFTER INHALATION OF DUST: Dry/sore throat. Corrosion of the upper respiratory tract. Respiratory difficulties. FOLLOWING SYMPTOMS MAY APPEAR LATER: Possible oedema of the upper respiratory tract. Possible inflammation of the respiratory tract. Possible laryngeal spasm/oedema. Risk of pneumonia. |
| Symptoms/injuries after skin contact | : Caustic burns/corrosion of the skin. Slow-healing wounds. |
| 11/1/2016 | EN (English) 2/10 |

Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 01/06/2022 Doc No: SDS-960.086/2



| Symptoms/injuries after eye contact | : Corrosion of the eye tissue. Permanent eye damage. Blindness. |
|--|--|
| Symptoms/injuries after ingestion | : Abdominal pain. Difficulty in swallowing. Possible esophageal perforation. Irritation of the oral mucous membranes. Burns to the gastric/intestinal mucosa. Blood in vomit. AFTER ABSORPTION OF HIGH QUANTITIES: Change in the haemogramme/blood composition. Disturbances of heart rate. FOLLOWING SYMPTOMS MAY APPEAR LATER: Bleeding of the gastrointestinal tract. Low arterial pressure. Blood in stool. Shock. |
| Chronic symptoms | : No effects known. |
| 4.3. Indication of any immediate me | edical attention and special treatment needed |
| Treat symptomatically. | |
| SECTION 5: Firefighting measure | es |
| 5.1. Extinguishing media | |
| Suitable extinguishing media | : EXTINGUISHING MEDIA FOR SURROUNDING FIRES: Adapt extinguishing media to the environment. |
| Unsuitable extinguishing media | : No unsuitable extinguishing media known. |
| 5.2. Special hazards arising from th | e substance or mixture |
| Fire hazard | : DIRECT FIRE HAZARD. Non combustible. INDIRECT FIRE HAZARD. Reactions involving a fire hazard: see "Reactivity Hazard". |
| Explosion hazard | : INDIRECT EXPLOSION HAZARD. Reactions with explosion hazards: see "Reactivity Hazard". |
| Hazardous decomposition products in case fire | of : Toxic fumes may be released. |
| 5.3. Advice for firefighters | |
| Firefighting instructions | : Cool tanks/drums with water spray/remove them into safety. Take account of toxic fire-fighting water. Use water moderately and if possible collect or contain it. |
| Protection during firefighting | : Heat/fire exposure: compressed air/oxygen apparatus. |
| SECTION 6: Accidental release r | neasures |
| 6.1. Personal precautions, protectiv | ve equipment and emergency procedures |
| 6.1.1. For non-emergency personnel | |
| Protective equipment | : Gloves. Face-shield. Corrosion-proof suit. Dust cloud production: compressed air/oxygen apparatus. See "Material-Handling" to select protective clothing. |
| Emergency procedures | : Mark the danger area. Avoid ingress of water in the containers. Prevent dust cloud formation. Wash contaminated clothes. In case of hazardous reactions: keep upwind. In case of reactivity hazard: consider evacuation. |
| Measures in case of dust release | : In case of dust production: keep upwind. Dust production: have neighbourhood close doors and windows. |
| 6.1.2. For emergency responders | |
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| 6.2. Environmental precautions | |
| Prevent soil and water pollution. Prevent sp | reading in sewers. |
| 6.3. Methods and material for conta | inment and cleaning up |
| | |

For containment : Contain released substance, pump into suitable containers. Consult "Material-handling" to select material of containers. Plug the leak, cut off the supply. Dam up the solid spill. Knock down/dilute dust cloud with water spray. Take account of toxic/corrosive precipitation water. Hazardous reaction: measure explosive gas-air mixture. Reaction: dilute combustible gas/vapour with water curtain. Methods for cleaning up Collect the spill only if it is in a dry state. Wetted substance: cover with dry sand/earth. Scoop solid spill into closing containers. See "Material-handling" for suitable container materials. Carefully collect the spill/leftovers. Take collected spill to manufacturer/competent authority. Small quantities of liquid spill: neutralize with dilute acid solution. Wash away neutralized product with plentiful water. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling. Other information : Dispose of materials or solid residues at an authorized site. 6.4. Reference to other sections

For further information refer to section 13.

Safety Data Sheet according to Regulation (EU) 2015/830 Date of issue: 01/06/2022

Doc No: SDS-960.086/2



SECTION 7: Handling and storage 7.1. Precautions for safe handling

| Precautions for safe handling | : Comply with the legal requirements. Remove contaminated clothing immediately. Clean contaminated clothing. Use corrosionproof equipment. Thoroughly clean/dry the installation before use. Do not discharge the waste into the drain. Avoid raising dust. Avoid contact of substance with water. Observe very strict hygiene - avoid contact. Keep container tightly closed. Measure the concentration in the air regularly. Carry operations in the open/under loca exhaust/ventilation or with respiratory protection. |
|--|--|
| Hygiene measures | : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product Always wash hands after handling the product. |
| 7.2. Conditions for safe storage, includ | ng any incompatibilities |
| Storage conditions | : Store locked up. Store in a well-ventilated place. Keep cool. |
| Storage temperature | : 20 °C |
| Heat and ignition sources | : KEEP SUBSTANCE AWAY FROM: heat sources. |
| Information on mixed storage | : KEEP SUBSTANCE AWAY FROM: combustible materials. oxidizing agents. (strong) acids. highly flammable materials. metals. organic materials. water/moisture. |
| Storage area | : Store in a dry area. Keep container in a well-ventilated place. Keep locked up. Provide for a tu to collect spills. Unauthorized persons are not admitted. Meet the legal requirements. |
| Special rules on packaging | : SPECIAL REQUIREMENTS: hermetical. watertight. corrosion-proof. dry. clean. correctly labelled. meet the legal requirements. Secure fragile packagings in solid containers. |
| Packaging materials | SUITABLE MATERIAL: steel. stainless steel. carbon steel. iron. nickel. cardboard. synthetic material. glass. stoneware/porcelain. MATERIAL TO AVOID: lead. aluminium. copper. tin. zinc bronze. polyethylene. |

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Potassium hydroxide (1310-58-3) | | |
|---------------------------------|---------------------------------------|--|
| Belgium | Short time value (mg/m ³) | 2 mg/m ³ (Potassium (hydroxyde de); Belgium; Short time value) |
| France | VLE (mg/m³) | 2 mg/m³ (Potassium (hydroxyde de); France; Short time value; VL: Valeur non réglementaire indicative) |
| United Kingdom | WEL STEL (mg/m ³) | 2 mg/m ³ Potassium hydroxide; United Kingdom; Short time value; Workplace exposure limit (EH40/2005) |
| USA - ACGIH | ACGIH Ceiling (mg/m ³) | 2 mg/m ³ (Potassium hydroxide; USA; Momentary value; TLV - Adopted Value) |

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Gloves. Face shield. Protective clothing.

Materials for protective clothing:

GIVE EXCELLENT RESISTANCE: butyl rubber. natural rubber. neoprene. nitrile rubber. PVC. viton. GIVE LESS RESISTANCE: No data available. GIVE POOR RESISTANCE: leather. natural fibres. PVA

Hand protection:

Gloves

Eye protection:

Face shield

Skin and body protection:

Corrosion-proof clothing. In case of dust production: head/neck protection

Respiratory protection:

Dust production: dust mask with filter type P3. Self-contained breathing apparatus if conc. in air > 1 vol %

Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 01/06/2022 Doc No: SDS-960.086/2





Environmental exposure controls:

Avoid release to the environment.

| SECTION 9: Physical and chemical | properties |
|--|---|
| 9.1. Information on basic physical and | chemical properties |
| Physical state | : Solid |
| Appearance | : Solid in various shapes. Powder. |
| Molecular mass | : 56.11 g/mol |
| Colour | : White to light yellow. |
| Odour | : Odourless. |
| Odour threshold | : No data available |
| рН | : 14 (56 g/l, H ₂ O, 20 °C) |
| pH solution | : 5.6 % |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : 360 °C (680 F) |
| Freezing point | : Not applicable |
| Boiling point | : 1320 °C (2408 F) |
| Flash point | : Not applicable |
| Auto-ignition temperature | : Not applicable |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : Non flammable |
| Vapour pressure | : 1.0 hPa (714 °C) |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : 2 (20 °C) |
| Density | : 2044 kg/m³ (20 °C) |
| Solubility | : Exothermically soluble in water. Soluble in ethanol. Soluble in glycerol. Water: 113 g/100ml |
| Log Pow | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : Not applicable |
| 9.2. Other information | |
| Minimum ignition energy | : Not applicable |
| SADT | : Not applicable |
| VOC content | : 0% |
| Other properties | : Translucent. Hygroscopic. Substance has basic reaction. |

SECTION 10: Stability and reactivity

10.1. Reactivity

Violent exothermic reaction with water (moisture). Reacts on exposure to water (moisture) with combustible materials: risk of spontaneous ignition. Reacts on exposure to water (moisture) with (some) metals: release of highly flammable gases/vapours (hydrogen). Absorbs the atmospheric CO2. Violent to explosive reaction with many compounds e.g.: with organic material, with (some) halogens and with (some) acids: heat release resulting in increased fire or explosion risk.

10.2. Chemical stability

Hygroscopic. Absorbs the atmospheric CO2.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 01/06/2022 Doc No: SDS-960.086/2



10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

| 11.1. Information on toxicological | effects |
|------------------------------------|--|
| Acute toxicity | : Oral: Harmful if swallowed. |
| Potassium hydroxide (1310-58-3) | |
| LD50 oral rat | 333 mg/kg (Rat; Equivalent or similar to OECD 425; Experimental value) |
| Skin corrosion/irritation | : Causes severe skin burns and eye damage. |
| | pH: 13.5 (0.60 %) |
| Serious eye damage/irritation | : Serious eye damage, category 1, implicit |
| | pH: 13.5 (0.60 %) |
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : Not classified |
| STOT-repeated exposure | : Not classified |
| Aspiration hazard | : Not classified |
| | |

| SECTION 12: Ecological inf | formation |
|-----------------------------------|---|
| 12.1. Toxicity | |
| Ecology - general | : Before neutralisation, the product may represent a danger to aquatic organisms. |
| Ecology - air | : Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009). |
| Ecology - water | : Ground water pollutant. Harmful to fishes. Highly toxic to plankton. pH shift. |
| Potassium hydroxide (1310-58-3) | |
| LC50 fish 2 | 80 mg/l (LC50; 96 h; Gambusia affinis; Static system; Fresh water) |

12.2. Persistence and degradability

| Potassium hydroxide (1310-58-3) | |
|---------------------------------|-----------------------------------|
| Persistence and degradability | Biodegradability: not applicable. |
| Biochemical oxygen demand (BOD) | Not applicable |
| Chemical oxygen demand (COD) | Not applicable |
| ThOD | Not applicable |

Bioaccumulation: not applicable.

12.3. Bioaccumulative potential Potassium hydroxide (1310-58-3)

| D's second at the second | | |
|--------------------------|--------|--|
| Bioaccumulative pot | ential | |

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

Safety Data Sheet according to Regulation (EU) 2015/830 Date of issue: 01/06/2022

Doc No: SDS-960.086/2



SECTION 13: Disposal considerations

| 13.1. Waste treatment methods | |
|--|--|
| Waste treatment methods | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Product/Packaging disposal recommendations | : Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Should not be landfilled with household waste. Recycle/reuse. Immobilize the toxic or harmful components. Precipitate/make insoluble. Remove to an authorized dump (Class I). Treat using the best available techniques before discharge into drains or the aquatic environment. |
| Additional information | : LWCA (the Netherlands): KGA category 05. Hazardous waste according to Directive 2008/98/EC. |
| European List of Waste (LoW) code | : 06 02 04* - sodium and potassium hydroxide |

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

| ADR | IMDG | ΙΑΤΑ | ADN | RID |
|--|--|--|--|--|
| 14.1. UN number | • | • | • | |
| 1813 | 1813 | 1813 | 1813 | 1813 |
| 14.2. UN proper shippi | ng name | • | • | • |
| POTASSIUM HYDROXIDE, SOLID | POTASSIUM HYDROXIDE, SOLID | Potassium hydroxide, solid | POTASSIUM HYDROXIDE, SOLID | POTASSIUM HYDROXIDE, SOLID |
| Transport document descr | iption | | | |
| UN 1813 POTASSIUM HYDROXIDE, SOLID, 8, II, (E) | UN 1813 POTASSIUM HYDROXIDE, SOLID, 8, II | UN 1813 Potassium hydroxide, solid, 8, II | UN 1813 POTASSIUM HYDROXIDE, SOLID, 8, II | UN 1813 POTASSIUM HYDROXIDE, SOLID, 8, II |
| 14.3. Transport hazard | class(es) | | | |
| 8 | 8 | 8 | 8 | 8 |
| 8 | | 8 | | |
| 14.4. Packing group | • | • | • | |
| II | П | П | П | П |
| 14.5. Environmental ha | zards | · | · | · |
| Dangerous for the environment : No | Dangerous for the environment : No Marine pollutant : No | Dangerous for the environment : No | Dangerous for the environment : No | Dangerous for the environment : No |
| | No supplementary information available | | | |
| | | | | |

14.6. Special precautions for user

| - Overland transport | |
|---|---------------|
| Classification code (ADR) | : C6 |
| Limited quantities (ADR) | : 1kg |
| Excepted quantities (ADR) | : E2 |
| Packing instructions (ADR) | : P002, IBC08 |
| Mixed packing provisions (ADR) | : MP10 |
| Portable tank and bulk container instructions (ADR) | : T3 |
| Portable tank and bulk container special provisions (ADR) | : TP33 |
| Tank code (ADR) | : SGAN |
| Vehicle for tank carriage | : AT |
| Transport category (ADR) | : 2 |
| Special provisions for carriage - Packages (ADR) | : V11 |
| Hazard identification number (Kemler No.) | : 80 |
| 11/1/2016 | EN (English) |

Safety Data Sheet according to Regulation (EU) 2015/830

Date of issue: 01/06/2022 Doc No: SDS-960.086/2



| Orange plates | 80 1813 |
|---|---|
| Tunnel restriction code (ADR) | : E |
| EAC code | : 2W |
| - Transport by sea | |
| Transport regulations (IMDG) | : Subject |
| Limited quantities (IMDG) | : 1 kg |
| Excepted quantities (IMDG) | : E2 |
| Packing instructions (IMDG) | : P002 |
| IBC packing instructions (IMDG) | : IBC08 |
| IBC special provisions (IMDC) | : B2, B4 |
| Tank instructions (IMDG) | : T3 |
| Tank special provisions (IMDG) | : TP33 |
| EmS-No. (Fire) | : F-A |
| EmS-No. (Spillage) | : S-B |
| Stowage category (IMDG) | : A |
| Segregation (IMDG) | : SG35 |
| Properties and observations (IMDG) | : White pellets, flakes, lumps or solid blocks, deliquescent. Reacts with ammonium salts, |
| | evolving ammonia gas. In the presence of moisture, corrosive to aluminium, zinc and tin. Causes burns to skin, eyes and mucous membranes. Reacts violently with acids. |
| MFAG-No | : 154 |
| - Air transport | |
| Transport regulations (IATA) | : Subject |
| PCA Excepted quantities (IATA) | : E2 |
| PCA Limited quantities (IATA) | : Y844 |
| PCA limited quantity max net quantity (IATA) | : 5kg |
| PCA packing instructions (IATA) | : 859 |
| PCA max net quantity (IATA) | : 15kg |
| CAO packing instructions (IATA) | : 863 |
| CAO max net quantity (IATA) | : 50kg |
| ERG code (IATA) | : 8L |
| - Inland waterway transport | |
| Classification code (ADN) | : C6 |
| Limited quantities (ADN) | : 1 kg |
| Excepted quantities (ADN) | : E2 |
| Equipment required (ADN) | : PP, EP |
| Number of blue cones/lights (ADN) | : 0 |
| - Rail transport | |
| Transport regulations (RID) | : Subject |
| Classification code (RID) | : C6 |
| Limited quantities (RID) | : 1kg |
| Excepted quantities (RID) | : E2 |
| Packing instructions (RID) | : P002, IBC08 |
| Special packing provisions (RID) | : B4 |
| Mixed packing provisions (RID) | : MP10 |
| Portable tank and bulk container instructions (RID) | : T3 |
| Portable tank and bulk container special provisions (RID) | : TP33 |
| Tank codes for RID tanks (RID) | : SGAN |
| Transport category (RID) | : 2 |

Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 01/06/2022 Doc No: SDS-960.086/2



| Special (RID) | provisions for carriage – Packages | : W11 |
|------------------------------------|--|--|
| Colis ex | press (express parcels) (RID) | : CE10 |
| Hazard identification number (RID) | | : 80 |
| 14.7. | Transport in bulk according to Ann | ex II of Marpol and the IBC Code |
| Not appl | icable | |
| SECTI | ON 15: Regulatory informatio | n |
| 15.1. | Safety, health and environmental re | gulations/legislation specific for the substance or mixture |
| 15.1.1. | EU-Regulations | |
| No REA | CH Annex XVII restrictions | |
| Potassiu | im hydroxide is not on the REACH Can | didate List |
| Potassiu | im hydroxide is not on the REACH Anne | ex XIV List |
| | | |
| VOC cor | ntent | : 0% |
| 15.1.2. | National regulations | |
| German | У | |
| VwVwS | Annex reference | : Water hazard class (WGK) 1, low hazard to waters (Classification according to VwVwS, Annex 1 or 2; ID No. 345) |
| WGK rei | mark | Classification water polluting in compliance with Verwaltungsvorschrift wassergefährdender Stoffe (VwVwS) of 27 July 2005 (Anhang 2) |
| | linance Implementing the Federal on Control Act - 12.BImSchV | : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance) |
| Netherla | ands | |
| SZW-lijs | t van kankerverwekkende stoffen | : The substance is not listed |
| SZW-lijs | t van mutagene stoffen | : The substance is not listed |
| | itatieve lijst van voor de voortplanting offen – Borstvoeding | : The substance is not listed |
| | itatieve lijst van voor de voortplanting offen – Vruchtbaarheid | : The substance is not listed |
| | itatieve lijst van voor de voortplanting offen – Ontwikkeling | : The substance is not listed |
| Denmar | k | |
| Recomm | nendations Danish Regulation | : Young people below the age of 18 years are not allowed to use the product |
| 15.2. | Chemical safety assessment | |
| | | |

No chemical safety assessment has been carried out

SECTION 16: Other information

| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road | |
|-------|---|--|
| ATE | Acute Toxicity Estimate | |
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 | |
| EC50 | Median effective concentration | |
| BCF | Bioconcentration factor | |
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways | |
| IMDG | International Maritime Dangerous Goods | |
| IATA | International Air Transport Association | |
| LC50 | Median lethal concentration | |
| LD50 | Median lethal dose | |
| PBT | Persistent Bioaccumulative Toxic | |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 | |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail | |
| SDS | Safety Data Sheet | |

Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 01/06/2022 Doc No: SDS-960.086/2



| vPvB | Very Persistent and Very Bioaccumulative | |
|--------------|--|--|
| Data sources | REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. | |

Full text of H- and EUH-statements:

| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
|---------------------|---|
| Skin Corr. 1A | Skin corrosion/irritation, Category 1A |
| H290 | May be corrosive to metals |
| H302 | Harmful if swallowed |
| H314 | Causes severe skin burns and eye damage |

SDS ISOLAB

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product